







802.11n(HT20)_HCH_5320MHz_Ant1_NTNV







802.11n(HT20)_LCH_5745MHz_Ant1_NTNV
















10.2 2.2 6dB BW**10.2.12.2.1 Test Result**



Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	16.432	≥ 0.5	Pass
		5785	1	16.425	≥ 0.5	Pass
		5825	1	16.424	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	1	17.644	≥ 0.5	Pass
		5785	1	17.647	≥ 0.5	Pass
		5825	1	17.640	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	1	36.354	≥ 0.5	Pass
		5795	1	36.353	≥ 0.5	Pass

2.2.2 Test Graph












10.3 2.3 26dB BW



10.3.12.3.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)	Verdict
				Result	
802.11a	SISO	5180	1	19.700	Pass
		5200	1	20.187	Pass
		5240	1	19.919	Pass
		5260	1	19.969	Pass
		5300	1	19.960	Pass
		5320	1	19.989	Pass
802.11n (HT20)	SISO	5180	1	23.444	Pass
		5200	1	22.848	Pass
		5240	1	20.500	Pass
		5260	1	20.219	Pass
		5300	1	20.235	Pass
802.11n (HT40)	SISO	5320	1	20.223	Pass
		5190	1	43.434	Pass
		5230	1	42.392	Pass
		5270	1	40.118	Pass
		5310	1	40.410	Pass

2.3.2 Test Graph















802.11n(HT20)_HCH_5240MHz_Ant1_NTNV





802.11n(HT20)_LCH_5260MHz_Ant1_NTNV









11 3. Maximum Conducted Output Power


11.1 3.1 Power

11.1.13.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	6.50	<=23.98	Pass
		5200	6.82	<=23.98	Pass
		5240	6.84	<=23.98	Pass
		5260	8.01	<=23.98	Pass
		5300	8.12	<=23.98	Pass
		5320	8.19	<=23.98	Pass
		5745	8.08	<=30	Pass
		5785	7.80	<=30	Pass
802.11n (HT20)	SISO	5180	6.45	<=23.98	Pass
		5200	6.30	<=23.98	Pass
		5240	6.55	<=23.98	Pass
		5260	7.89	<=23.98	Pass
		5300	8.01	<=23.98	Pass
		5320	8.04	<=23.98	Pass
		5745	7.33	<=30	Pass
		5785	7.34	<=30	Pass
802.11n (HT40)	SISO	5190	6.77	<=23.98	Pass
		5230	6.80	<=23.98	Pass
		5270	7.92	<=23.98	Pass
		5310	8.03	<=23.98	Pass
		5755	7.22	<=30	Pass
		5795	7.19	<=30	Pass

Note1: Antenna Gain: Ant1: 1.12dBi;


3.1.2 Test Graph







802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV







802.11a_HCH_5825MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV

