

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26a_1.4MHz_ERP

1.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	814.7	1	0	22.99	0.53	21.37	<=38.45	Pass		
			2	23.05	0.53	21.43	<=38.45	Pass		
			5	23.03	0.53	21.41	<=38.45	Pass		
		3	0	23.08	0.53	21.46	<=38.45	Pass		
			2	23.10	0.53	21.48	<=38.45	Pass		
			3	23.09	0.53	21.47	<=38.45	Pass		
		6	0	22.02	0.53	20.40	<=38.45	Pass		
		819	1	0	23.01	0.53	21.39	<=38.45	Pass	
				2	23.15	0.53	21.53	<=38.45	Pass	
	5			23.02	0.53	21.40	<=38.45	Pass		
	3		0	23.19	0.53	21.57	<=38.45	Pass		
			2	23.20	0.53	21.58	<=38.45	Pass		
			3	23.15	0.53	21.53	<=38.45	Pass		
	6	0	22.07	0.53	20.45	<=38.45	Pass			
	823.3	1	0	23.01	0.53	21.39	<=38.45	Pass		
			2	23.11	0.53	21.49	<=38.45	Pass		
			5	23.03	0.53	21.41	<=38.45	Pass		
		3	0	23.13	0.53	21.51	<=38.45	Pass		
			2	23.14	0.53	21.52	<=38.45	Pass		
			3	23.15	0.53	21.53	<=38.45	Pass		
		6	0	22.08	0.53	20.46	<=38.45	Pass		
		16QAM	814.7	1	0	22.07	0.53	20.45	<=38.45	Pass
					2	22.05	0.53	20.43	<=38.45	Pass
	5				21.96	0.53	20.34	<=38.45	Pass	
3	0			21.97	0.53	20.35	<=38.45	Pass		
	2			22.09	0.53	20.47	<=38.45	Pass		
	3			22.02	0.53	20.40	<=38.45	Pass		
6	0			21.06	0.53	19.44	<=38.45	Pass		
819	1			0	22.16	0.53	20.54	<=38.45	Pass	
				2	22.13	0.53	20.51	<=38.45	Pass	
			5	22.05	0.53	20.43	<=38.45	Pass		
	3		0	22.08	0.53	20.46	<=38.45	Pass		
			2	22.36	0.53	20.74	<=38.45	Pass		
			3	22.12	0.53	20.50	<=38.45	Pass		
6	0		21.03	0.53	19.41	<=38.45	Pass			
823.3	1		0	22.15	0.53	20.53	<=38.45	Pass		
			2	22.11	0.53	20.49	<=38.45	Pass		
			5	21.96	0.53	20.34	<=38.45	Pass		
	3		0	22.05	0.53	20.43	<=38.45	Pass		
		2	22.09	0.53	20.47	<=38.45	Pass			
		3	22.28	0.53	20.66	<=38.45	Pass			
	6	0	21.12	0.53	19.50	<=38.45	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B26a_3MHz_ERP

1.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	815.5	1	0	23.17	0.53	21.55	<=38.45	Pass		
			7	23.30	0.53	21.68	<=38.45	Pass		
			14	23.17	0.53	21.55	<=38.45	Pass		
		8	0	22.11	0.53	20.49	<=38.45	Pass		
			4	22.17	0.53	20.55	<=38.45	Pass		
			7	22.14	0.53	20.52	<=38.45	Pass		
		15	0	22.11	0.53	20.49	<=38.45	Pass		
		819	1	0	23.19	0.53	21.57	<=38.45	Pass	
				7	23.37	0.53	21.75	<=38.45	Pass	
	14			23.18	0.53	21.56	<=38.45	Pass		
	8		0	22.19	0.53	20.57	<=38.45	Pass		
			4	22.20	0.53	20.58	<=38.45	Pass		
			7	22.14	0.53	20.52	<=38.45	Pass		
	15		0	22.16	0.53	20.54	<=38.45	Pass		
	822.5		1	0	23.18	0.53	21.56	<=38.45	Pass	
				7	23.29	0.53	21.67	<=38.45	Pass	
		14		23.21	0.53	21.59	<=38.45	Pass		
		8	0	22.13	0.53	20.51	<=38.45	Pass		
			4	22.17	0.53	20.55	<=38.45	Pass		
			7	22.10	0.53	20.48	<=38.45	Pass		
		15	0	22.14	0.53	20.52	<=38.45	Pass		
		16QAM	815.5	1	0	22.58	0.53	20.96	<=38.45	Pass
					7	22.44	0.53	20.82	<=38.45	Pass
	14				22.17	0.53	20.55	<=38.45	Pass	
8	0			21.26	0.53	19.64	<=38.45	Pass		
	4			21.19	0.53	19.57	<=38.45	Pass		
	7			21.22	0.53	19.60	<=38.45	Pass		
15	0			21.20	0.53	19.58	<=38.45	Pass		
819	1			0	22.22	0.53	20.60	<=38.45	Pass	
				7	22.83	0.53	21.21	<=38.45	Pass	
			14	22.31	0.53	20.69	<=38.45	Pass		
	8		0	21.27	0.53	19.65	<=38.45	Pass		
			4	21.37	0.53	19.75	<=38.45	Pass		
			7	21.16	0.53	19.54	<=38.45	Pass		
	15		0	21.22	0.53	19.60	<=38.45	Pass		
	822.5		1	0	22.31	0.53	20.69	<=38.45	Pass	
				7	22.31	0.53	20.69	<=38.45	Pass	
14				22.62	0.53	21.00	<=38.45	Pass		
8			0	21.15	0.53	19.53	<=38.45	Pass		
			4	21.27	0.53	19.65	<=38.45	Pass		
			7	21.31	0.53	19.69	<=38.45	Pass		
15			0	21.12	0.53	19.50	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B26a_5MHz_ERP

1.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTVN

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	816.5	1	0	22.92	0.53	21.30	<=38.45	Pass		
			13	23.10	0.53	21.48	<=38.45	Pass		
			24	23.02	0.53	21.40	<=38.45	Pass		
		12	0	21.90	0.53	20.28	<=38.45	Pass		
			6	22.10	0.53	20.48	<=38.45	Pass		
			13	21.97	0.53	20.35	<=38.45	Pass		
		25	0	21.95	0.53	20.33	<=38.45	Pass		
		819	1	0	22.99	0.53	21.37	<=38.45	Pass	
				13	23.10	0.53	21.48	<=38.45	Pass	
	24			22.96	0.53	21.34	<=38.45	Pass		
	12		0	22.01	0.53	20.39	<=38.45	Pass		
			6	22.09	0.53	20.47	<=38.45	Pass		
			13	22.03	0.53	20.41	<=38.45	Pass		
	25		0	22.05	0.53	20.43	<=38.45	Pass		
	821.5		1	0	22.99	0.53	21.37	<=38.45	Pass	
				13	23.09	0.53	21.47	<=38.45	Pass	
		24		22.99	0.53	21.37	<=38.45	Pass		
		12	0	22.02	0.53	20.40	<=38.45	Pass		
			6	22.07	0.53	20.45	<=38.45	Pass		
			13	21.98	0.53	20.36	<=38.45	Pass		
		25	0	21.98	0.53	20.36	<=38.45	Pass		
		16QAM	816.5	1	0	21.75	0.53	20.13	<=38.45	Pass
					13	22.36	0.53	20.74	<=38.45	Pass
	24				22.09	0.53	20.47	<=38.45	Pass	
12	0			20.92	0.53	19.30	<=38.45	Pass		
	6			21.17	0.53	19.55	<=38.45	Pass		
	13			21.07	0.53	19.45	<=38.45	Pass		
25	0			21.04	0.53	19.42	<=38.45	Pass		
819	1			0	22.05	0.53	20.43	<=38.45	Pass	
				13	21.95	0.53	20.33	<=38.45	Pass	
			24	22.22	0.53	20.60	<=38.45	Pass		
	12		0	21.02	0.53	19.40	<=38.45	Pass		
			6	21.14	0.53	19.52	<=38.45	Pass		
			13	21.07	0.53	19.45	<=38.45	Pass		
	25		0	21.10	0.53	19.48	<=38.45	Pass		
	821.5		1	0	22.24	0.53	20.62	<=38.45	Pass	
				13	22.16	0.53	20.54	<=38.45	Pass	
24				21.81	0.53	20.19	<=38.45	Pass		
12			0	21.11	0.53	19.49	<=38.45	Pass		
			6	21.09	0.53	19.47	<=38.45	Pass		
			13	21.01	0.53	19.39	<=38.45	Pass		
25			0	21.05	0.53	19.43	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B26a_10MHz_ERP

1.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	22.99	0.53	21.37	<=38.45	Pass
			25	23.24	0.53	21.62	<=38.45	Pass

			49	23.08	0.53	21.46	<=38.45	Pass
		25	0	22.09	0.53	20.47	<=38.45	Pass
			13	22.10	0.53	20.48	<=38.45	Pass
			25	22.11	0.53	20.49	<=38.45	Pass
			50	0	22.08	0.53	20.46	<=38.45
16QAM	819	1	0	22.10	0.53	20.48	<=38.45	Pass
			25	22.29	0.53	20.67	<=38.45	Pass
			49	22.50	0.53	20.88	<=38.45	Pass
		25	0	21.16	0.53	19.54	<=38.45	Pass
			13	21.24	0.53	19.62	<=38.45	Pass
			25	21.20	0.53	19.58	<=38.45	Pass
		50	0	21.11	0.53	19.49	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26a_1.4MHz

2.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	814.7	6	0	20	3.27	-2.918	-0.0036	-2.5 to 2.5	Pass			
					3.85	-5.393	-0.0066	-2.5 to 2.5	Pass			
					4.43	-3.977	-0.0049	-2.5 to 2.5	Pass			
				-30	3.85	-5.679	-0.0070	-2.5 to 2.5	Pass			
				-20	3.85	-4.349	-0.0053	-2.5 to 2.5	Pass			
				-10	3.85	-3.233	-0.0040	-2.5 to 2.5	Pass			
				0	3.85	-2.246	-0.0028	-2.5 to 2.5	Pass			
				10	3.85	-3.705	-0.0045	-2.5 to 2.5	Pass			
				30	3.85	-17.509	-0.0215	-2.5 to 2.5	Pass			
				40	3.85	-5.093	-0.0063	-2.5 to 2.5	Pass			
				50	3.85	-4.220	-0.0052	-2.5 to 2.5	Pass			
				819	6	0	20	3.27	-2.646	-0.0032	-2.5 to 2.5	Pass
								3.85	-7.882	-0.0096	-2.5 to 2.5	Pass
								4.43	-6.065	-0.0074	-2.5 to 2.5	Pass
							-30	3.85	-3.462	-0.0042	-2.5 to 2.5	Pass
	-20	3.85	-5.593				-0.0068	-2.5 to 2.5	Pass			
	-10	3.85	-7.224				-0.0088	-2.5 to 2.5	Pass			
	0	3.85	-4.849				-0.0059	-2.5 to 2.5	Pass			
	10	3.85	-6.752				-0.0082	-2.5 to 2.5	Pass			
	30	3.85	-4.749				-0.0058	-2.5 to 2.5	Pass			
	40	3.85	-7.710				-0.0094	-2.5 to 2.5	Pass			
	50	3.85	-6.623				-0.0081	-2.5 to 2.5	Pass			
	823.3	6	0				20	3.27	1.974	0.0024	-2.5 to 2.5	Pass
								3.85	-6.595	-0.0080	-2.5 to 2.5	Pass
								4.43	-4.034	-0.0049	-2.5 to 2.5	Pass
							-30	3.85	-4.449	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-5.350	-0.0065	-2.5 to 2.5	Pass			
				-10	3.85	-1.960	-0.0024	-2.5 to 2.5	Pass			
				0	3.85	-6.309	-0.0077	-2.5 to 2.5	Pass			
				10	3.85	-6.151	-0.0075	-2.5 to 2.5	Pass			
30				3.85	-5.279	-0.0064	-2.5 to 2.5	Pass				

				40	3.85	-7.396	-0.0090	-2.5 to 2.5	Pass
				50	3.85	-8.225	-0.0100	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.27	-6.466	-0.0079	-2.5 to 2.5	Pass
					3.85	-4.263	-0.0052	-2.5 to 2.5	Pass
				4.43	-8.168	-0.0100	-2.5 to 2.5	Pass	
				-30	3.85	-5.779	-0.0071	-2.5 to 2.5	Pass
				-20	3.85	-6.323	-0.0078	-2.5 to 2.5	Pass
				-10	3.85	-4.520	-0.0055	-2.5 to 2.5	Pass
				0	3.85	-5.164	-0.0063	-2.5 to 2.5	Pass
				10	3.85	-9.084	-0.0112	-2.5 to 2.5	Pass
				30	3.85	-8.111	-0.0100	-2.5 to 2.5	Pass
				40	3.85	-7.081	-0.0087	-2.5 to 2.5	Pass
	50	3.85	-7.496	-0.0092	-2.5 to 2.5	Pass			
	819	6	0	20	3.27	-5.836	-0.0071	-2.5 to 2.5	Pass
					3.85	-10.228	-0.0125	-2.5 to 2.5	Pass
				4.43	-4.091	-0.0050	-2.5 to 2.5	Pass	
				-30	3.85	-8.554	-0.0104	-2.5 to 2.5	Pass
				-20	3.85	-6.237	-0.0076	-2.5 to 2.5	Pass
				-10	3.85	-8.798	-0.0107	-2.5 to 2.5	Pass
				0	3.85	-4.106	-0.0050	-2.5 to 2.5	Pass
				10	3.85	-8.154	-0.0100	-2.5 to 2.5	Pass
				30	3.85	-7.138	-0.0087	-2.5 to 2.5	Pass
				40	3.85	-8.883	-0.0108	-2.5 to 2.5	Pass
	50	3.85	-11.530	-0.0141	-2.5 to 2.5	Pass			
	823.3	6	0	20	3.27	-4.606	-0.0056	-2.5 to 2.5	Pass
					3.85	-6.180	-0.0075	-2.5 to 2.5	Pass
				4.43	-9.899	-0.0120	-2.5 to 2.5	Pass	
				-30	3.85	-5.565	-0.0068	-2.5 to 2.5	Pass
				-20	3.85	-6.609	-0.0080	-2.5 to 2.5	Pass
				-10	3.85	-7.324	-0.0089	-2.5 to 2.5	Pass
				0	3.85	-6.022	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-2.332	-0.0028	-2.5 to 2.5	Pass
30				3.85	-8.311	-0.0101	-2.5 to 2.5	Pass	
40				3.85	-8.626	-0.0105	-2.5 to 2.5	Pass	
50	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass				

2.2 B26a_3MHz

2.2.1 Test Result

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	-6.638	-0.0081	-2.5 to 2.5	Pass
					3.85	-6.752	-0.0083	-2.5 to 2.5	Pass
					4.43	-4.749	-0.0058	-2.5 to 2.5	Pass
				-30	3.85	-5.364	-0.0066	-2.5 to 2.5	Pass
				-20	3.85	-4.249	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	-4.606	-0.0056	-2.5 to 2.5	Pass
				0	3.85	-4.792	-0.0059	-2.5 to 2.5	Pass
				10	3.85	-5.236	-0.0064	-2.5 to 2.5	Pass
				30	3.85	-2.918	-0.0036	-2.5 to 2.5	Pass
				40	3.85	-3.247	-0.0040	-2.5 to 2.5	Pass
	50	3.85	-4.764	-0.0058	-2.5 to 2.5	Pass			
	819	15	0	20	3.27	-5.636	-0.0069	-2.5 to 2.5	Pass

					3.85	-6.695	-0.0082	-2.5 to 2.5	Pass
					4.43	-9.727	-0.0119	-2.5 to 2.5	Pass
				-30	3.85	-5.608	-0.0068	-2.5 to 2.5	Pass
				-20	3.85	-3.419	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-3.004	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-9.542	-0.0117	-2.5 to 2.5	Pass
				10	3.85	-6.709	-0.0082	-2.5 to 2.5	Pass
				30	3.85	-6.523	-0.0080	-2.5 to 2.5	Pass
				40	3.85	-5.879	-0.0072	-2.5 to 2.5	Pass
	50	3.85	-9.699	-0.0118	-2.5 to 2.5	Pass			
	822.5	15	0	20	3.27	-7.725	-0.0094	-2.5 to 2.5	Pass
					3.85	-5.822	-0.0071	-2.5 to 2.5	Pass
					4.43	-5.293	-0.0064	-2.5 to 2.5	Pass
				-30	3.85	-4.148	-0.0050	-2.5 to 2.5	Pass
				-20	3.85	-9.184	-0.0112	-2.5 to 2.5	Pass
				-10	3.85	-8.998	-0.0109	-2.5 to 2.5	Pass
				0	3.85	-1.903	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-7.839	-0.0095	-2.5 to 2.5	Pass
				30	3.85	-5.164	-0.0063	-2.5 to 2.5	Pass
40	3.85	-9.055	-0.0110	-2.5 to 2.5	Pass				
50	3.85	-8.655	-0.0105	-2.5 to 2.5	Pass				
16QAM	815.5	15	0	20	3.27	-7.110	-0.0087	-2.5 to 2.5	Pass
					3.85	-3.376	-0.0041	-2.5 to 2.5	Pass
					4.43	-8.554	-0.0105	-2.5 to 2.5	Pass
				-30	3.85	-5.536	-0.0068	-2.5 to 2.5	Pass
				-20	3.85	-10.257	-0.0126	-2.5 to 2.5	Pass
				-10	3.85	-8.698	-0.0107	-2.5 to 2.5	Pass
				0	3.85	-2.975	-0.0036	-2.5 to 2.5	Pass
				10	3.85	-9.184	-0.0113	-2.5 to 2.5	Pass
				30	3.85	-7.296	-0.0089	-2.5 to 2.5	Pass
	40	3.85	-4.120	-0.0051	-2.5 to 2.5	Pass			
	50	3.85	-10.071	-0.0123	-2.5 to 2.5	Pass			
	819	15	0	20	3.27	-7.181	-0.0088	-2.5 to 2.5	Pass
					3.85	-7.439	-0.0091	-2.5 to 2.5	Pass
					4.43	-4.649	-0.0057	-2.5 to 2.5	Pass
				-30	3.85	-8.111	-0.0099	-2.5 to 2.5	Pass
				-20	3.85	-8.254	-0.0101	-2.5 to 2.5	Pass
				-10	3.85	-9.313	-0.0114	-2.5 to 2.5	Pass
				0	3.85	-4.392	-0.0054	-2.5 to 2.5	Pass
				10	3.85	-2.847	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-5.050	-0.0062	-2.5 to 2.5	Pass
	40	3.85	-9.842	-0.0120	-2.5 to 2.5	Pass			
	50	3.85	-9.284	-0.0113	-2.5 to 2.5	Pass			
	822.5	15	0	20	3.27	-6.638	-0.0081	-2.5 to 2.5	Pass
					3.85	-4.463	-0.0054	-2.5 to 2.5	Pass
					4.43	-7.410	-0.0090	-2.5 to 2.5	Pass
				-30	3.85	-4.764	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-5.178	-0.0063	-2.5 to 2.5	Pass
				-10	3.85	-9.141	-0.0111	-2.5 to 2.5	Pass
				0	3.85	-6.795	-0.0083	-2.5 to 2.5	Pass
				10	3.85	-8.240	-0.0100	-2.5 to 2.5	Pass
30				3.85	-8.340	-0.0101	-2.5 to 2.5	Pass	
40	3.85	-4.792	-0.0058	-2.5 to 2.5	Pass				
50	3.85	-5.708	-0.0069	-2.5 to 2.5	Pass				

2.3 B26a_5MHz

2.3.1 Test Result

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	-4.520	-0.0055	-2.5 to 2.5	Pass
					3.85	-3.691	-0.0045	-2.5 to 2.5	Pass
					4.43	-5.651	-0.0069	-2.5 to 2.5	Pass
				-30	3.85	-6.952	-0.0085	-2.5 to 2.5	Pass
				-20	3.85	-8.054	-0.0099	-2.5 to 2.5	Pass
				-10	3.85	-6.452	-0.0079	-2.5 to 2.5	Pass
				0	3.85	-5.765	-0.0071	-2.5 to 2.5	Pass
				10	3.85	-6.509	-0.0080	-2.5 to 2.5	Pass
				30	3.85	-6.466	-0.0079	-2.5 to 2.5	Pass
				40	3.85	-2.389	-0.0029	-2.5 to 2.5	Pass
	50	3.85	-5.522	-0.0068	-2.5 to 2.5	Pass			
	819	25	0	20	3.27	-4.892	-0.0060	-2.5 to 2.5	Pass
					3.85	-2.089	-0.0026	-2.5 to 2.5	Pass
					4.43	-5.150	-0.0063	-2.5 to 2.5	Pass
				-30	3.85	-5.736	-0.0070	-2.5 to 2.5	Pass
				-20	3.85	-6.866	-0.0084	-2.5 to 2.5	Pass
				-10	3.85	-1.831	-0.0022	-2.5 to 2.5	Pass
				0	3.85	-7.010	-0.0086	-2.5 to 2.5	Pass
				10	3.85	-2.375	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-6.623	-0.0081	-2.5 to 2.5	Pass
				40	3.85	-3.176	-0.0039	-2.5 to 2.5	Pass
	50	3.85	-5.150	-0.0063	-2.5 to 2.5	Pass			
	821.5	25	0	20	3.27	-5.908	-0.0072	-2.5 to 2.5	Pass
					3.85	-6.037	-0.0073	-2.5 to 2.5	Pass
					4.43	-9.913	-0.0121	-2.5 to 2.5	Pass
				-30	3.85	-8.855	-0.0108	-2.5 to 2.5	Pass
				-20	3.85	-7.939	-0.0097	-2.5 to 2.5	Pass
				-10	3.85	-4.306	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-8.254	-0.0100	-2.5 to 2.5	Pass
				10	3.85	-3.233	-0.0039	-2.5 to 2.5	Pass
30				3.85	-5.407	-0.0066	-2.5 to 2.5	Pass	
40				3.85	-7.181	-0.0087	-2.5 to 2.5	Pass	
50	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass				
16QAM	816.5	25	0	20	3.27	-3.233	-0.0040	-2.5 to 2.5	Pass
					3.85	1.645	0.0020	-2.5 to 2.5	Pass
					4.43	-4.706	-0.0058	-2.5 to 2.5	Pass
				-30	3.85	-3.748	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-8.469	-0.0104	-2.5 to 2.5	Pass
				-10	3.85	-12.045	-0.0148	-2.5 to 2.5	Pass
				0	3.85	-7.796	-0.0095	-2.5 to 2.5	Pass
				10	3.85	-1.073	-0.0013	-2.5 to 2.5	Pass
				30	3.85	-2.847	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-6.781	-0.0083	-2.5 to 2.5	Pass
	50	3.85	-3.262	-0.0040	-2.5 to 2.5	Pass			
	819	25	0	20	3.27	-6.180	-0.0075	-2.5 to 2.5	Pass
					3.85	-6.495	-0.0079	-2.5 to 2.5	Pass
					4.43	-0.830	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-4.549	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-4.935	-0.0060	-2.5 to 2.5	Pass

				-10	3.85	-3.562	-0.0043	-2.5 to 2.5	Pass
				0	3.85	-1.988	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-4.277	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-4.935	-0.0060	-2.5 to 2.5	Pass
				40	3.85	-5.364	-0.0065	-2.5 to 2.5	Pass
				50	3.85	-4.449	-0.0054	-2.5 to 2.5	Pass
	821.5	25	0	20	3.27	-6.623	-0.0081	-2.5 to 2.5	Pass
					3.85	-3.777	-0.0046	-2.5 to 2.5	Pass
					4.43	-5.150	-0.0063	-2.5 to 2.5	Pass
				-30	3.85	-6.695	-0.0081	-2.5 to 2.5	Pass
				-20	3.85	-10.386	-0.0126	-2.5 to 2.5	Pass
				-10	3.85	-5.236	-0.0064	-2.5 to 2.5	Pass
				0	3.85	-7.081	-0.0086	-2.5 to 2.5	Pass
				10	3.85	-5.608	-0.0068	-2.5 to 2.5	Pass
				30	3.85	-6.194	-0.0075	-2.5 to 2.5	Pass
				40	3.85	-2.403	-0.0029	-2.5 to 2.5	Pass
				50	3.85	-2.933	-0.0036	-2.5 to 2.5	Pass

2.4 B26a_10MHz

2.4.1 Test Result

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	-4.406	-0.0054	-2.5 to 2.5	Pass
					3.85	-4.592	-0.0056	-2.5 to 2.5	Pass
					4.43	-3.777	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-5.221	-0.0064	-2.5 to 2.5	Pass
				-20	3.85	-4.506	-0.0055	-2.5 to 2.5	Pass
				-10	3.85	-4.048	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-6.595	-0.0081	-2.5 to 2.5	Pass
				10	3.85	-7.210	-0.0088	-2.5 to 2.5	Pass
				30	3.85	-5.121	-0.0063	-2.5 to 2.5	Pass
				40	3.85	-2.661	-0.0032	-2.5 to 2.5	Pass
50	3.85	-4.663	-0.0057	-2.5 to 2.5	Pass				
16QAM	819	50	0	20	3.27	-6.337	-0.0077	-2.5 to 2.5	Pass
					3.85	-7.324	-0.0089	-2.5 to 2.5	Pass
					4.43	-6.137	-0.0075	-2.5 to 2.5	Pass
				-30	3.85	-7.181	-0.0088	-2.5 to 2.5	Pass
				-20	3.85	-5.708	-0.0070	-2.5 to 2.5	Pass
				-10	3.85	-7.796	-0.0095	-2.5 to 2.5	Pass
				0	3.85	-8.068	-0.0099	-2.5 to 2.5	Pass
				10	3.85	-7.453	-0.0091	-2.5 to 2.5	Pass
				30	3.85	-7.324	-0.0089	-2.5 to 2.5	Pass
				40	3.85	-7.267	-0.0089	-2.5 to 2.5	Pass
50	3.85	-9.069	-0.0111	-2.5 to 2.5	Pass				

3. Modulation Characteristics

3.1 B26a_1.4MHz

3.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	6	0	Refer To Test Graph		Pass
16QAM	819	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph


Band26a_1.4MHz_QPSK_MCH_819MHz_RB_6_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 819.0 MHz Ref. Level: 41.00 dBm BW: 1.4 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
Run


Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 819.0 MHz Ref. Level: 40.90 dBm BW: 1.4 MHz CP: Normal Meas Subfr./Slot: 3 / All

IQ Constellation



Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: 16-QAM
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter


LTE Signaling
Run

3.2 B26a_3MHz

3.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	15	0	Refer To Test Graph		Pass
16QAM	819	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B26a_5MHz

3.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	25	0	Refer To Test Graph		Pass
16QAM	819	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B26a_10MHz

3.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	Refer To Test Graph		Pass
16QAM	819	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph





4. 99% & 26dB Bandwidth

4.1 Band26a_OBW


4.1.1 Test Result

Band: 26a / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	814.7	6	0	1.113	Pass
		819	6	0	1.111	Pass
		823.3	6	0	1.113	Pass
	16QAM	814.7	6	0	1.106	Pass
		819	6	0	1.113	Pass
		823.3	6	0	1.108	Pass
3	QPSK	815.5	15	0	2.728	Pass
		819	15	0	2.719	Pass
		822.5	15	0	2.718	Pass
	16QAM	815.5	15	0	2.712	Pass
		819	15	0	2.723	Pass
		822.5	15	0	2.716	Pass
5	QPSK	816.5	25	0	4.529	Pass
		819	25	0	4.545	Pass
		821.5	25	0	4.555	Pass
	16QAM	816.5	25	0	4.519	Pass
		819	25	0	4.527	Pass
		821.5	25	0	4.544	Pass
10	QPSK	819	50	0	9.028	Pass
	16QAM	819	50	0	9.051	Pass


4.1.2 Test Graph




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV



Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV




4.2 Band26a_XDB


4.2.1 Test Result

Band: 26a / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	814.7	6	0	1.314	Pass
		819	6	0	1.323	Pass
		823.3	6	0	1.319	Pass
	16QAM	814.7	6	0	1.300	Pass
		819	6	0	1.318	Pass
		823.3	6	0	1.314	Pass
3	QPSK	815.5	15	0	2.998	Pass
		819	15	0	2.997	Pass
		822.5	15	0	2.999	Pass
	16QAM	815.5	15	0	2.982	Pass
		819	15	0	2.978	Pass
		822.5	15	0	2.987	Pass
5	QPSK	816.5	25	0	4.992	Pass
		819	25	0	5.034	Pass
		821.5	25	0	5.042	Pass
	16QAM	816.5	25	0	5.014	Pass
		819	25	0	5.014	Pass
		821.5	25	0	4.995	Pass
10	QPSK	819	50	0	9.870	Pass
	16QAM	819	50	0	9.897	Pass


4.2.2 Test Graph




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV



Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV





5. Peak-Average Ratio

5.1 B26a_1.4MHz


5.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	4.94	<=13	Pass
	819	6	0	5.28	<=13	Pass
	823.3	6	0	4.98	<=13	Pass
16QAM	814.7	6	0	5.75	<=13	Pass
	819	6	0	6.03	<=13	Pass
	823.3	6	0	5.85	<=13	Pass


5.1.2 Test Graph




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




5.2 B26a_3MHz


5.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.13	<=13	Pass
	819	15	0	5.32	<=13	Pass
	822.5	15	0	5.22	<=13	Pass
16QAM	815.5	15	0	5.95	<=13	Pass
	819	15	0	6.15	<=13	Pass
	822.5	15	0	6.03	<=13	Pass


5.2.2 Test Graph




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV





5.3 B26a_5MHz


5.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.40	<=13	Pass
	819	25	0	5.53	<=13	Pass
	821.5	25	0	5.48	<=13	Pass
16QAM	816.5	25	0	6.11	<=13	Pass
	819	25	0	6.21	<=13	Pass
	821.5	25	0	6.17	<=13	Pass


5.3.2 Test Graph




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV




5.4 B26a_10MHz

5.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.42	<=13	Pass
16QAM	819	50	0	6.17	<=13	Pass

5.4.2 Test Graph





6. Spurious Emission

6.1 B26a_1.4MHz


6.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


6.1.2 Test Graph




Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV



Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	/	1	812.986	-44.96	-13	Pass
813	814	0.013	/	2	813.997	-30.89	-20	Pass
814	815.5	0.013	/	/	/	/	/	/


Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.003	/	/	/	/	/	/
824	825	0.003	/	1	824.000	-29.20	-20	Pass
825	825.5	0.1	/	2	825.135	-60.54	-13	Pass

Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.013	/	/	/	/	/	/
824	825	0.013	/	1	824.003	-32.28	-20	Pass
825	825.5	0.1	/	2	825.026	-44.45	-13	Pass

Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	/	1	812.533	-61.71	-13	Pass
813	814	0.003	/	2	813.994	-31.40	-20	Pass
814	815.5	0.003	/	/	/	/	/	/


Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV



Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	/	1	812.998	-46.83	-13	Pass
813	814	0.013	/	2	813.994	-34.25	-20	Pass
814	815.5	0.013	/	/	/	/	/	/


Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV

