


## 6.2 CSE



### 6.2.1 Test Result



Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	6.07	-13.93	Pass
		2441	DH5	1	6.07	-13.93	Pass
		2480	DH5	1	6.07	-13.93	Pass
		HOPP	DH5	1	6.07	-13.93	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	5.58	-14.42	Pass
		2441	2DH5	1	5.58	-14.42	Pass
		2480	2DH5	1	5.58	-14.42	Pass
		HOPP	2DH5	1	5.58	-14.42	Pass
8DPSK	SISO	2402	3DH5	1	5.83	-14.17	Pass
		2441	3DH5	1	5.83	-14.17	Pass
		2480	3DH5	1	5.83	-14.17	Pass
		HOPP	3DH5	1	5.83	-14.17	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



### 6.2.2 Test Graph

















Pi/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV







Pi/4DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV




















## 7. Form731

### 7.1 Form731

#### 7.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0044	6.46



Test Report Number: BTF230413R01502



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street,  
Bao'an District, Shenzhen, China

[www.btf-lab.com](http://www.btf-lab.com)

**-- END OF REPORT --**