

1. Effective (Isotropic) Radiated Power Output Data

1.1 B5_1.4MHz_ERP

1.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	23.04	0.55	21.44	<=38.45	Pass		
			2	23.09	0.55	21.49	<=38.45	Pass		
			5	23.04	0.55	21.44	<=38.45	Pass		
		3	0	23.11	0.55	21.51	<=38.45	Pass		
			2	23.14	0.55	21.54	<=38.45	Pass		
			3	23.10	0.55	21.50	<=38.45	Pass		
		6	0	22.09	0.55	20.49	<=38.45	Pass		
		836.5	1	0	22.95	0.55	21.35	<=38.45	Pass	
				2	23.05	0.55	21.45	<=38.45	Pass	
	5			22.92	0.55	21.32	<=38.45	Pass		
	3		0	23.03	0.55	21.43	<=38.45	Pass		
			2	23.07	0.55	21.47	<=38.45	Pass		
			3	23.05	0.55	21.45	<=38.45	Pass		
	6	0	21.97	0.55	20.37	<=38.45	Pass			
	848.3	1	0	22.90	0.55	21.30	<=38.45	Pass		
			2	22.98	0.55	21.38	<=38.45	Pass		
			5	22.77	0.55	21.17	<=38.45	Pass		
		3	0	22.67	0.55	21.07	<=38.45	Pass		
			2	22.61	0.55	21.01	<=38.45	Pass		
			3	22.47	0.55	20.87	<=38.45	Pass		
		6	0	21.42	0.55	19.82	<=38.45	Pass		
		16QAM	824.7	1	0	21.97	0.55	20.37	<=38.45	Pass
					2	22.04	0.55	20.44	<=38.45	Pass
	5				21.98	0.55	20.38	<=38.45	Pass	
3	0			22.20	0.55	20.60	<=38.45	Pass		
	2			22.24	0.55	20.64	<=38.45	Pass		
	3			22.22	0.55	20.62	<=38.45	Pass		
6	0			21.09	0.55	19.49	<=38.45	Pass		
836.5	1			0	21.94	0.55	20.34	<=38.45	Pass	
				2	22.06	0.55	20.46	<=38.45	Pass	
			5	21.97	0.55	20.37	<=38.45	Pass		
	3		0	22.08	0.55	20.48	<=38.45	Pass		
			2	22.07	0.55	20.47	<=38.45	Pass		
			3	22.06	0.55	20.46	<=38.45	Pass		
6	0		20.93	0.55	19.33	<=38.45	Pass			
848.3	1		0	21.55	0.55	19.95	<=38.45	Pass		
			2	21.76	0.55	20.16	<=38.45	Pass		
			5	21.58	0.55	19.98	<=38.45	Pass		
	3		0	21.51	0.55	19.91	<=38.45	Pass		
			2	21.60	0.55	20.00	<=38.45	Pass		
			3	21.55	0.55	19.95	<=38.45	Pass		
	6		0	20.59	0.55	18.99	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B5_3MHz_ERP

1.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	23.23	0.55	21.63	<=38.45	Pass		
			7	23.36	0.55	21.76	<=38.45	Pass		
			14	23.22	0.55	21.62	<=38.45	Pass		
		8	0	22.19	0.55	20.59	<=38.45	Pass		
			4	22.22	0.55	20.62	<=38.45	Pass		
			7	22.17	0.55	20.57	<=38.45	Pass		
		15	0	22.11	0.55	20.51	<=38.45	Pass		
		836.5	1	0	23.10	0.55	21.50	<=38.45	Pass	
				7	23.22	0.55	21.62	<=38.45	Pass	
	14			23.07	0.55	21.47	<=38.45	Pass		
	8		0	22.11	0.55	20.51	<=38.45	Pass		
			4	22.10	0.55	20.50	<=38.45	Pass		
			7	22.04	0.55	20.44	<=38.45	Pass		
	15		0	22.07	0.55	20.47	<=38.45	Pass		
	847.5		1	0	23.04	0.55	21.44	<=38.45	Pass	
				7	23.12	0.55	21.52	<=38.45	Pass	
		14		22.77	0.55	21.17	<=38.45	Pass		
		8	0	21.62	0.55	20.02	<=38.45	Pass		
			4	21.81	0.55	20.21	<=38.45	Pass		
			7	21.83	0.55	20.23	<=38.45	Pass		
		15	0	21.69	0.55	20.09	<=38.45	Pass		
		16QAM	825.5	1	0	22.18	0.55	20.58	<=38.45	Pass
					7	22.30	0.55	20.70	<=38.45	Pass
	14				22.11	0.55	20.51	<=38.45	Pass	
8	0			21.20	0.55	19.60	<=38.45	Pass		
	4			21.27	0.55	19.67	<=38.45	Pass		
	7			21.21	0.55	19.61	<=38.45	Pass		
15	0			21.19	0.55	19.59	<=38.45	Pass		
836.5	1			0	22.19	0.55	20.59	<=38.45	Pass	
				7	22.38	0.55	20.78	<=38.45	Pass	
			14	22.20	0.55	20.60	<=38.45	Pass		
	8		0	21.10	0.55	19.50	<=38.45	Pass		
			4	21.11	0.55	19.51	<=38.45	Pass		
			7	21.05	0.55	19.45	<=38.45	Pass		
	15		0	21.07	0.55	19.47	<=38.45	Pass		
	847.5		1	0	22.28	0.55	20.68	<=38.45	Pass	
				7	22.52	0.55	20.92	<=38.45	Pass	
14				22.23	0.55	20.63	<=38.45	Pass		
8			0	20.95	0.55	19.35	<=38.45	Pass		
			4	21.18	0.55	19.58	<=38.45	Pass		
			7	21.10	0.55	19.50	<=38.45	Pass		
15			0	21.02	0.55	19.42	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B5_5MHz_ERP

1.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	826.5	1	0	23.00	0.55	21.40	<=38.45	Pass		
			13	23.10	0.55	21.50	<=38.45	Pass		
			24	23.00	0.55	21.40	<=38.45	Pass		
		12	0	21.98	0.55	20.38	<=38.45	Pass		
			6	22.06	0.55	20.46	<=38.45	Pass		
			13	22.00	0.55	20.40	<=38.45	Pass		
		25	0	22.00	0.55	20.40	<=38.45	Pass		
		836.5	1	0	22.91	0.55	21.31	<=38.45	Pass	
				13	23.00	0.55	21.40	<=38.45	Pass	
	24			22.89	0.55	21.29	<=38.45	Pass		
	12		0	21.99	0.55	20.39	<=38.45	Pass		
			6	22.00	0.55	20.40	<=38.45	Pass		
			13	21.85	0.55	20.25	<=38.45	Pass		
	25		0	21.94	0.55	20.34	<=38.45	Pass		
	846.5		1	0	22.85	0.55	21.25	<=38.45	Pass	
				13	22.92	0.55	21.32	<=38.45	Pass	
		24		22.87	0.55	21.27	<=38.45	Pass		
		12	0	21.85	0.55	20.25	<=38.45	Pass		
			6	21.92	0.55	20.32	<=38.45	Pass		
			13	21.79	0.55	20.19	<=38.45	Pass		
		25	0	21.80	0.55	20.20	<=38.45	Pass		
		16QAM	826.5	1	0	22.02	0.55	20.42	<=38.45	Pass
					13	22.08	0.55	20.48	<=38.45	Pass
	24				21.99	0.55	20.39	<=38.45	Pass	
12	0			20.96	0.55	19.36	<=38.45	Pass		
	6			21.02	0.55	19.42	<=38.45	Pass		
	13			20.98	0.55	19.38	<=38.45	Pass		
25	0			21.06	0.55	19.46	<=38.45	Pass		
836.5	1			0	22.12	0.55	20.52	<=38.45	Pass	
				13	22.23	0.55	20.63	<=38.45	Pass	
			24	22.08	0.55	20.48	<=38.45	Pass		
	12		0	21.01	0.55	19.41	<=38.45	Pass		
			6	21.04	0.55	19.44	<=38.45	Pass		
			13	20.92	0.55	19.32	<=38.45	Pass		
	25		0	20.96	0.55	19.36	<=38.45	Pass		
	846.5		1	0	21.60	0.55	20.00	<=38.45	Pass	
				13	21.76	0.55	20.16	<=38.45	Pass	
24				21.65	0.55	20.05	<=38.45	Pass		
12			0	20.74	0.55	19.14	<=38.45	Pass		
			6	20.94	0.55	19.34	<=38.45	Pass		
			13	20.79	0.55	19.19	<=38.45	Pass		
25			0	20.87	0.55	19.27	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B5_10MHz_ERP

1.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.05	0.55	21.45	<=38.45	Pass
			25	23.30	0.55	21.70	<=38.45	Pass

		25	49	22.98	0.55	21.38	<=38.45	Pass		
			0	22.03	0.55	20.43	<=38.45	Pass		
			13	22.04	0.55	20.44	<=38.45	Pass		
			25	22.00	0.55	20.40	<=38.45	Pass		
		50	0	22.00	0.55	20.40	<=38.45	Pass		
		836.5	1	0	22.93	0.55	21.33	<=38.45	Pass	
				25	23.13	0.55	21.53	<=38.45	Pass	
				49	22.91	0.55	21.31	<=38.45	Pass	
			25	0	22.07	0.55	20.47	<=38.45	Pass	
	13			22.01	0.55	20.41	<=38.45	Pass		
	25			21.94	0.55	20.34	<=38.45	Pass		
	50		0	21.99	0.55	20.39	<=38.45	Pass		
	844		1	0	22.89	0.55	21.29	<=38.45	Pass	
				25	23.04	0.55	21.44	<=38.45	Pass	
		49		22.83	0.55	21.23	<=38.45	Pass		
		25	0	21.90	0.55	20.30	<=38.45	Pass		
			13	21.94	0.55	20.34	<=38.45	Pass		
			25	21.81	0.55	20.21	<=38.45	Pass		
		50	0	21.88	0.55	20.28	<=38.45	Pass		
		16QAM	829	1	0	21.97	0.55	20.37	<=38.45	Pass
					25	22.22	0.55	20.62	<=38.45	Pass
	49				21.95	0.55	20.35	<=38.45	Pass	
	25			0	21.12	0.55	19.52	<=38.45	Pass	
				13	21.13	0.55	19.53	<=38.45	Pass	
				25	21.12	0.55	19.52	<=38.45	Pass	
	50			0	21.07	0.55	19.47	<=38.45	Pass	
	836.5			1	0	22.03	0.55	20.43	<=38.45	Pass
25					22.31	0.55	20.71	<=38.45	Pass	
49			22.05		0.55	20.45	<=38.45	Pass		
25			0	21.08	0.55	19.48	<=38.45	Pass		
			13	21.05	0.55	19.45	<=38.45	Pass		
			25	20.93	0.55	19.33	<=38.45	Pass		
50			0	20.99	0.55	19.39	<=38.45	Pass		
844			1	0	22.36	0.55	20.76	<=38.45	Pass	
				25	22.43	0.55	20.83	<=38.45	Pass	
	49			22.37	0.55	20.77	<=38.45	Pass		
	25		0	20.93	0.55	19.33	<=38.45	Pass		
			13	20.97	0.55	19.37	<=38.45	Pass		
			25	20.90	0.55	19.30	<=38.45	Pass		
	50		0	20.95	0.55	19.35	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

2. Frequency Stability

2.1 B5_1.4MHz

2.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	824.7	6	0	20	3.27	-5.693	-0.0069	-2.5 to 2.5	Pass				
									3.85	-6.495	-0.0079	-2.5 to 2.5	Pass
									4.43	-5.393	-0.0065	-2.5 to 2.5	Pass

				-30	3.85	-4.106	-0.0050	-2.5 to 2.5	Pass			
				-20	3.85	-5.507	-0.0067	-2.5 to 2.5	Pass			
				-10	3.85	-5.078	-0.0062	-2.5 to 2.5	Pass			
				0	3.85	-5.264	-0.0064	-2.5 to 2.5	Pass			
				10	3.85	-4.735	-0.0057	-2.5 to 2.5	Pass			
				30	3.85	-6.609	-0.0080	-2.5 to 2.5	Pass			
				40	3.85	-4.792	-0.0058	-2.5 to 2.5	Pass			
	50	3.85	-6.180	-0.0075	-2.5 to 2.5	Pass						
	836.5	6	0	20	3.27	-9.041	-0.0108	-2.5 to 2.5	Pass			
					3.85	-8.268	-0.0099	-2.5 to 2.5	Pass			
					4.43	-6.509	-0.0078	-2.5 to 2.5	Pass			
				-30	3.85	-9.356	-0.0112	-2.5 to 2.5	Pass			
				-20	3.85	-11.358	-0.0136	-2.5 to 2.5	Pass			
				-10	3.85	-6.037	-0.0072	-2.5 to 2.5	Pass			
				0	3.85	-8.454	-0.0101	-2.5 to 2.5	Pass			
				10	3.85	-4.191	-0.0050	-2.5 to 2.5	Pass			
				30	3.85	-4.449	-0.0053	-2.5 to 2.5	Pass			
				40	3.85	-7.439	-0.0089	-2.5 to 2.5	Pass			
				50	3.85	-4.163	-0.0050	-2.5 to 2.5	Pass			
				848.3	6	0	20	3.27	-5.493	-0.0065	-2.5 to 2.5	Pass
								3.85	-9.098	-0.0107	-2.5 to 2.5	Pass
								4.43	-5.322	-0.0063	-2.5 to 2.5	Pass
	-30	3.85	-9.055				-0.0107	-2.5 to 2.5	Pass			
	-20	3.85	-6.223				-0.0073	-2.5 to 2.5	Pass			
	-10	3.85	-4.635				-0.0055	-2.5 to 2.5	Pass			
	0	3.85	-7.496				-0.0088	-2.5 to 2.5	Pass			
	10	3.85	-5.836				-0.0069	-2.5 to 2.5	Pass			
30	3.85	-6.466	-0.0076				-2.5 to 2.5	Pass				
40	3.85	-11.430	-0.0135				-2.5 to 2.5	Pass				
50	3.85	-7.582	-0.0089				-2.5 to 2.5	Pass				
16QAM	824.7	6	0	20	3.27	-4.864	-0.0059	-2.5 to 2.5	Pass			
					3.85	-5.522	-0.0067	-2.5 to 2.5	Pass			
					4.43	-5.279	-0.0064	-2.5 to 2.5	Pass			
				-30	3.85	-3.476	-0.0042	-2.5 to 2.5	Pass			
				-20	3.85	-7.081	-0.0086	-2.5 to 2.5	Pass			
				-10	3.85	-5.422	-0.0066	-2.5 to 2.5	Pass			
				0	3.85	-5.493	-0.0067	-2.5 to 2.5	Pass			
				10	3.85	-5.951	-0.0072	-2.5 to 2.5	Pass			
				30	3.85	-8.941	-0.0108	-2.5 to 2.5	Pass			
				40	3.85	-6.695	-0.0081	-2.5 to 2.5	Pass			
				50	3.85	-3.562	-0.0043	-2.5 to 2.5	Pass			
				836.5	6	0	20	3.27	-7.110	-0.0085	-2.5 to 2.5	Pass
								3.85	-7.553	-0.0090	-2.5 to 2.5	Pass
								4.43	-3.104	-0.0037	-2.5 to 2.5	Pass
	-30	3.85	-6.909				-0.0083	-2.5 to 2.5	Pass			
	-20	3.85	-7.625				-0.0091	-2.5 to 2.5	Pass			
	-10	3.85	-7.610				-0.0091	-2.5 to 2.5	Pass			
	0	3.85	-8.254				-0.0099	-2.5 to 2.5	Pass			
	10	3.85	-12.016				-0.0144	-2.5 to 2.5	Pass			
	30	3.85	-6.580				-0.0079	-2.5 to 2.5	Pass			
	40	3.85	-4.549				-0.0054	-2.5 to 2.5	Pass			
	50	3.85	-8.955				-0.0107	-2.5 to 2.5	Pass			
	848.3	6	0				20	3.27	-8.397	-0.0099	-2.5 to 2.5	Pass
								3.85	-4.549	-0.0054	-2.5 to 2.5	Pass
				4.43	-7.825	-0.0092		-2.5 to 2.5	Pass			
				-30	3.85	-7.367	-0.0087	-2.5 to 2.5	Pass			
	-20	3.85	-6.080	-0.0072	-2.5 to 2.5	Pass						

				-10	3.85	-2.961	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-5.894	-0.0069	-2.5 to 2.5	Pass
				10	3.85	-4.807	-0.0057	-2.5 to 2.5	Pass
				30	3.85	-2.675	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-6.137	-0.0072	-2.5 to 2.5	Pass
				50	3.85	-3.705	-0.0044	-2.5 to 2.5	Pass

2.2 B5_3MHz

2.2.1 Test Result

Band: 5 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-9.899	-0.0120	-2.5 to 2.5	Pass
					3.85	-7.668	-0.0093	-2.5 to 2.5	Pass
					4.43	-6.337	-0.0077	-2.5 to 2.5	Pass
				-30	3.85	-6.151	-0.0075	-2.5 to 2.5	Pass
				-20	3.85	-1.774	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-5.536	-0.0067	-2.5 to 2.5	Pass
				0	3.85	-4.191	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-4.363	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				40	3.85	-3.819	-0.0046	-2.5 to 2.5	Pass
	50	3.85	-3.676	-0.0045	-2.5 to 2.5	Pass			
	836.5	15	0	20	3.27	-5.836	-0.0070	-2.5 to 2.5	Pass
					3.85	-3.462	-0.0041	-2.5 to 2.5	Pass
					4.43	-6.595	-0.0079	-2.5 to 2.5	Pass
				-30	3.85	-6.237	-0.0075	-2.5 to 2.5	Pass
				-20	3.85	-6.452	-0.0077	-2.5 to 2.5	Pass
				-10	3.85	-6.366	-0.0076	-2.5 to 2.5	Pass
				0	3.85	-4.692	-0.0056	-2.5 to 2.5	Pass
				10	3.85	-4.964	-0.0059	-2.5 to 2.5	Pass
				30	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass
				40	3.85	-2.346	-0.0028	-2.5 to 2.5	Pass
	50	3.85	-4.520	-0.0054	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	-3.791	-0.0045	-2.5 to 2.5	Pass
					3.85	-10.872	-0.0128	-2.5 to 2.5	Pass
					4.43	-4.420	-0.0052	-2.5 to 2.5	Pass
				-30	3.85	-4.034	-0.0048	-2.5 to 2.5	Pass
				-20	3.85	-7.281	-0.0086	-2.5 to 2.5	Pass
				-10	3.85	-5.808	-0.0069	-2.5 to 2.5	Pass
				0	3.85	-6.380	-0.0075	-2.5 to 2.5	Pass
				10	3.85	-4.320	-0.0051	-2.5 to 2.5	Pass
30				3.85	-6.051	-0.0071	-2.5 to 2.5	Pass	
40				3.85	-8.655	-0.0102	-2.5 to 2.5	Pass	
50	3.85	-8.254	-0.0097	-2.5 to 2.5	Pass				
16QAM	825.5	15	0	20	3.27	-4.148	-0.0050	-2.5 to 2.5	Pass
					3.85	-3.018	-0.0037	-2.5 to 2.5	Pass
					4.43	-5.350	-0.0065	-2.5 to 2.5	Pass
				-30	3.85	-7.238	-0.0088	-2.5 to 2.5	Pass
				-20	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-6.194	-0.0075	-2.5 to 2.5	Pass
				0	3.85	-5.822	-0.0071	-2.5 to 2.5	Pass
10	3.85	-5.608	-0.0068	-2.5 to 2.5	Pass				

	836.5	15	0	30	3.85	-5.407	-0.0065	-2.5 to 2.5	Pass
				40	3.85	-5.522	-0.0067	-2.5 to 2.5	Pass
				50	3.85	-5.651	-0.0068	-2.5 to 2.5	Pass
				20	3.27	-6.895	-0.0082	-2.5 to 2.5	Pass
					3.85	-3.948	-0.0047	-2.5 to 2.5	Pass
					4.43	-3.190	-0.0038	-2.5 to 2.5	Pass
				-30	3.85	-3.347	-0.0040	-2.5 to 2.5	Pass
				-20	3.85	-6.723	-0.0080	-2.5 to 2.5	Pass
				-10	3.85	-7.167	-0.0086	-2.5 to 2.5	Pass
				0	3.85	-5.293	-0.0063	-2.5 to 2.5	Pass
				10	3.85	-3.977	-0.0048	-2.5 to 2.5	Pass
				30	3.85	-16.623	-0.0199	-2.5 to 2.5	Pass
	40	3.85	-4.764	-0.0057	-2.5 to 2.5	Pass			
	50	3.85	-4.163	-0.0050	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	-7.825	-0.0092	-2.5 to 2.5	Pass
					3.85	-5.507	-0.0065	-2.5 to 2.5	Pass
					4.43	-7.968	-0.0094	-2.5 to 2.5	Pass
				-30	3.85	-7.682	-0.0091	-2.5 to 2.5	Pass
				-20	3.85	-9.184	-0.0108	-2.5 to 2.5	Pass
				-10	3.85	-7.954	-0.0094	-2.5 to 2.5	Pass
				0	3.85	-6.609	-0.0078	-2.5 to 2.5	Pass
				10	3.85	-4.978	-0.0059	-2.5 to 2.5	Pass
				30	3.85	-7.324	-0.0086	-2.5 to 2.5	Pass
				40	3.85	-5.822	-0.0069	-2.5 to 2.5	Pass
50				3.85	-3.991	-0.0047	-2.5 to 2.5	Pass	

2.3 B5_5MHz

2.3.1 Test Result

Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-2.847	-0.0034	-2.5 to 2.5	Pass
					3.85	-8.426	-0.0102	-2.5 to 2.5	Pass
					4.43	-6.495	-0.0079	-2.5 to 2.5	Pass
				-30	3.85	-3.719	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-4.234	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-7.939	-0.0096	-2.5 to 2.5	Pass
				0	3.85	-6.909	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-5.536	-0.0067	-2.5 to 2.5	Pass
				30	3.85	-7.253	-0.0088	-2.5 to 2.5	Pass
				40	3.85	-5.994	-0.0073	-2.5 to 2.5	Pass
				50	3.85	-7.668	-0.0093	-2.5 to 2.5	Pass
				836.5	25	0	20	3.27	-5.579
	3.85	-4.106	-0.0049					-2.5 to 2.5	Pass
	4.43	-5.608	-0.0067					-2.5 to 2.5	Pass
	-30	3.85	-6.781				-0.0081	-2.5 to 2.5	Pass
	-20	3.85	-5.608				-0.0067	-2.5 to 2.5	Pass
	-10	3.85	-6.723				-0.0080	-2.5 to 2.5	Pass
	0	3.85	-6.409				-0.0077	-2.5 to 2.5	Pass
	10	3.85	-4.377				-0.0052	-2.5 to 2.5	Pass
	30	3.85	-8.411				-0.0101	-2.5 to 2.5	Pass
	40	3.85	-5.178				-0.0062	-2.5 to 2.5	Pass
	50	3.85	-7.324				-0.0088	-2.5 to 2.5	Pass

	846.5	25	0	20	3.27	-6.037	-0.0071	-2.5 to 2.5	Pass
					3.85	-7.238	-0.0086	-2.5 to 2.5	Pass
					4.43	-8.297	-0.0098	-2.5 to 2.5	Pass
				-30	3.85	-4.878	-0.0058	-2.5 to 2.5	Pass
				-10	3.85	-8.769	-0.0104	-2.5 to 2.5	Pass
				10	3.85	-9.012	-0.0106	-2.5 to 2.5	Pass
				40	3.85	-7.739	-0.0091	-2.5 to 2.5	Pass
50	3.85	-8.154	-0.0096						
				16QAM	826.5	25	0	20	3.27
3.85	-4.706	-0.0057	-2.5 to 2.5						Pass
4.43	-7.138	-0.0086	-2.5 to 2.5						Pass
-30	3.85	-6.909	-0.0084					-2.5 to 2.5	Pass
-10	3.85	-8.426	-0.0102					-2.5 to 2.5	Pass
10	3.85	-7.396	-0.0089					-2.5 to 2.5	Pass
40	3.85	-8.183	-0.0099					-2.5 to 2.5	Pass
				50	3.85	-6.766	-0.0082		
	836.5	25	0					20	3.27
				3.85	-4.907	-0.0059	-2.5 to 2.5		Pass
				4.43	-6.981	-0.0083	-2.5 to 2.5		Pass
				-30	3.85	-2.189	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-2.675	-0.0032	-2.5 to 2.5	Pass
				10	3.85	-1.702	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-5.136	-0.0061	-2.5 to 2.5	Pass
50	3.85	-1.302	-0.0016						
					846.5	25	0	20	3.27
3.85	-4.406	-0.0052	-2.5 to 2.5						Pass
4.43	-5.765	-0.0068	-2.5 to 2.5						Pass
-30	3.85	-7.854	-0.0093					-2.5 to 2.5	Pass
-10	3.85	-6.852	-0.0081					-2.5 to 2.5	Pass
10	3.85	-5.407	-0.0064					-2.5 to 2.5	Pass
40	3.85	-9.613	-0.0114					-2.5 to 2.5	Pass
				50	3.85	-7.510	-0.0089		

2.4 B5_10MHz

2.4.1 Test Result

Band: 5 / Bandwidth: 10MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	829	50	0	20	3.27	-9.270	-0.0112	-2.5 to 2.5	Pass				
									3.85	-3.519	-0.0042	-2.5 to 2.5	Pass
									4.43	-4.950	-0.0060	-2.5 to 2.5	Pass

				-30	3.85	-8.497	-0.0102	-2.5 to 2.5	Pass			
				-20	3.85	-8.740	-0.0105	-2.5 to 2.5	Pass			
				-10	3.85	-6.967	-0.0084	-2.5 to 2.5	Pass			
				0	3.85	-7.524	-0.0091	-2.5 to 2.5	Pass			
				10	3.85	-8.111	-0.0098	-2.5 to 2.5	Pass			
				30	3.85	-4.463	-0.0054	-2.5 to 2.5	Pass			
				40	3.85	-6.638	-0.0080	-2.5 to 2.5	Pass			
				50	3.85	-7.296	-0.0088	-2.5 to 2.5	Pass			
				20	3.27	-6.938	-0.0083	-2.5 to 2.5	Pass			
					3.85	-4.935	-0.0059	-2.5 to 2.5	Pass			
	4.43	-6.595	-0.0079		-2.5 to 2.5	Pass						
	836.5	50	0	-30	3.85	-5.636	-0.0067	-2.5 to 2.5	Pass			
				-20	3.85	-6.366	-0.0076	-2.5 to 2.5	Pass			
				-10	3.85	-5.736	-0.0069	-2.5 to 2.5	Pass			
				0	3.85	-6.609	-0.0079	-2.5 to 2.5	Pass			
				10	3.85	-6.623	-0.0079	-2.5 to 2.5	Pass			
				30	3.85	-7.510	-0.0090	-2.5 to 2.5	Pass			
				40	3.85	-3.304	-0.0039	-2.5 to 2.5	Pass			
				50	3.85	-5.450	-0.0065	-2.5 to 2.5	Pass			
				844	50	0	20	3.27	-7.753	-0.0092	-2.5 to 2.5	Pass
								3.85	-4.420	-0.0052	-2.5 to 2.5	Pass
	4.43	-9.384	-0.0111					-2.5 to 2.5	Pass			
	-30	3.85	-8.211				-0.0097	-2.5 to 2.5	Pass			
	-20	3.85	-4.992				-0.0059	-2.5 to 2.5	Pass			
	-10	3.85	-7.911				-0.0094	-2.5 to 2.5	Pass			
	0	3.85	-8.655				-0.0103	-2.5 to 2.5	Pass			
	10	3.85	-6.294				-0.0075	-2.5 to 2.5	Pass			
	30	3.85	-8.397				-0.0099	-2.5 to 2.5	Pass			
	40	3.85	-5.836				-0.0069	-2.5 to 2.5	Pass			
	50	3.85	-8.469	-0.0100	-2.5 to 2.5	Pass						
16QAM	829	50	0	20	3.27	-5.078	-0.0061	-2.5 to 2.5	Pass			
					3.85	-4.478	-0.0054	-2.5 to 2.5	Pass			
					4.43	-5.879	-0.0071	-2.5 to 2.5	Pass			
				-30	3.85	-8.998	-0.0109	-2.5 to 2.5	Pass			
				-20	3.85	-7.439	-0.0090	-2.5 to 2.5	Pass			
				-10	3.85	-4.735	-0.0057	-2.5 to 2.5	Pass			
				0	3.85	-9.255	-0.0112	-2.5 to 2.5	Pass			
				10	3.85	-7.038	-0.0085	-2.5 to 2.5	Pass			
				30	3.85	-6.080	-0.0073	-2.5 to 2.5	Pass			
				40	3.85	-8.812	-0.0106	-2.5 to 2.5	Pass			
	50	3.85	-5.379	-0.0065	-2.5 to 2.5	Pass						
	836.5	50	0	20	3.27	-6.237	-0.0075	-2.5 to 2.5	Pass			
					3.85	-7.467	-0.0089	-2.5 to 2.5	Pass			
					4.43	-3.276	-0.0039	-2.5 to 2.5	Pass			
				-30	3.85	-6.008	-0.0072	-2.5 to 2.5	Pass			
				-20	3.85	-5.550	-0.0066	-2.5 to 2.5	Pass			
				-10	3.85	-4.649	-0.0056	-2.5 to 2.5	Pass			
				0	3.85	-3.061	-0.0037	-2.5 to 2.5	Pass			
				10	3.85	-4.234	-0.0051	-2.5 to 2.5	Pass			
				30	3.85	-4.148	-0.0050	-2.5 to 2.5	Pass			
				40	3.85	-3.576	-0.0043	-2.5 to 2.5	Pass			
	50	3.85	-4.106	-0.0049	-2.5 to 2.5	Pass						
	844	50	0	20	3.27	-4.535	-0.0054	-2.5 to 2.5	Pass			
					3.85	-8.397	-0.0099	-2.5 to 2.5	Pass			
					4.43	-7.224	-0.0086	-2.5 to 2.5	Pass			
				-30	3.85	-4.878	-0.0058	-2.5 to 2.5	Pass			
				-20	3.85	-4.835	-0.0057	-2.5 to 2.5	Pass			

				-10	3.85	-5.436	-0.0064	-2.5 to 2.5	Pass
				0	3.85	-7.339	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-8.740	-0.0104	-2.5 to 2.5	Pass
				30	3.85	-8.597	-0.0102	-2.5 to 2.5	Pass
				40	3.85	-6.609	-0.0078	-2.5 to 2.5	Pass
				50	3.85	-6.309	-0.0075	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B5_1.4MHz

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B5_3MHz

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B5_5MHz

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B5_10MHz

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5 / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.111	Pass
		836.5	6	0	1.103	Pass
		848.3	6	0	1.119	Pass
	16QAM	824.7	6	0	1.111	Pass
		836.5	6	0	1.113	Pass
		848.3	6	0	1.112	Pass
3	QPSK	825.5	15	0	2.733	Pass
		836.5	15	0	2.730	Pass
		847.5	15	0	2.728	Pass
	16QAM	825.5	15	0	2.720	Pass
		836.5	15	0	2.723	Pass
		847.5	15	0	2.720	Pass
5	QPSK	826.5	25	0	4.543	Pass
		836.5	25	0	4.534	Pass
		846.5	25	0	4.544	Pass
	16QAM	826.5	25	0	4.555	Pass
		836.5	25	0	4.548	Pass
		846.5	25	0	4.516	Pass
10	QPSK	829	50	0	9.078	Pass
		836.5	50	0	9.030	Pass
		844	50	0	9.058	Pass
	16QAM	829	50	0	9.044	Pass
		836.5	50	0	9.014	Pass
		844	50	0	9.072	Pass


4.1.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




4.2 Band5_XDB


4.2.1 Test Result

Band: 5 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.315	Pass
		836.5	6	0	1.311	Pass
		848.3	6	0	1.311	Pass
	16QAM	824.7	6	0	1.301	Pass
		836.5	6	0	1.309	Pass
		848.3	6	0	1.315	Pass
3	QPSK	825.5	15	0	2.993	Pass
		836.5	15	0	3.006	Pass
		847.5	15	0	3.001	Pass
	16QAM	825.5	15	0	2.989	Pass
		836.5	15	0	2.980	Pass
		847.5	15	0	3.001	Pass
5	QPSK	826.5	25	0	5.008	Pass
		836.5	25	0	4.988	Pass
		846.5	25	0	4.978	Pass
	16QAM	826.5	25	0	5.011	Pass
		836.5	25	0	5.011	Pass
		846.5	25	0	4.970	Pass
10	QPSK	829	50	0	9.936	Pass
		836.5	50	0	9.891	Pass
		844	50	0	10.004	Pass
	16QAM	829	50	0	9.956	Pass
		836.5	50	0	9.924	Pass
		844	50	0	9.917	Pass


4.2.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5. Peak-Average Ratio

5.1 B5_1.4MHz


5.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	4.71	<=13	Pass
	836.5	6	0	5.36	<=13	Pass
	848.3	6	0	5.18	<=13	Pass
16QAM	824.7	6	0	5.53	<=13	Pass
	836.5	6	0	6.23	<=13	Pass
	848.3	6	0	5.99	<=13	Pass


5.1.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV



Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV



Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2 B5_3MHz


5.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.71	<=13	Pass
	836.5	15	0	5.37	<=13	Pass
	847.5	15	0	5.19	<=13	Pass
16QAM	825.5	15	0	5.52	<=13	Pass
	836.5	15	0	6.20	<=13	Pass
	847.5	15	0	6.00	<=13	Pass


5.2.2 Test Graph




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV





5.3 B5_5MHz


5.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	4.97	<=13	Pass
	836.5	25	0	5.54	<=13	Pass
	846.5	25	0	5.20	<=13	Pass
16QAM	826.5	25	0	5.69	<=13	Pass
	836.5	25	0	6.23	<=13	Pass
	846.5	25	0	5.89	<=13	Pass


5.3.2 Test Graph




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.4 B5_10MHz


5.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.10	<=13	Pass
	836.5	50	0	5.34	<=13	Pass
	844	50	0	5.24	<=13	Pass
16QAM	829	50	0	5.83	<=13	Pass
	836.5	50	0	6.13	<=13	Pass
	844	50	0	5.91	<=13	Pass


5.4.2 Test Graph




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




6. Spurious Emission

6.1 B5_1.4MHz


6.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	5		Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass


6.1.2 Test Graph




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	/	1	822.923	-45.00	-13	Pass
823	824	0.013	/	2	824.000	-29.59	-13	Pass
824	825.5	0.013	/	/	/	/	/	/

Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV

