

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 B26a\_1.4MHz\_ERP

### 1.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	814.7	1	0	23.06	0.55	21.46	<=38.45	Pass		
			2	23.19	0.55	21.59	<=38.45	Pass		
			5	23.00	0.55	21.40	<=38.45	Pass		
		3	0	23.13	0.55	21.53	<=38.45	Pass		
			2	23.14	0.55	21.54	<=38.45	Pass		
			3	23.15	0.55	21.55	<=38.45	Pass		
		6	0	22.10	0.55	20.50	<=38.45	Pass		
		819	1	0	23.06	0.55	21.46	<=38.45	Pass	
				2	23.17	0.55	21.57	<=38.45	Pass	
	5			23.09	0.55	21.49	<=38.45	Pass		
	3		0	23.17	0.55	21.57	<=38.45	Pass		
			2	23.20	0.55	21.60	<=38.45	Pass		
			3	23.16	0.55	21.56	<=38.45	Pass		
	6	0	22.13	0.55	20.53	<=38.45	Pass			
	823.3	1	0	23.08	0.55	21.48	<=38.45	Pass		
			2	23.13	0.55	21.53	<=38.45	Pass		
			5	23.11	0.55	21.51	<=38.45	Pass		
		3	0	23.14	0.55	21.54	<=38.45	Pass		
			2	23.17	0.55	21.57	<=38.45	Pass		
			3	23.17	0.55	21.57	<=38.45	Pass		
		6	0	22.07	0.55	20.47	<=38.45	Pass		
		16QAM	814.7	1	0	22.19	0.55	20.59	<=38.45	Pass
					2	22.13	0.55	20.53	<=38.45	Pass
	5				22.01	0.55	20.41	<=38.45	Pass	
3	0			22.05	0.55	20.45	<=38.45	Pass		
	2			22.12	0.55	20.52	<=38.45	Pass		
	3			22.16	0.55	20.56	<=38.45	Pass		
6	0			21.12	0.55	19.52	<=38.45	Pass		
819	1			0	22.01	0.55	20.41	<=38.45	Pass	
				2	22.15	0.55	20.55	<=38.45	Pass	
			5	22.18	0.55	20.58	<=38.45	Pass		
	3		0	22.20	0.55	20.60	<=38.45	Pass		
			2	22.35	0.55	20.75	<=38.45	Pass		
			3	22.18	0.55	20.58	<=38.45	Pass		
6	0		21.16	0.55	19.56	<=38.45	Pass			
823.3	1		0	22.22	0.55	20.62	<=38.45	Pass		
			2	22.12	0.55	20.52	<=38.45	Pass		
			5	22.09	0.55	20.49	<=38.45	Pass		
	3		0	22.16	0.55	20.56	<=38.45	Pass		
			2	22.30	0.55	20.70	<=38.45	Pass		
			3	22.08	0.55	20.48	<=38.45	Pass		
	6		0	21.02	0.55	19.42	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 1.2 B26a\_3MHz\_ERP

### 1.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	815.5	1	0	23.24	0.55	21.64	<=38.45	Pass		
			7	23.22	0.55	21.62	<=38.45	Pass		
			14	23.16	0.55	21.56	<=38.45	Pass		
		8	0	22.19	0.55	20.59	<=38.45	Pass		
			4	22.23	0.55	20.63	<=38.45	Pass		
			7	22.19	0.55	20.59	<=38.45	Pass		
		15	0	22.18	0.55	20.58	<=38.45	Pass		
		819	1	0	23.21	0.55	21.61	<=38.45	Pass	
				7	23.38	0.55	21.78	<=38.45	Pass	
	14			23.13	0.55	21.53	<=38.45	Pass		
	8		0	22.19	0.55	20.59	<=38.45	Pass		
			4	22.23	0.55	20.63	<=38.45	Pass		
			7	22.17	0.55	20.57	<=38.45	Pass		
	15		0	22.18	0.55	20.58	<=38.45	Pass		
	822.5		1	0	23.18	0.55	21.58	<=38.45	Pass	
				7	23.34	0.55	21.74	<=38.45	Pass	
		14		23.25	0.55	21.65	<=38.45	Pass		
		8	0	22.13	0.55	20.53	<=38.45	Pass		
			4	22.19	0.55	20.59	<=38.45	Pass		
			7	22.16	0.55	20.56	<=38.45	Pass		
		15	0	22.17	0.55	20.57	<=38.45	Pass		
		16QAM	815.5	1	0	22.66	0.55	21.06	<=38.45	Pass
					7	22.47	0.55	20.87	<=38.45	Pass
	14				22.17	0.55	20.57	<=38.45	Pass	
8	0			21.34	0.55	19.74	<=38.45	Pass		
	4			21.24	0.55	19.64	<=38.45	Pass		
	7			21.28	0.55	19.68	<=38.45	Pass		
15	0			21.26	0.55	19.66	<=38.45	Pass		
819	1			0	22.19	0.55	20.59	<=38.45	Pass	
				7	22.85	0.55	21.25	<=38.45	Pass	
			14	22.34	0.55	20.74	<=38.45	Pass		
	8		0	21.28	0.55	19.68	<=38.45	Pass		
			4	21.38	0.55	19.78	<=38.45	Pass		
			7	21.20	0.55	19.60	<=38.45	Pass		
	15		0	21.28	0.55	19.68	<=38.45	Pass		
	822.5		1	0	22.28	0.55	20.68	<=38.45	Pass	
				7	22.34	0.55	20.74	<=38.45	Pass	
14				22.64	0.55	21.04	<=38.45	Pass		
8			0	21.15	0.55	19.55	<=38.45	Pass		
			4	21.28	0.55	19.68	<=38.45	Pass		
			7	21.33	0.55	19.73	<=38.45	Pass		
15			0	21.15	0.55	19.55	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.3 B26a\_5MHz\_ERP

#### 1.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV
------------------------------------

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	816.5	1	0	22.98	0.55	21.38	<=38.45	Pass		
			13	23.08	0.55	21.48	<=38.45	Pass		
			24	23.02	0.55	21.42	<=38.45	Pass		
		12	0	22.05	0.55	20.45	<=38.45	Pass		
			6	22.09	0.55	20.49	<=38.45	Pass		
			13	21.98	0.55	20.38	<=38.45	Pass		
		25	0	22.02	0.55	20.42	<=38.45	Pass		
		819	1	0	22.94	0.55	21.34	<=38.45	Pass	
				13	23.09	0.55	21.49	<=38.45	Pass	
	24			23.02	0.55	21.42	<=38.45	Pass		
	12		0	22.05	0.55	20.45	<=38.45	Pass		
			6	22.12	0.55	20.52	<=38.45	Pass		
			13	21.99	0.55	20.39	<=38.45	Pass		
	25		0	22.06	0.55	20.46	<=38.45	Pass		
	821.5		1	0	23.01	0.55	21.41	<=38.45	Pass	
				13	23.13	0.55	21.53	<=38.45	Pass	
		24		23.04	0.55	21.44	<=38.45	Pass		
		12	0	22.04	0.55	20.44	<=38.45	Pass		
			6	22.08	0.55	20.48	<=38.45	Pass		
			13	22.01	0.55	20.41	<=38.45	Pass		
		25	0	22.05	0.55	20.45	<=38.45	Pass		
		16QAM	816.5	1	0	21.84	0.55	20.24	<=38.45	Pass
					13	22.35	0.55	20.75	<=38.45	Pass
	24				22.11	0.55	20.51	<=38.45	Pass	
12	0			21.01	0.55	19.41	<=38.45	Pass		
	6			21.15	0.55	19.55	<=38.45	Pass		
	13			21.03	0.55	19.43	<=38.45	Pass		
25	0			21.07	0.55	19.47	<=38.45	Pass		
819	1			0	22.21	0.55	20.61	<=38.45	Pass	
				13	22.20	0.55	20.60	<=38.45	Pass	
			24	21.82	0.55	20.22	<=38.45	Pass		
	12		0	21.07	0.55	19.47	<=38.45	Pass		
			6	21.11	0.55	19.51	<=38.45	Pass		
			13	21.03	0.55	19.43	<=38.45	Pass		
	25		0	21.11	0.55	19.51	<=38.45	Pass		
	821.5		1	0	21.84	0.55	20.24	<=38.45	Pass	
				13	22.31	0.55	20.71	<=38.45	Pass	
24				22.06	0.55	20.46	<=38.45	Pass		
12			0	21.03	0.55	19.43	<=38.45	Pass		
			6	21.14	0.55	19.54	<=38.45	Pass		
			13	21.02	0.55	19.42	<=38.45	Pass		
25			0	21.11	0.55	19.51	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 1.4 B26a\_10MHz\_ERP

### 1.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	23.00	0.55	21.40	<=38.45	Pass
			25	23.31	0.55	21.71	<=38.45	Pass

			49	23.03	0.55	21.43	<=38.45	Pass		
		25	0	22.08	0.55	20.48	<=38.45	Pass		
			13	22.13	0.55	20.53	<=38.45	Pass		
			25	22.07	0.55	20.47	<=38.45	Pass		
			50	0	22.10	0.55	20.50	<=38.45	Pass	
16QAM	819	1	0	22.02	0.55	20.42	<=38.45	Pass		
			25	22.83	0.55	21.23	<=38.45	Pass		
			49	22.16	0.55	20.56	<=38.45	Pass		
		25	0	21.21	0.55	19.61	<=38.45	Pass		
			13	21.22	0.55	19.62	<=38.45	Pass		
			25	21.11	0.55	19.51	<=38.45	Pass		
		50	0	21.12	0.55	19.52	<=38.45	Pass		
		Note1: ERP=Conducted Power+Antenna Gain-2.15								

## 2. Frequency Stability

### 2.1 B26a\_1.4MHz

#### 2.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	814.7	6	0	20	3.27	-5.579	-0.0068	-2.5 to 2.5	Pass			
					3.85	-11.530	-0.0142	-2.5 to 2.5	Pass			
					4.43	-8.798	-0.0108	-2.5 to 2.5	Pass			
				-30	3.85	-7.567	-0.0093	-2.5 to 2.5	Pass			
				-20	3.85	-9.956	-0.0122	-2.5 to 2.5	Pass			
				-10	3.85	-9.184	-0.0113	-2.5 to 2.5	Pass			
				0	3.85	-8.297	-0.0102	-2.5 to 2.5	Pass			
				10	3.85	-8.569	-0.0105	-2.5 to 2.5	Pass			
				30	3.85	7.296	0.0090	-2.5 to 2.5	Pass			
				40	3.85	-8.297	-0.0102	-2.5 to 2.5	Pass			
				50	3.85	-9.599	-0.0118	-2.5 to 2.5	Pass			
				819	6	0	20	3.27	-2.818	-0.0034	-2.5 to 2.5	Pass
								3.85	-6.895	-0.0084	-2.5 to 2.5	Pass
								4.43	-7.038	-0.0086	-2.5 to 2.5	Pass
							-30	3.85	-6.166	-0.0075	-2.5 to 2.5	Pass
	-20	3.85	-7.324				-0.0089	-2.5 to 2.5	Pass			
	-10	3.85	-4.878				-0.0060	-2.5 to 2.5	Pass			
	0	3.85	-3.104				-0.0038	-2.5 to 2.5	Pass			
	10	3.85	-5.093				-0.0062	-2.5 to 2.5	Pass			
	30	3.85	-7.582				-0.0093	-2.5 to 2.5	Pass			
	40	3.85	-6.208				-0.0076	-2.5 to 2.5	Pass			
	50	3.85	-5.507				-0.0067	-2.5 to 2.5	Pass			
	823.3	6	0				20	3.27	-7.825	-0.0095	-2.5 to 2.5	Pass
								3.85	-8.955	-0.0109	-2.5 to 2.5	Pass
								4.43	-10.586	-0.0129	-2.5 to 2.5	Pass
							-30	3.85	-9.441	-0.0115	-2.5 to 2.5	Pass
				-20	3.85	-5.751	-0.0070	-2.5 to 2.5	Pass			
				-10	3.85	-10.085	-0.0122	-2.5 to 2.5	Pass			
				0	3.85	-9.141	-0.0111	-2.5 to 2.5	Pass			
				10	3.85	-8.011	-0.0097	-2.5 to 2.5	Pass			
30				3.85	-5.922	-0.0072	-2.5 to 2.5	Pass				

				40	3.85	-10.271	-0.0125	-2.5 to 2.5	Pass
				50	3.85	-7.453	-0.0091	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.27	-2.789	-0.0034	-2.5 to 2.5	Pass
					3.85	-3.219	-0.0040	-2.5 to 2.5	Pass
				4.43	-7.238	-0.0089	-2.5 to 2.5	Pass	
				-30	3.85	-9.542	-0.0117	-2.5 to 2.5	Pass
				-20	3.85	-6.695	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	-9.727	-0.0119	-2.5 to 2.5	Pass
				0	3.85	-5.121	-0.0063	-2.5 to 2.5	Pass
				10	3.85	-7.796	-0.0096	-2.5 to 2.5	Pass
				30	3.85	-6.266	-0.0077	-2.5 to 2.5	Pass
				40	3.85	-10.428	-0.0128	-2.5 to 2.5	Pass
	50	3.85	-1.230	-0.0015	-2.5 to 2.5	Pass			
	819	6	0	20	3.27	-3.963	-0.0048	-2.5 to 2.5	Pass
					3.85	-2.890	-0.0035	-2.5 to 2.5	Pass
				4.43	-6.509	-0.0079	-2.5 to 2.5	Pass	
				-30	3.85	-3.448	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-4.635	-0.0057	-2.5 to 2.5	Pass
				-10	3.85	-7.596	-0.0093	-2.5 to 2.5	Pass
				0	3.85	-3.505	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-7.553	-0.0092	-2.5 to 2.5	Pass
				30	3.85	-6.552	-0.0080	-2.5 to 2.5	Pass
				40	3.85	-3.762	-0.0046	-2.5 to 2.5	Pass
	50	3.85	-3.691	-0.0045	-2.5 to 2.5	Pass			
	823.3	6	0	20	3.27	-2.375	-0.0029	-2.5 to 2.5	Pass
					3.85	-15.736	-0.0191	-2.5 to 2.5	Pass
				4.43	-6.995	-0.0085	-2.5 to 2.5	Pass	
				-30	3.85	-2.818	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-7.982	-0.0097	-2.5 to 2.5	Pass
				-10	3.85	-10.715	-0.0130	-2.5 to 2.5	Pass
				0	3.85	-7.181	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-11.244	-0.0137	-2.5 to 2.5	Pass
30				3.85	-5.307	-0.0064	-2.5 to 2.5	Pass	
40				3.85	-7.582	-0.0092	-2.5 to 2.5	Pass	
50	3.85	-2.303	-0.0028	-2.5 to 2.5	Pass				

## 2.2 B26a\_3MHz

### 2.2.1 Test Result

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	-4.234	-0.0052	-2.5 to 2.5	Pass
					3.85	-6.337	-0.0078	-2.5 to 2.5	Pass
					4.43	-9.041	-0.0111	-2.5 to 2.5	Pass
				-30	3.85	-5.808	-0.0071	-2.5 to 2.5	Pass
				-20	3.85	-4.091	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-5.436	-0.0067	-2.5 to 2.5	Pass
				0	3.85	-5.379	-0.0066	-2.5 to 2.5	Pass
				10	3.85	-4.048	-0.0050	-2.5 to 2.5	Pass
				30	3.85	-6.752	-0.0083	-2.5 to 2.5	Pass
				40	3.85	-6.509	-0.0080	-2.5 to 2.5	Pass
50	3.85	0.944	0.0012	-2.5 to 2.5	Pass				
	819	15	0	20	3.27	-6.752	-0.0082	-2.5 to 2.5	Pass

					3.85	-4.706	-0.0057	-2.5 to 2.5	Pass
					4.43	-3.018	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-5.636	-0.0069	-2.5 to 2.5	Pass
				-20	3.85	-3.448	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-6.680	-0.0082	-2.5 to 2.5	Pass
				0	3.85	-5.364	-0.0065	-2.5 to 2.5	Pass
				10	3.85	-6.251	-0.0076	-2.5 to 2.5	Pass
				30	3.85	-5.322	-0.0065	-2.5 to 2.5	Pass
				40	3.85	-8.612	-0.0105	-2.5 to 2.5	Pass
	50	3.85	-4.277	-0.0052	-2.5 to 2.5	Pass			
	822.5	15	0	20	3.27	-6.509	-0.0079	-2.5 to 2.5	Pass
					3.85	-11.401	-0.0139	-2.5 to 2.5	Pass
					4.43	-7.882	-0.0096	-2.5 to 2.5	Pass
				-30	3.85	-9.613	-0.0117	-2.5 to 2.5	Pass
				-20	3.85	-8.254	-0.0100	-2.5 to 2.5	Pass
				-10	3.85	-9.885	-0.0120	-2.5 to 2.5	Pass
				0	3.85	-8.926	-0.0109	-2.5 to 2.5	Pass
				10	3.85	-7.324	-0.0089	-2.5 to 2.5	Pass
30				3.85	-5.722	-0.0070	-2.5 to 2.5	Pass	
40	3.85	-8.011	-0.0097	-2.5 to 2.5	Pass				
50	3.85	-8.397	-0.0102	-2.5 to 2.5	Pass				
16QAM	815.5	15	0	20	3.27	-2.847	-0.0035	-2.5 to 2.5	Pass
					3.85	-9.027	-0.0111	-2.5 to 2.5	Pass
					4.43	-5.479	-0.0067	-2.5 to 2.5	Pass
				-30	3.85	-6.180	-0.0076	-2.5 to 2.5	Pass
				-20	3.85	-5.794	-0.0071	-2.5 to 2.5	Pass
				-10	3.85	-6.652	-0.0082	-2.5 to 2.5	Pass
				0	3.85	-6.852	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-6.309	-0.0077	-2.5 to 2.5	Pass
				30	3.85	-4.506	-0.0055	-2.5 to 2.5	Pass
				40	3.85	-5.736	-0.0070	-2.5 to 2.5	Pass
				50	3.85	-7.653	-0.0094	-2.5 to 2.5	Pass
				819	15	0	20	3.27	-4.492
	3.85	-3.405	-0.0042					-2.5 to 2.5	Pass
	4.43	-5.207	-0.0064					-2.5 to 2.5	Pass
	-30	3.85	-2.990				-0.0037	-2.5 to 2.5	Pass
	-20	3.85	-7.610				-0.0093	-2.5 to 2.5	Pass
	-10	3.85	-5.221				-0.0064	-2.5 to 2.5	Pass
	0	3.85	-4.935				-0.0060	-2.5 to 2.5	Pass
	10	3.85	-3.505				-0.0043	-2.5 to 2.5	Pass
	30	3.85	-5.150				-0.0063	-2.5 to 2.5	Pass
	40	3.85	-5.107				-0.0062	-2.5 to 2.5	Pass
	50	3.85	-6.881				-0.0084	-2.5 to 2.5	Pass
	822.5	15	0				20	3.27	-4.420
				3.85	-7.267	-0.0088		-2.5 to 2.5	Pass
				4.43	-4.535	-0.0055		-2.5 to 2.5	Pass
				-30	3.85	-2.933	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-5.336	-0.0065	-2.5 to 2.5	Pass
				-10	3.85	-5.021	-0.0061	-2.5 to 2.5	Pass
				0	3.85	-9.770	-0.0119	-2.5 to 2.5	Pass
				10	3.85	-8.698	-0.0106	-2.5 to 2.5	Pass
				30	3.85	-9.012	-0.0110	-2.5 to 2.5	Pass
				40	3.85	-6.409	-0.0078	-2.5 to 2.5	Pass
				50	3.85	-6.309	-0.0077	-2.5 to 2.5	Pass

## 2.3 B26a\_5MHz

### 2.3.1 Test Result

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	-4.463	-0.0055	-2.5 to 2.5	Pass
					3.85	-1.416	-0.0017	-2.5 to 2.5	Pass
					4.43	-8.440	-0.0103	-2.5 to 2.5	Pass
				-30	3.85	-4.249	-0.0052	-2.5 to 2.5	Pass
				-20	3.85	-11.759	-0.0144	-2.5 to 2.5	Pass
				-10	3.85	-4.020	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-11.759	-0.0144	-2.5 to 2.5	Pass
				10	3.85	-6.351	-0.0078	-2.5 to 2.5	Pass
				30	3.85	-3.133	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-6.967	-0.0085	-2.5 to 2.5	Pass
	50	3.85	-7.782	-0.0095	-2.5 to 2.5	Pass			
	819	25	0	20	3.27	-3.233	-0.0039	-2.5 to 2.5	Pass
					3.85	-4.334	-0.0053	-2.5 to 2.5	Pass
					4.43	-5.364	-0.0065	-2.5 to 2.5	Pass
				-30	3.85	-6.309	-0.0077	-2.5 to 2.5	Pass
				-20	3.85	-4.420	-0.0054	-2.5 to 2.5	Pass
				-10	3.85	-6.351	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-6.680	-0.0082	-2.5 to 2.5	Pass
				10	3.85	-8.011	-0.0098	-2.5 to 2.5	Pass
				30	3.85	-7.739	-0.0094	-2.5 to 2.5	Pass
				40	3.85	-5.951	-0.0073	-2.5 to 2.5	Pass
	50	3.85	-10.057	-0.0123	-2.5 to 2.5	Pass			
	821.5	25	0	20	3.27	-6.294	-0.0077	-2.5 to 2.5	Pass
					3.85	-8.469	-0.0103	-2.5 to 2.5	Pass
					4.43	-2.432	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-4.592	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-3.605	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-7.167	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-4.635	-0.0056	-2.5 to 2.5	Pass
				10	3.85	-5.350	-0.0065	-2.5 to 2.5	Pass
30				3.85	-6.495	-0.0079	-2.5 to 2.5	Pass	
40				3.85	-7.582	-0.0092	-2.5 to 2.5	Pass	
50	3.85	-10.028	-0.0122	-2.5 to 2.5	Pass				
16QAM	816.5	25	0	20	3.27	-8.283	-0.0101	-2.5 to 2.5	Pass
					3.85	-7.710	-0.0094	-2.5 to 2.5	Pass
					4.43	-6.580	-0.0081	-2.5 to 2.5	Pass
				-30	3.85	-7.052	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	-6.781	-0.0083	-2.5 to 2.5	Pass
				-10	3.85	-8.883	-0.0109	-2.5 to 2.5	Pass
				0	3.85	-5.994	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-6.166	-0.0076	-2.5 to 2.5	Pass
				30	3.85	-4.106	-0.0050	-2.5 to 2.5	Pass
				40	3.85	-6.909	-0.0085	-2.5 to 2.5	Pass
	50	3.85	-7.010	-0.0086	-2.5 to 2.5	Pass			
	819	25	0	20	3.27	-7.267	-0.0089	-2.5 to 2.5	Pass
					3.85	-8.168	-0.0100	-2.5 to 2.5	Pass
					4.43	-3.862	-0.0047	-2.5 to 2.5	Pass
				-30	3.85	-5.121	-0.0063	-2.5 to 2.5	Pass
				-20	3.85	-5.336	-0.0065	-2.5 to 2.5	Pass

				-10	3.85	-7.167	-0.0088	-2.5 to 2.5	Pass
				0	3.85	-9.241	-0.0113	-2.5 to 2.5	Pass
				10	3.85	-3.104	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-6.666	-0.0081	-2.5 to 2.5	Pass
				40	3.85	-4.334	-0.0053	-2.5 to 2.5	Pass
				50	3.85	-3.791	-0.0046	-2.5 to 2.5	Pass
	821.5	25	0	20	3.27	-5.264	-0.0064	-2.5 to 2.5	Pass
					3.85	-8.926	-0.0109	-2.5 to 2.5	Pass
					4.43	-12.617	-0.0154	-2.5 to 2.5	Pass
				-30	3.85	-5.579	-0.0068	-2.5 to 2.5	Pass
				-20	3.85	-7.725	-0.0094	-2.5 to 2.5	Pass
				-10	3.85	-5.064	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-7.710	-0.0094	-2.5 to 2.5	Pass
				10	3.85	-8.454	-0.0103	-2.5 to 2.5	Pass
				30	3.85	-9.441	-0.0115	-2.5 to 2.5	Pass
				40	3.85	-6.523	-0.0079	-2.5 to 2.5	Pass
				50	3.85	-6.895	-0.0084	-2.5 to 2.5	Pass

## 2.4 B26a\_10MHz

### 2.4.1 Test Result

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	-3.862	-0.0047	-2.5 to 2.5	Pass
					3.85	-7.911	-0.0097	-2.5 to 2.5	Pass
					4.43	-7.181	-0.0088	-2.5 to 2.5	Pass
				-30	3.85	-6.638	-0.0081	-2.5 to 2.5	Pass
				-20	3.85	-5.937	-0.0072	-2.5 to 2.5	Pass
				-10	3.85	-6.380	-0.0078	-2.5 to 2.5	Pass
				0	3.85	-5.908	-0.0072	-2.5 to 2.5	Pass
				10	3.85	-4.306	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-3.705	-0.0045	-2.5 to 2.5	Pass
				40	3.85	-5.064	-0.0062	-2.5 to 2.5	Pass
50	3.85	-4.678	-0.0057	-2.5 to 2.5	Pass				
16QAM	819	50	0	20	3.27	-3.819	-0.0047	-2.5 to 2.5	Pass
					3.85	-5.078	-0.0062	-2.5 to 2.5	Pass
					4.43	-6.051	-0.0074	-2.5 to 2.5	Pass
				-30	3.85	-7.796	-0.0095	-2.5 to 2.5	Pass
				-20	3.85	-4.892	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-7.153	-0.0087	-2.5 to 2.5	Pass
				0	3.85	-7.010	-0.0086	-2.5 to 2.5	Pass
				10	3.85	-7.267	-0.0089	-2.5 to 2.5	Pass
				30	3.85	-4.535	-0.0055	-2.5 to 2.5	Pass
				40	3.85	-4.749	-0.0058	-2.5 to 2.5	Pass
50	3.85	-5.536	-0.0068	-2.5 to 2.5	Pass				

## 3. Modulation Characteristics


### 3.1 B26a\_1.4MHz



### 3.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	6	0	Refer To Test Graph		Pass
16QAM	819	6	0	Refer To Test Graph		Pass

### 3.1.2 Test Graph




### 3.2 B26a\_3MHz

#### 3.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	15	0	Refer To Test Graph		Pass
16QAM	819	15	0	Refer To Test Graph		Pass

### 3.2.2 Test Graph




### 3.3 B26a\_5MHz

#### 3.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	25	0	Refer To Test Graph		Pass
16QAM	819	25	0	Refer To Test Graph		Pass

### 3.3.2 Test Graph




### 3.4 B26a\_10MHz

#### 3.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	Refer To Test Graph		Pass
16QAM	819	50	0	Refer To Test Graph		Pass

### 3.4.2 Test Graph







## 4. 99% & 26dB Bandwidth

### 4.1 Band26a\_OBW


#### 4.1.1 Test Result

Band: 26a / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	814.7	6	0	1.109	Pass
		819	6	0	1.103	Pass
		823.3	6	0	1.101	Pass
	16QAM	814.7	6	0	1.100	Pass
		819	6	0	1.107	Pass
		823.3	6	0	1.113	Pass
3	QPSK	815.5	15	0	2.732	Pass
		819	15	0	2.720	Pass
		822.5	15	0	2.723	Pass
	16QAM	815.5	15	0	2.712	Pass
		819	15	0	2.723	Pass
		822.5	15	0	2.712	Pass
5	QPSK	816.5	25	0	4.525	Pass
		819	25	0	4.532	Pass
		821.5	25	0	4.549	Pass
	16QAM	816.5	25	0	4.526	Pass
		819	25	0	4.549	Pass
		821.5	25	0	4.557	Pass
10	QPSK	819	50	0	9.023	Pass
	16QAM	819	50	0	9.030	Pass


### 4.1.2 Test Graph




Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_MCH\_819MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_6\_0\_NTNV




Band26a\_3MHz\_QPSK\_LCH\_815.5MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_QPSK\_MCH\_819MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_16QAM\_MCH\_819MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_16QAM\_HCH\_822.5MHz\_RB\_15\_0\_NTNV



Band26a\_5MHz\_QPSK\_LCH\_816.5MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_QPSK\_MCH\_819MHz\_RB\_25\_0\_NTNV







Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_16QAM\_MCH\_819MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_16QAM\_HCH\_821.5MHz\_RB\_25\_0\_NTNV



Band26a\_10MHz\_QPSK\_MCH\_819MHz\_RB\_50\_0\_NTNV



Band26a\_10MHz\_16QAM\_MCH\_819MHz\_RB\_50\_0\_NTNV




## 4.2 Band26a\_XDB


### 4.2.1 Test Result

Band: 26a / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	814.7	6	0	1.323	Pass
		819	6	0	1.317	Pass
		823.3	6	0	1.323	Pass
	16QAM	814.7	6	0	1.308	Pass
		819	6	0	1.315	Pass
		823.3	6	0	1.310	Pass
3	QPSK	815.5	15	0	2.987	Pass
		819	15	0	2.994	Pass
		822.5	15	0	2.993	Pass
	16QAM	815.5	15	0	3.000	Pass
		819	15	0	2.992	Pass
		822.5	15	0	2.973	Pass
5	QPSK	816.5	25	0	5.013	Pass
		819	25	0	5.021	Pass
		821.5	25	0	5.002	Pass
	16QAM	816.5	25	0	4.991	Pass
		819	25	0	5.042	Pass
		821.5	25	0	5.021	Pass
10	QPSK	819	50	0	9.874	Pass
	16QAM	819	50	0	9.947	Pass


### 4.2.2 Test Graph




Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_MCH\_819MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_6\_0\_NTNV



Band26a\_3MHz\_QPSK\_LCH\_815.5MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_QPSK\_MCH\_819MHz\_RB\_15\_0\_NTNV







Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_16QAM\_MCH\_819MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_16QAM\_HCH\_822.5MHz\_RB\_15\_0\_NTNV




Band26a\_5MHz\_QPSK\_LCH\_816.5MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_QPSK\_MCH\_819MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_16QAM\_MCH\_819MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_16QAM\_HCH\_821.5MHz\_RB\_25\_0\_NTNV



Band26a\_10MHz\_QPSK\_MCH\_819MHz\_RB\_50\_0\_NTNV



Band26a\_10MHz\_16QAM\_MCH\_819MHz\_RB\_50\_0\_NTNV





## 5. Peak-Average Ratio

### 5.1 B26a\_1.4MHz

#### 5.1.1 Test Result


Band: 26a / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	4.90	<=13	Pass
	819	6	0	5.20	<=13	Pass
	823.3	6	0	4.89	<=13	Pass
16QAM	814.7	6	0	5.71	<=13	Pass
	819	6	0	5.93	<=13	Pass
	823.3	6	0	5.76	<=13	Pass

### 5.1.2 Test Graph







Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_6\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_MCH\_819MHz\_RB\_6\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_6\_0\_NTNV




## 5.2 B26a\_3MHz


### 5.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.10	<=13	Pass
	819	15	0	5.20	<=13	Pass
	822.5	15	0	5.08	<=13	Pass
16QAM	815.5	15	0	5.92	<=13	Pass
	819	15	0	6.03	<=13	Pass
	822.5	15	0	5.91	<=13	Pass


## 5.2.2 Test Graph




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_15\_0\_NTNV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_15\_0\_NTNV



Band26a\_3MHz\_16QAM\_MCH\_819MHz\_RB\_15\_0\_NTNV



Band26a\_3MHz\_16QAM\_HCH\_822.5MHz\_RB\_15\_0\_NTNV





### 5.3 B26a\_5MHz

#### 5.3.1 Test Result


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.36	<=13	Pass
	819	25	0	5.45	<=13	Pass
	821.5	25	0	5.37	<=13	Pass
16QAM	816.5	25	0	6.07	<=13	Pass
	819	25	0	6.13	<=13	Pass
	821.5	25	0	6.08	<=13	Pass

### 5.3.2 Test Graph







Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_25\_0\_NTNV




Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTNV



Band26a\_5MHz\_16QAM\_MCH\_819MHz\_RB\_25\_0\_NTNV



Band26a\_5MHz\_16QAM\_HCH\_821.5MHz\_RB\_25\_0\_NTNV




## 5.4 B26a\_10MHz

### 5.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.36	<=13	Pass
16QAM	819	50	0	6.11	<=13	Pass

### 5.4.2 Test Graph




## 6. Spurious Emission

### 6.1 B26a\_1.4MHz


#### 6.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass


### 6.1.2 Test Graph




Band26a\_1.4MHz\_QPSK\_LCH\_814.7MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_LCH\_814.7MHz\_RB\_1\_0\_NTNV



Band26a\_1.4MHz\_QPSK\_LCH\_814.7MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_LCH\_814.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	/	1	812.953	-45.41	-13	Pass
813	814	0.013	/	2	814.000	-30.73	-20	Pass
814	815.5	0.013	/	/	/	/	/	/




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_1\_5\_NTNV



Band26a\_1.4MHz\_QPSK\_HCH\_823.3MHz\_RB\_6\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_1\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	/	1	812.918	-60.67	-13	Pass
813	814	0.003	/	2	813.997	-30.23	-20	Pass
814	815.5	0.003	/	/	/	/	/	/


Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_1\_0\_NTNV




Ant: Ant1  
 Start: 9 kHz  
 Stop: 150 kHz  
 RBW: 1 kHz  
 VBW: 3 kHz  
 Detector: RMS  
 Trace Type: Average  
 Average Count: 30  
 Sweep Point: 1001  
 Sweep Time: 174 ms  
 Sweep: Single

Marker:  
 1 0.009 MHz  
 -48.44 dBm  
 2 0.080 MHz  
 -66.81 dBm


Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_1\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_LCH\_814.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	/	1	812.953	-47.09	-13	Pass
813	814	0.013	/	2	813.991	-33.92	-20	Pass
814	815.5	0.013	/	/	/	/	/	/




Band26a\_1.4MHz\_16QAM\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV

