

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band4_EIRP

1.1.1 Test Result

Band: 4											
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict			
	Network	Subset				Result	Limit				
NTNV	RMC	12.2kbps RMC	1712.4	19.76	0.32	20.08	<=30	Pass			
			1732.6	20.25	0.32	20.57	<=30	Pass			
			1752.6	20.30	0.32	20.62	<=30	Pass			
	HSDPA		Subtest 1	1712.4	17.60	0.32	17.92	<=30	Pass		
			Subtest 2	1712.4	17.59	0.32	17.91	<=30	Pass		
			Subtest 3	1712.4	17.58	0.32	17.90	<=30	Pass		
			Subtest 4	1712.4	17.58	0.32	17.90	<=30	Pass		
			Subtest 1	1732.6	17.96	0.32	18.28	<=30	Pass		
			Subtest 2	1732.6	17.96	0.32	18.28	<=30	Pass		
			Subtest 3	1732.6	17.99	0.32	18.31	<=30	Pass		
			Subtest 4	1732.6	17.99	0.32	18.31	<=30	Pass		
			Subtest 1	1752.6	18.08	0.32	18.40	<=30	Pass		
			Subtest 2	1752.6	18.12	0.32	18.44	<=30	Pass		
			Subtest 3	1752.6	18.08	0.32	18.40	<=30	Pass		
			Subtest 4	1752.6	18.08	0.32	18.40	<=30	Pass		
			HSUPA		Subtest 1	1712.4	15.57	0.32	15.89	<=30	Pass
					Subtest 2	1712.4	15.55	0.32	15.87	<=30	Pass
					Subtest 3	1712.4	15.02	0.32	15.34	<=30	Pass
	Subtest 4	1712.4			15.54	0.32	15.86	<=30	Pass		
	Subtest 5	1712.4			15.34	0.32	15.66	<=30	Pass		
	Subtest 1	1732.6			16.02	0.32	16.34	<=30	Pass		
	Subtest 2	1732.6			15.75	0.32	16.07	<=30	Pass		
	Subtest 3	1732.6			16.02	0.32	16.34	<=30	Pass		
	Subtest 4	1732.6			16.03	0.32	16.35	<=30	Pass		
	Subtest 5	1732.6			15.49	0.32	15.81	<=30	Pass		
	Subtest 1	1752.6			16.07	0.32	16.39	<=30	Pass		
	Subtest 2	1752.6			16.10	0.32	16.42	<=30	Pass		
	Subtest 3	1752.6			16.08	0.32	16.40	<=30	Pass		
	Subtest 4	1752.6			16.08	0.32	16.40	<=30	Pass		
	Subtest 5	1752.6			15.57	0.32	15.89	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Band4

2.1.1 Test Result

Band: 4										
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
					Result	Limit				
RMC	1712.4	20	3.27	4.349	0.0025	-2.5 to 2.5	Pass			
			3.85	3.719	0.0022	-2.5 to 2.5	Pass			
			4.43	3.533	0.0021	-2.5 to 2.5	Pass			
		1732.6	-30	3.85	2.761	0.0016	-2.5 to 2.5	Pass		
				-20	3.85	4.227	0.0025	-2.5 to 2.5	Pass	
				-10	3.85	3.312	0.0019	-2.5 to 2.5	Pass	
			1752.6	0	3.85	3.448	0.0020	-2.5 to 2.5	Pass	
					10	3.85	3.748	0.0022	-2.5 to 2.5	Pass
					30	3.85	3.555	0.0021	-2.5 to 2.5	Pass
	1712.4			40	3.85	3.934	0.0023	-2.5 to 2.5	Pass	
					50	3.85	2.782	0.0016	-2.5 to 2.5	Pass
					20	3.27	0.615	0.0004	-2.5 to 2.5	Pass
		3.85		0.923		0.0005	-2.5 to 2.5	Pass		
		4.43		0.744		0.0004	-2.5 to 2.5	Pass		
		1732.6		-30	3.85	0.987	0.0006	-2.5 to 2.5	Pass	
			-20		3.85	0.279	0.0002	-2.5 to 2.5	Pass	
			-10		3.85	-0.358	-0.0002	-2.5 to 2.5	Pass	
			1752.6	0	3.85	0.043	0.0000	-2.5 to 2.5	Pass	
	10				3.85	0.000	0.0000	-2.5 to 2.5	Pass	
	30				3.85	0.808	0.0005	-2.5 to 2.5	Pass	
	1712.4			40	3.85	0.701	0.0004	-2.5 to 2.5	Pass	
					50	3.85	0.458	0.0003	-2.5 to 2.5	Pass
					20	3.27	-1.867	-0.0011	-2.5 to 2.5	Pass
		3.85		-0.930		-0.0005	-2.5 to 2.5	Pass		
		4.43		-1.981		-0.0011	-2.5 to 2.5	Pass		
		1732.6		-30	3.85	-1.810	-0.0010	-2.5 to 2.5	Pass	
			-20		3.85	-1.516	-0.0009	-2.5 to 2.5	Pass	
			-10		3.85	-1.345	-0.0008	-2.5 to 2.5	Pass	
			1752.6	0	3.85	-2.382	-0.0014	-2.5 to 2.5	Pass	
	10				3.85	-2.332	-0.0013	-2.5 to 2.5	Pass	
30	3.85				-2.403	-0.0014	-2.5 to 2.5	Pass		
1712.4	40			3.85	-1.895	-0.0011	-2.5 to 2.5	Pass		
				50	3.85	-1.731	-0.0010	-2.5 to 2.5	Pass	
				20	3.27	4.220	0.0025	-2.5 to 2.5	Pass	
	3.85	3.591			0.0021	-2.5 to 2.5	Pass			
	4.43	3.684			0.0022	-2.5 to 2.5	Pass			
	1732.6	-30		3.85	3.726	0.0022	-2.5 to 2.5	Pass		
			-20	3.85	3.462	0.0020	-2.5 to 2.5	Pass		
			-10	3.85	3.247	0.0019	-2.5 to 2.5	Pass		
		1712.4	0	3.85	3.104	0.0018	-2.5 to 2.5	Pass		
10				3.85	3.183	0.0019	-2.5 to 2.5	Pass		
30				3.85	3.347	0.0020	-2.5 to 2.5	Pass		
1732.6			40	3.85	3.490	0.0020	-2.5 to 2.5	Pass		
				50	3.85	2.768	0.0016	-2.5 to 2.5	Pass	
				20	3.27	-0.143	-0.0001	-2.5 to 2.5	Pass	
	3.85		-0.565		-0.0003	-2.5 to 2.5	Pass			
	4.43		0.386		0.0002	-2.5 to 2.5	Pass			
	1712.4		-30	3.85	0.458	0.0003	-2.5 to 2.5	Pass		
		-20		3.85	-0.250	-0.0001	-2.5 to 2.5	Pass		

		-10	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass		
		0	3.85	-0.486	-0.0003	-2.5 to 2.5	Pass		
		10	3.85	0.007	0.0000	-2.5 to 2.5	Pass		
		30	3.85	-0.615	-0.0004	-2.5 to 2.5	Pass		
		40	3.85	-0.322	-0.0002	-2.5 to 2.5	Pass		
		50	3.85	-0.679	-0.0004	-2.5 to 2.5	Pass		
	1752.6	20	3.27	-1.903	-0.0011	-2.5 to 2.5	Pass		
			3.85	-1.853	-0.0011	-2.5 to 2.5	Pass		
			4.43	-2.367	-0.0014	-2.5 to 2.5	Pass		
		-30	3.85	-2.160	-0.0012	-2.5 to 2.5	Pass		
		-20	3.85	-1.459	-0.0008	-2.5 to 2.5	Pass		
		-10	3.85	-2.418	-0.0014	-2.5 to 2.5	Pass		
		0	3.85	-2.031	-0.0012	-2.5 to 2.5	Pass		
		10	3.85	-2.067	-0.0012	-2.5 to 2.5	Pass		
		30	3.85	-1.824	-0.0010	-2.5 to 2.5	Pass		
		40	3.85	-3.133	-0.0018	-2.5 to 2.5	Pass		
		50	3.85	-1.316	-0.0008	-2.5 to 2.5	Pass		
		HSUPA	1712.4	20	3.27	5.529	0.0032	-2.5 to 2.5	Pass
					3.85	5.586	0.0033	-2.5 to 2.5	Pass
4.43	5.379				0.0031	-2.5 to 2.5	Pass		
-30	3.85			6.058	0.0035	-2.5 to 2.5	Pass		
-20	3.85			5.622	0.0033	-2.5 to 2.5	Pass		
-10	3.85			6.273	0.0037	-2.5 to 2.5	Pass		
0	3.85			4.992	0.0029	-2.5 to 2.5	Pass		
10	3.85			5.908	0.0035	-2.5 to 2.5	Pass		
30	3.85			5.937	0.0035	-2.5 to 2.5	Pass		
40	3.85			5.150	0.0030	-2.5 to 2.5	Pass		
50	3.85			4.642	0.0027	-2.5 to 2.5	Pass		
1732.6	20			3.27	4.005	0.0023	-2.5 to 2.5	Pass	
				3.85	3.569	0.0021	-2.5 to 2.5	Pass	
			4.43	4.041	0.0023	-2.5 to 2.5	Pass		
	-30		3.85	3.483	0.0020	-2.5 to 2.5	Pass		
	-20		3.85	1.988	0.0011	-2.5 to 2.5	Pass		
	-10		3.85	3.247	0.0019	-2.5 to 2.5	Pass		
	0		3.85	3.619	0.0021	-2.5 to 2.5	Pass		
	10		3.85	3.891	0.0022	-2.5 to 2.5	Pass		
1752.6	20	3.27	0.114	0.0001	-2.5 to 2.5	Pass			
		3.85	0.093	0.0001	-2.5 to 2.5	Pass			
		4.43	0.708	0.0004	-2.5 to 2.5	Pass			
	-30	3.85	0.622	0.0004	-2.5 to 2.5	Pass			
	-20	3.85	0.830	0.0005	-2.5 to 2.5	Pass			
	-10	3.85	1.795	0.0010	-2.5 to 2.5	Pass			
	0	3.85	0.851	0.0005	-2.5 to 2.5	Pass			
	10	3.85	1.559	0.0009	-2.5 to 2.5	Pass			
30	3.85	-0.257	-0.0001	-2.5 to 2.5	Pass				
40	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass				
50	3.85	0.165	0.0001	-2.5 to 2.5	Pass				


3. Modulation Characteristics



3.1 Band4

3.1.1 Test Result

Band: 4						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1732.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1732.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1732.6	Refer To Test Graph		Pass

3.1.2 Test Graph







4. 99% & 26dB Bandwidth

4.1 Band4_OBW


4.1.1 Test Result

Band: 4					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	1712.4	4.214	Pass
			1732.6	4.211	Pass
			1752.6	4.221	Pass
	HSDPA	Subtest 1	1712.4	4.240	Pass
			1732.6	4.245	Pass
			1752.6	4.229	Pass
	HSUPA	Subtest 1	1712.4	4.232	Pass
			1732.6	4.249	Pass
			1752.6	4.256	Pass


4.1.2 Test Graph




Band4_RMC_HCH_1752.6MHz_12.2kbps RMC_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV



Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV



Band4_HSUPA_HCH_1752.6MHz_Subtest 1_NTNV





4.2 Band4_XDB


4.2.1 Test Result

Band: 4					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	1712.4	4.878	Pass
			1732.6	4.849	Pass
			1752.6	4.897	Pass
	HSDPA	Subtest 1	1712.4	4.921	Pass
			1732.6	4.978	Pass
			1752.6	4.959	Pass
	HSUPA	Subtest 1	1712.4	4.913	Pass
			1732.6	4.923	Pass
			1752.6	4.932	Pass


4.2.2 Test Graph




Band4_RMC_HCH_1752.6MHz_12.2kbps RMC_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV



Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV



Band4_HSUPA_HCH_1752.6MHz_Subtest 1_NTNV




5. Peak-Average Ratio


5.1 Band4

5.1.1 Test Result


Band: 4						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	2.59	<=13	Pass
			1732.6	3.01	<=13	Pass
			1752.6	2.53	<=13	Pass
	HSDPA	Subtest 1	1712.4	5.67	<=13	Pass
			1732.6	5.79	<=13	Pass
			1752.6	5.57	<=13	Pass
	HSUPA	Subtest 1	1712.4	5.63	<=13	Pass
			1732.6	5.86	<=13	Pass
			1752.6	5.58	<=13	Pass

5.1.2 Test Graph







Band4_RMC_HCH_1752.6MHz_12.2kbps RMC_NTNV




Band4_HSDPA_LCH_1712.4MHz_Subtest 1_NTNV




Band4_HSDPA_MCH_1732.6MHz_Subtest 1_NTNV




Band4_HSDPA_HCH_1752.6MHz_Subtest 1_NTNV




Band4_HSUPA_LCH_1712.4MHz_Subtest 1_NTNV



Band4_HSUPA_MCH_1732.6MHz_Subtest 1_NTNV



Band4_HSUPA_HCH_1752.6MHz_Subtest 1_NTNV




6. Spurious Emission


6.1 Band4

6.1.1 Test Result


Band: 4						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1712.4	Refer To Test Graph		Pass
			1732.6	Refer To Test Graph		Pass
			1752.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1712.4	Refer To Test Graph		Pass
			1732.6	Refer To Test Graph		Pass
			1752.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1712.4	Refer To Test Graph		Pass
			1732.6	Refer To Test Graph		Pass
			1752.6	Refer To Test Graph		Pass

6.1.2 Test Graph







Band4_RMC_LCH_1712.4MHz_12.2kbps RMC_NTNV





Band4_RMC_MCH_1732.6MHz_12.2kbps RMC_NTNV







Band4_RMC_MCH_1732.6MHz_12.2kbps RMC_NTNV







Band4_RMC_HCH_1752.6MHz_12.2kbps RMC_NTNV






























7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
4	3.84	1712.4	1752.6	0.1072	0.0036	ppm	4M26F9W	27L	20.30

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
4	3.84	1712.4	1752.6	0.1153	0.0036	ppm	4M26F9W	27L	20.62