

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.37	-27.17	7.00	12.93	-33.10	-13.00	-20.10	H
5557.52	-25.88	8.40	17.11	-34.59	-13.00	-21.59	H
7409.88	-27.20	8.10	22.20	-41.30	-13.00	-28.30	H
3705.37	-27.23	7.00	12.93	-33.16	-13.00	-20.16	V
5557.52	-27.71	8.40	17.11	-36.42	-13.00	-23.42	V
7409.88	-26.29	8.10	22.20	-40.39	-13.00	-27.39	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.07	-24.44	7.00	12.93	-30.37	-13.00	-17.37	H
5640.26	-29.34	8.40	17.11	-38.05	-13.00	-25.05	H
7519.94	-24.94	8.10	22.20	-39.04	-13.00	-26.04	H
3760.07	-26.95	7.00	12.93	-32.88	-13.00	-19.88	V
5640.26	-29.11	8.40	17.11	-37.82	-13.00	-24.82	V
7519.94	-27.06	8.10	22.20	-41.16	-13.00	-28.16	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.30	-28.81	7.00	12.93	-34.74	-13.00	-21.74	H
5722.36	-25.11	8.40	17.11	-33.82	-13.00	-20.82	H
7629.93	-24.39	8.10	22.20	-38.49	-13.00	-25.49	H
3815.30	-29.07	7.00	12.93	-35.00	-13.00	-22.00	V
5722.36	-28.20	8.40	17.11	-36.91	-13.00	-23.91	V
7629.93	-24.31	8.10	22.20	-38.41	-13.00	-25.41	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.45	-28.32	7.00	12.93	-34.25	-13.00	-21.25	H
5565.32	-28.99	8.40	17.11	-37.70	-13.00	-24.70	H
7419.86	-26.09	8.10	22.20	-40.19	-13.00	-27.19	H
3710.45	-26.27	7.00	12.93	<b>-32.20</b>	-13.00	-19.20	V
5565.32	-25.71	8.40	17.11	-34.42	-13.00	-21.42	V
7419.86	-25.05	8.10	22.20	-39.15	-13.00	-26.15	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.16	-26.23	7.00	12.93	<b>-32.16</b>	-13.00	-19.16	H
5640.06	-25.45	8.40	17.11	-34.16	-13.00	-21.16	H
7519.85	-23.61	8.10	22.20	-37.71	-13.00	-24.71	H
3760.16	-26.81	7.00	12.93	-32.74	-13.00	-19.74	V
5640.06	-25.84	8.40	17.11	-34.55	-13.00	-21.55	V
7519.85	-23.64	8.10	22.20	-37.74	-13.00	-24.74	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.20	-27.25	7.00	12.93	-33.18	-13.00	-20.18	H
5714.63	-29.42	8.40	17.11	-38.13	-13.00	-25.13	H
7620.10	-24.25	8.10	22.20	-38.35	-13.00	-25.35	H
3810.20	-25.23	7.00	12.93	<b>-31.16</b>	-13.00	-18.16	V
5714.63	-27.00	8.40	17.11	-35.71	-13.00	-22.71	V
7620.10	-23.56	8.10	22.20	-37.66	-13.00	-24.66	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.94	-24.23	7.00	12.93	-30.16	-13.00	-17.16	H
5572.48	-29.20	8.40	17.11	-37.91	-13.00	-24.91	H
7430.49	-25.05	8.10	22.20	-39.15	-13.00	-26.15	H
3714.94	-26.78	7.00	12.93	-32.71	-13.00	-19.71	V
5572.48	-24.49	8.40	17.11	-33.20	-13.00	-20.20	V
7430.49	-27.42	8.10	22.20	-41.52	-13.00	-28.52	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.88	-27.42	7.00	12.93	-33.35	-13.00	-20.35	H
5640.06	-29.42	8.40	17.11	-38.13	-13.00	-25.13	H
7520.21	-26.00	8.10	22.20	-40.10	-13.00	-27.10	H
3759.88	-28.21	7.00	12.93	-34.14	-13.00	-21.14	V
5640.06	-25.35	8.40	17.11	-34.06	-13.00	-21.06	V
7520.21	-24.83	8.10	22.20	-38.93	-13.00	-25.93	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3804.88	-28.05	7.00	12.93	-33.98	-13.00	-20.98	H
5707.53	-26.78	8.40	17.11	-35.49	-13.00	-22.49	H
7610.19	-26.41	8.10	22.20	-40.51	-13.00	-27.51	H
3804.88	-28.23	7.00	12.93	-34.16	-13.00	-21.16	V
5707.53	-27.02	8.40	17.11	-35.73	-13.00	-22.73	V
7610.19	-25.34	8.10	22.20	-39.44	-13.00	-26.44	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.48	-28.04	7.00	12.93	-33.97	-13.00	-20.97	H
5580.46	-26.66	8.40	17.11	-35.37	-13.00	-22.37	H
7439.79	-24.85	8.10	22.20	-38.95	-13.00	-25.95	H
3720.48	-26.88	7.00	12.93	<b>-32.81</b>	-13.00	-19.81	V
5580.46	-27.39	8.40	17.11	-36.10	-13.00	-23.10	V
7439.79	-27.24	8.10	22.20	-41.34	-13.00	-28.34	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.23	-25.38	7.00	12.93	<b>-31.31</b>	-13.00	-18.31	H
5639.91	-26.45	8.40	17.11	-35.16	-13.00	-22.16	H
7519.97	-26.35	8.10	22.20	-40.45	-13.00	-27.45	H
3760.23	-25.38	7.00	12.93	-31.31	-13.00	-18.31	V
5639.91	-27.89	8.40	17.11	-36.60	-13.00	-23.60	V
7519.97	-25.29	8.10	22.20	-39.39	-13.00	-26.39	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.88	-27.85	7.00	12.93	-33.78	-13.00	-20.78	H
5700.16	-27.00	8.40	17.11	-35.71	-13.00	-22.71	H
7600.01	-23.82	8.10	22.20	-37.92	-13.00	-24.92	H
3799.88	-27.76	7.00	12.93	<b>-33.69</b>	-13.00	-20.69	V
5700.16	-28.70	8.40	17.11	-37.41	-13.00	-24.41	V
7600.01	-24.11	8.10	22.20	-38.21	-13.00	-25.21	V

<b>LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.33	-29.83	7.40	9.72	-32.15	-13.00	-19.15	H
2473.66	-28.28	8.30	10.86	<b>-30.84</b>	-13.00	-17.84	H
3298.58	-27.51	7.20	11.57	-31.88	-13.00	-18.88	H
1649.33	-29.22	7.40	9.72	-31.54	-13.00	-18.54	V
2473.66	-30.77	8.30	10.86	-33.33	-13.00	-20.33	V
3298.58	-28.50	7.20	11.57	-32.87	-13.00	-19.87	V
<b>LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.20	-28.79	7.40	9.72	-31.11	-13.00	-18.11	H
2509.07	-26.66	8.30	10.86	<b>-29.22</b>	-13.00	-16.22	H
3346.24	-25.34	7.20	11.57	-29.71	-13.00	-16.71	H
1673.20	-30.11	7.40	9.72	-32.43	-13.00	-19.43	V
2509.07	-29.21	8.30	10.86	-31.77	-13.00	-18.77	V
3346.24	-28.97	7.20	11.57	-33.34	-13.00	-20.34	V
<b>LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.60	-26.78	7.40	9.72	<b>-29.10</b>	-13.00	-16.10	H
2544.53	-27.80	8.30	10.86	-30.36	-13.00	-17.36	H
3392.83	-26.91	7.20	11.57	-31.28	-13.00	-18.28	H
1696.60	-31.87	7.40	9.72	-34.19	-13.00	-21.19	V
2544.53	-30.37	8.30	10.86	-32.93	-13.00	-19.93	V
3392.83	-25.38	7.20	11.57	-29.75	-13.00	-16.75	V

<b>LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.37	-29.31	7.40	9.72	-31.63	-13.00	-18.63	H
2476.50	-31.05	8.30	10.86	-33.61	-13.00	-20.61	H
3301.48	-28.77	7.20	11.57	-33.14	-13.00	-20.14	H
1651.37	-29.08	7.40	9.72	-31.40	-13.00	-18.40	V
2476.50	-26.94	8.30	10.86	<b>-29.50</b>	-13.00	-16.50	V
3301.48	-28.48	7.20	11.57	-32.85	-13.00	-19.85	V
<b>LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.12	-28.08	7.40	9.72	-30.40	-13.00	-17.40	H
2509.23	-28.27	8.30	10.86	-30.83	-13.00	-17.83	H
3346.18	-27.52	7.20	11.57	-31.89	-13.00	-18.89	H
1673.12	-27.81	7.40	9.72	-30.13	-13.00	-17.13	V
2509.23	-28.94	8.30	10.86	-31.50	-13.00	-18.50	V
3346.18	-25.41	7.20	11.57	<b>-29.78</b>	-13.00	-16.78	V
<b>LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.73	-29.74	7.40	9.72	-32.06	-13.00	-19.06	H
2542.15	-29.96	8.30	10.86	-32.52	-13.00	-19.52	H
3389.86	-27.84	7.20	11.57	-32.21	-13.00	-19.21	H
1695.73	-29.54	7.40	9.72	-31.86	-13.00	-18.86	V
2542.15	-27.91	8.30	10.86	<b>-30.47</b>	-13.00	-17.47	V
3389.86	-27.89	7.20	11.57	-32.26	-13.00	-19.26	V

<b>LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.77	-26.11	7.40	9.72	-28.43	-13.00	-15.43	H
2479.64	-29.70	8.30	10.86	-32.26	-13.00	-19.26	H
3306.48	-24.92	7.20	11.57	-29.29	-13.00	-16.29	H
1652.77	-29.65	7.40	9.72	-31.97	-13.00	-18.97	V
2479.64	-30.26	8.30	10.86	-32.82	-13.00	-19.82	V
3306.48	-27.50	7.20	11.57	-31.87	-13.00	-18.87	V
<b>LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.11	-27.31	7.40	9.72	-29.63	-13.00	-16.63	H
2508.85	-30.69	8.30	10.86	-33.25	-13.00	-20.25	H
3345.96	-29.54	7.20	11.57	-33.91	-13.00	-20.91	H
1673.11	-29.06	7.40	9.72	-31.38	-13.00	-18.38	V
2508.85	-30.33	8.30	10.86	-32.89	-13.00	-19.89	V
3345.96	-30.00	7.20	11.57	-34.37	-13.00	-21.37	V
<b>LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.65	-29.73	7.40	9.72	-32.05	-13.00	-19.05	H
2539.12	-29.03	8.30	10.86	-31.59	-13.00	-18.59	H
3386.16	-27.96	7.20	11.57	-32.33	-13.00	-19.33	H
1693.65	-29.41	7.40	9.72	-31.73	-13.00	-18.73	V
2539.12	-29.62	8.30	10.86	-32.18	-13.00	-19.18	V
3386.16	-26.19	7.20	11.57	-30.56	-13.00	-17.56	V

<b>LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1658.16	-28.27	7.40	9.72	-30.59	-13.00	-17.59	H
2486.33	-27.81	8.30	10.86	-30.37	-13.00	-17.37	H
3315.54	-25.00	7.20	11.57	-29.37	-13.00	-16.37	H
1658.16	-27.95	7.40	9.72	-30.27	-13.00	-17.27	V
2486.33	-26.56	8.30	10.86	<b>-29.12</b>	-13.00	-16.12	V
3315.54	-25.47	7.20	11.57	-29.84	-13.00	-16.84	V
<b>LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.85	-27.88	7.40	9.72	-30.20	-13.00	-17.20	H
2509.22	-27.79	8.30	10.86	-30.35	-13.00	-17.35	H
3345.98	-24.77	7.20	11.57	<b>-29.14</b>	-13.00	-16.14	H
1672.85	-30.47	7.40	9.72	-32.79	-13.00	-19.79	V
2509.22	-28.07	8.30	10.86	-30.63	-13.00	-17.63	V
3345.98	-26.40	7.20	11.57	-30.77	-13.00	-17.77	V
<b>LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1688.36	-28.66	7.40	9.72	-30.98	-13.00	-17.98	H
2532.20	-30.93	8.30	10.86	-33.49	-13.00	-20.49	H
3375.95	-28.41	7.20	11.57	-32.78	-13.00	-19.78	H
1688.36	-27.37	7.40	9.72	<b>-29.69</b>	-13.00	-16.69	V
2532.20	-27.24	8.30	10.86	-29.80	-13.00	-16.80	V
3375.95	-26.58	7.20	11.57	-30.95	-13.00	-17.95	V



LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.44	-28.47	7.40	9.72	-30.79	-13.00	-17.79	H
2494.63	-29.91	8.30	10.86	-32.47	-13.00	-19.47	H
3325.76	-26.90	7.20	11.57	-31.27	-13.00	-18.27	H
1663.44	-31.93	7.40	9.72	-34.25	-13.00	-21.25	V
2494.63	-27.83	8.30	10.86	-30.39	-13.00	-17.39	V
3325.76	-25.62	7.20	11.57	<b>-29.99</b>	-13.00	-16.99	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.19	-28.47	7.40	9.72	<b>-30.79</b>	-13.00	-17.79	H
2508.94	-29.08	8.30	10.86	-31.64	-13.00	-18.64	H
3346.01	-29.64	7.20	11.57	-34.01	-13.00	-21.01	H
1673.19	-29.54	7.40	9.72	-31.86	-13.00	-18.86	V
2508.94	-29.64	8.30	10.86	-32.20	-13.00	-19.20	V
3346.01	-27.32	7.20	11.57	-31.69	-13.00	-18.69	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.69	-26.56	7.40	9.72	<b>-28.88</b>	-13.00	-15.88	H
2524.42	-26.82	8.30	10.86	-29.38	-13.00	-16.38	H
3366.24	-25.88	7.20	11.57	-30.25	-13.00	-17.25	H
1683.69	-28.25	7.40	9.72	-30.57	-13.00	-17.57	V
2524.42	-26.96	8.30	10.86	-29.52	-13.00	-16.52	V
3366.24	-28.12	7.20	11.57	-32.49	-13.00	-19.49	V

<b>LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.40	-27.69	7.40	9.72	<b>-30.01</b>	-13.00	-17.01	H
2473.21	-28.81	8.30	10.86	-31.37	-13.00	-18.37	H
3298.71	-25.76	7.20	11.57	-30.13	-13.00	-17.13	H
1649.40	-31.36	7.40	9.72	-33.68	-13.00	-20.68	V
2473.21	-29.21	8.30	10.86	-31.77	-13.00	-18.77	V
3298.71	-27.26	7.20	11.57	-31.63	-13.00	-18.63	V
<b>LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.96	-27.93	7.40	9.72	-30.25	-13.00	-17.25	H
2508.97	-27.50	8.30	10.86	<b>-30.06</b>	-13.00	-17.06	H
3346.10	-25.87	7.20	11.57	-30.24	-13.00	-17.24	H
1672.96	-30.34	7.40	9.72	-32.66	-13.00	-19.66	V
2508.97	-29.66	8.30	10.86	-32.22	-13.00	-19.22	V
3346.10	-27.11	7.20	11.57	-31.48	-13.00	-18.48	V
<b>LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.32	-28.42	7.40	9.72	-30.74	-13.00	-17.74	H
2544.84	-30.74	8.30	10.86	-33.30	-13.00	-20.30	H
3392.84	-25.37	7.20	11.57	-29.74	-13.00	-16.74	H
1696.32	-30.59	7.40	9.72	-32.91	-13.00	-19.91	V
2544.84	-26.40	8.30	10.86	<b>-28.96</b>	-13.00	-15.96	V
3392.84	-29.81	7.20	11.57	-34.18	-13.00	-21.18	V

<b>LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.45	-27.98	7.40	9.72	<b>-30.30</b>	-13.00	-17.30	H
2476.32	-29.97	8.30	10.86	-32.53	-13.00	-19.53	H
3301.59	-26.15	7.20	11.57	-30.52	-13.00	-17.52	H
1651.45	-28.14	7.40	9.72	-30.46	-13.00	-17.46	V
2476.32	-31.23	8.30	10.86	-33.79	-13.00	-20.79	V
3301.59	-26.90	7.20	11.57	-31.27	-13.00	-18.27	V
<b>LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.21	-28.02	7.40	9.72	<b>-30.34</b>	-13.00	-17.34	H
2509.08	-30.07	8.30	10.86	-32.63	-13.00	-19.63	H
3346.20	-26.47	7.20	11.57	-30.84	-13.00	-17.84	H
1673.21	-29.03	7.40	9.72	-31.35	-13.00	-18.35	V
2509.08	-29.90	8.30	10.86	-32.46	-13.00	-19.46	V
3346.20	-29.23	7.20	11.57	-33.60	-13.00	-20.60	V
<b>LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.40	-27.92	7.40	9.72	-30.24	-13.00	-17.24	H
2542.12	-26.90	8.30	10.86	<b>-29.46</b>	-13.00	-16.46	H
3389.89	-26.84	7.20	11.57	-31.21	-13.00	-18.21	H
1695.40	-27.15	7.40	9.72	-29.47	-13.00	-16.47	V
2542.12	-28.59	8.30	10.86	-31.15	-13.00	-18.15	V
3389.89	-30.13	7.20	11.57	-34.50	-13.00	-21.50	V

LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.68	-26.99	7.40	9.72	-29.31	-13.00	-16.31	H
2479.29	-30.82	8.30	10.86	-33.38	-13.00	-20.38	H
3306.71	-24.80	7.20	11.57	-29.17	-13.00	-16.17	H
1652.68	-27.14	7.40	9.72	-29.46	-13.00	-16.46	V
2479.29	-29.56	8.30	10.86	-32.12	-13.00	-19.12	V
3306.71	-28.27	7.20	11.57	-32.64	-13.00	-19.64	V

LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.10	-30.88	7.40	9.72	-33.20	-13.00	-20.20	H
2508.92	-28.63	8.30	10.86	-31.19	-13.00	-18.19	H
3346.12	-25.40	7.20	11.57	-29.77	-13.00	-16.77	H
1673.10	-30.13	7.40	9.72	-32.45	-13.00	-19.45	V
2508.92	-31.06	8.30	10.86	-33.62	-13.00	-20.62	V
3346.12	-29.60	7.20	11.57	-33.97	-13.00	-20.97	V

LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.46	-28.65	7.40	9.72	-30.97	-13.00	-17.97	H
2539.33	-26.98	8.30	10.86	-29.54	-13.00	-16.54	H
3386.06	-29.60	7.20	11.57	-33.97	-13.00	-20.97	H
1693.46	-29.96	7.40	9.72	-32.28	-13.00	-19.28	V
2539.33	-30.29	8.30	10.86	-32.85	-13.00	-19.85	V
3386.06	-29.21	7.20	11.57	-33.58	-13.00	-20.58	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.16	-30.19	7.40	9.72	-32.51	-13.00	-19.51	H
2508.86	-28.72	8.30	10.86	-31.28	-13.00	-18.28	H
3346.09	-25.08	7.20	11.57	-29.45	-13.00	-16.45	H
1673.16	-30.15	7.40	9.72	-32.47	-13.00	-19.47	V
2508.86	-27.39	8.30	10.86	-29.95	-13.00	-16.95	V
3346.09	-28.93	7.20	11.57	-33.30	-13.00	-20.30	V

<b>LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4997.06	-30.06	7.90	15.86	<b>-38.02</b>	-25.00	-13.02	H
7495.73	-30.50	9.00	19.28	-40.78	-25.00	-15.78	H
9993.89	-30.01	8.70	23.19	-44.50	-25.00	-19.50	H
4997.06	-34.47	7.90	15.86	-42.43	-25.00	-17.43	V
7495.73	-31.66	9.00	19.28	-41.94	-25.00	-16.94	V
9993.89	-31.45	8.70	23.19	-45.94	-25.00	-20.94	V
<b>LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.89	-30.84	7.90	15.86	<b>-38.80</b>	-25.00	-13.80	H
7779.29	-32.85	9.00	19.28	-43.13	-25.00	-18.13	H
10372.33	-29.60	8.70	23.19	-44.09	-25.00	-19.09	H
5185.89	-32.10	7.90	15.86	-40.06	-25.00	-15.06	V
7779.29	-30.89	9.00	19.28	-41.17	-25.00	-16.17	V
10372.33	-32.78	8.70	23.19	-47.27	-25.00	-22.27	V
<b>LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5375.01	-31.27	7.90	15.86	<b>-39.23</b>	-25.00	-14.23	H
8062.79	-31.15	9.00	19.28	-41.43	-25.00	-16.43	H
10749.92	-32.26	8.70	23.19	-46.75	-25.00	-21.75	H
5375.01	-34.06	7.90	15.86	-42.02	-25.00	-17.02	V
8062.79	-34.63	9.00	19.28	-44.91	-25.00	-19.91	V
10749.92	-30.62	8.70	23.19	-45.11	-25.00	-20.11	V

<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5002.01	-32.14	7.90	15.86	<b>-40.10</b>	-25.00	-15.10	H
7502.97	-33.45	9.00	19.28	-43.73	-25.00	-18.73	H
10004.16	-29.78	8.70	23.19	-44.27	-25.00	-19.27	H
5002.01	-34.80	7.90	15.86	-42.76	-25.00	-17.76	V
7502.97	-33.59	9.00	19.28	-43.87	-25.00	-18.87	V
10004.16	-30.03	8.70	23.19	-44.52	-25.00	-19.52	V
<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.93	-34.57	7.90	15.86	-42.53	-25.00	-17.53	H
7779.31	-35.06	9.00	19.28	-45.34	-25.00	-20.34	H
10372.00	-32.11	8.70	23.19	-46.60	-25.00	-21.60	H
5185.93	-32.89	7.90	15.86	<b>-40.85</b>	-25.00	-15.85	V
7779.31	-35.12	9.00	19.28	-45.40	-25.00	-20.40	V
10372.00	-30.85	8.70	23.19	-45.34	-25.00	-20.34	V
<b>LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5369.91	-32.51	7.90	15.86	<b>-40.47</b>	-25.00	-15.47	H
8054.94	-35.47	9.00	19.28	-45.75	-25.00	-20.75	H
10739.74	-32.68	8.70	23.19	-47.17	-25.00	-22.17	H
5369.91	-35.57	7.90	15.86	-43.53	-25.00	-18.53	V
8054.94	-34.70	9.00	19.28	-44.98	-25.00	-19.98	V
10739.74	-30.67	8.70	23.19	-45.16	-25.00	-20.16	V

<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5006.83	-30.14	7.90	15.86	<b>-38.10</b>	-25.00	-13.10	H
7510.57	-33.12	9.00	19.28	-43.40	-25.00	-18.40	H
10014.37	-33.58	8.70	23.19	-48.07	-25.00	-23.07	H
5006.83	-33.97	7.90	15.86	-41.93	-25.00	-16.93	V
7510.57	-34.28	9.00	19.28	-44.56	-25.00	-19.56	V
10014.37	-32.37	8.70	23.19	-46.86	-25.00	-21.86	V
<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.95	-30.25	7.90	15.86	<b>-38.21</b>	-25.00	-13.21	H
7778.93	-35.12	9.00	19.28	-45.40	-25.00	-20.40	H
10371.88	-31.87	8.70	23.19	-46.36	-25.00	-21.36	H
5185.95	-32.33	7.90	15.86	-40.29	-25.00	-15.29	V
7778.93	-35.06	9.00	19.28	-45.34	-25.00	-20.34	V
10371.88	-32.42	8.70	23.19	-46.91	-25.00	-21.91	V
<b>LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5365.03	-29.95	7.90	15.86	<b>-37.91</b>	-25.00	-12.91	H
8047.47	-33.77	9.00	19.28	-44.05	-25.00	-19.05	H
10730.19	-33.31	8.70	23.19	-47.80	-25.00	-22.80	H
5365.03	-32.74	7.90	15.86	-40.70	-25.00	-15.70	V
8047.47	-31.44	9.00	19.28	-41.72	-25.00	-16.72	V
10730.19	-30.82	8.70	23.19	-45.31	-25.00	-20.31	V

<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.16	-32.05	7.90	15.86	<b>-40.01</b>	-25.00	-15.01	H
7517.95	-33.80	9.00	19.28	-44.08	-25.00	-19.08	H
10024.23	-29.82	8.70	23.19	-44.31	-25.00	-19.31	H
5012.16	-33.32	7.90	15.86	-41.28	-25.00	-16.28	V
7517.95	-30.74	9.00	19.28	-41.02	-25.00	-16.02	V
10024.23	-31.80	8.70	23.19	-46.29	-25.00	-21.29	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.86	-33.97	7.90	15.86	<b>-41.93</b>	-25.00	-16.93	H
7779.28	-35.22	9.00	19.28	-45.50	-25.00	-20.50	H
10372.20	-33.48	8.70	23.19	-47.97	-25.00	-22.97	H
5185.86	-35.14	7.90	15.86	-43.10	-25.00	-18.10	V
7779.28	-32.93	9.00	19.28	-43.21	-25.00	-18.21	V
10372.20	-32.25	8.70	23.19	-46.74	-25.00	-21.74	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5360.04	-32.46	7.90	15.86	-40.42	-25.00	-15.42	H
8039.95	-34.69	9.00	19.28	-44.97	-25.00	-19.97	H
10720.00	-33.07	8.70	23.19	-47.56	-25.00	-22.56	H
5360.04	-31.07	7.90	15.86	<b>-39.03</b>	-25.00	-14.03	V
8039.95	-34.86	9.00	19.28	-45.14	-25.00	-20.14	V
10720.00	-29.98	8.70	23.19	-44.47	-25.00	-19.47	V



<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.13	-25.17	7.20	12.56	-30.53	-13.00	-17.53	H
5131.93	-26.93	8.10	16.32	-35.15	-13.00	-22.15	H
6842.37	-25.05	8.30	21.13	-37.88	-13.00	-24.88	H
3421.13	-27.16	7.20	12.56	-32.52	-13.00	-19.52	V
5131.93	-28.57	8.10	16.32	-36.79	-13.00	-23.79	V
6842.37	-26.06	8.30	21.13	-38.89	-13.00	-25.89	V
<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.85	-24.69	7.20	12.56	-30.05	-13.00	-17.05	H
5235.13	-28.74	8.10	16.32	-36.96	-13.00	-23.96	H
6980.18	-23.23	8.30	21.13	-36.06	-13.00	-23.06	H
3489.85	-29.30	7.20	12.56	-34.66	-13.00	-21.66	V
5235.13	-28.34	8.10	16.32	-36.56	-13.00	-23.56	V
6980.18	-23.53	8.30	21.13	-36.36	-13.00	-23.36	V
<b>LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.05	-27.34	7.20	12.56	-32.70	-13.00	-19.70	H
5336.98	-26.24	8.10	16.32	-34.46	-13.00	-21.46	H
7117.00	-27.35	8.30	21.13	-40.18	-13.00	-27.18	H
3558.05	-26.84	7.20	12.56	-32.20	-13.00	-19.20	V
5336.98	-28.98	8.10	16.32	-37.20	-13.00	-24.20	V
7117.00	-24.23	8.30	21.13	-37.06	-13.00	-24.06	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3422.97	-27.41	7.20	12.56	-32.77	-13.00	-19.77	H
5134.22	-27.58	8.10	16.32	-35.80	-13.00	-22.80	H
6846.19	-24.29	8.30	21.13	-37.12	-13.00	-24.12	H
3422.97	-25.13	7.20	12.56	<b>-30.49</b>	-13.00	-17.49	V
5134.22	-26.46	8.10	16.32	-34.68	-13.00	-21.68	V
6846.19	-27.09	8.30	21.13	-39.92	-13.00	-26.92	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.18	-28.59	7.20	12.56	-33.95	-13.00	-20.95	H
5235.05	-28.65	8.10	16.32	-36.87	-13.00	-23.87	H
6980.29	-26.45	8.30	21.13	-39.28	-13.00	-26.28	H
3490.18	-28.32	7.20	12.56	-33.68	-13.00	-20.68	V
5235.05	-24.88	8.10	16.32	<b>-33.10</b>	-13.00	-20.10	V
6980.29	-27.09	8.30	21.13	-39.92	-13.00	-26.92	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.99	-23.98	7.20	12.56	<b>-29.34</b>	-13.00	-16.34	H
5262.19	-26.10	8.10	16.32	-34.32	-13.00	-21.32	H
7114.20	-24.31	8.30	21.13	-37.14	-13.00	-24.14	H
3556.99	-28.93	7.20	12.56	-34.29	-13.00	-21.29	V
5262.19	-24.91	8.10	16.32	-33.13	-13.00	-20.13	V

<b>LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.18	-26.91	7.20	12.56	-32.27	-13.00	-19.27	H
5137.27	-29.02	8.10	16.32	-37.24	-13.00	-24.24	H
6850.05	-24.05	8.30	21.13	-36.88	-13.00	-23.88	H
3425.18	-27.17	7.20	12.56	-32.53	-13.00	-19.53	V
5137.27	-25.69	8.10	16.32	-33.91	-13.00	-20.91	V
6850.05	-23.76	8.30	21.13	-36.59	-13.00	-23.59	V
<b>LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.24	-26.96	7.20	12.56	-32.32	-13.00	-19.32	H
5234.84	-27.64	8.10	16.32	-35.86	-13.00	-22.86	H
6979.93	-25.55	8.30	21.13	-38.38	-13.00	-25.38	H
3490.24	-28.35	7.20	12.56	-33.71	-13.00	-20.71	V
5234.84	-26.22	8.10	16.32	-34.44	-13.00	-21.44	V
6979.93	-25.02	8.30	21.13	-37.85	-13.00	-24.85	V
<b>LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.74	-26.10	7.20	12.56	-31.46	-13.00	-18.46	H
5234.97	-28.54	8.10	16.32	-36.76	-13.00	-23.76	H
7109.91	-23.00	8.30	21.13	-35.83	-13.00	-22.83	H
3557.74	-26.03	7.20	12.56	-31.39	-13.00	-18.39	V
5234.97	-24.71	8.10	16.32	-32.93	-13.00	-19.93	V
7109.91	-26.41	8.30	21.13	-39.24	-13.00	-26.24	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.06	-24.34	7.20	12.56	-29.70	-13.00	-16.70	H
5145.25	-24.49	8.10	16.32	-32.71	-13.00	-19.71	H
6879.85	-26.10	8.30	21.13	-38.93	-13.00	-25.93	H
3430.06	-26.18	7.20	12.56	-31.54	-13.00	-18.54	V
5145.25	-25.10	8.10	16.32	-33.32	-13.00	-20.32	V
6879.85	-24.18	8.30	21.13	-37.01	-13.00	-24.01	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.12	-26.93	7.20	12.56	-32.29	-13.00	-19.29	H
5235.19	-25.02	8.10	16.32	-33.24	-13.00	-20.24	H
6979.91	-25.73	8.30	21.13	-38.56	-13.00	-25.56	H
3490.12	-28.14	7.20	12.56	-33.50	-13.00	-20.50	V
5235.19	-26.85	8.10	16.32	-35.07	-13.00	-22.07	V
6979.91	-25.58	8.30	21.13	-38.41	-13.00	-25.41	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.41	-28.88	7.20	12.56	-34.24	-13.00	-21.24	H
5235.13	-26.52	8.10	16.32	-34.74	-13.00	-21.74	H
7099.96	-24.69	8.30	21.13	-37.52	-13.00	-24.52	H
3550.41	-28.16	7.20	12.56	-33.52	-13.00	-20.52	V
5235.13	-28.06	8.10	16.32	-36.28	-13.00	-23.28	V
7099.96	-25.28	8.30	21.13	-38.11	-13.00	-25.11	V

<b>LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.24	-25.09	7.20	12.56	-30.45	-13.00	-17.45	H
5152.26	-25.42	8.10	16.32	-33.64	-13.00	-20.64	H
6869.92	-23.20	8.30	21.13	-36.03	-13.00	-23.03	H
3435.24	-25.94	7.20	12.56	-31.30	-13.00	-18.30	V
5152.26	-24.88	8.10	16.32	-33.10	-13.00	-20.10	V
6869.92	-27.96	8.30	21.13	-40.79	-13.00	-27.79	V
<b>LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.01	-28.23	7.20	12.56	-33.59	-13.00	-20.59	H
5234.80	-28.40	8.10	16.32	-36.62	-13.00	-23.62	H
6980.15	-23.49	8.30	21.13	-36.32	-13.00	-23.32	H
3490.01	-26.88	7.20	12.56	-32.24	-13.00	-19.24	V
5234.80	-27.38	8.10	16.32	-35.60	-13.00	-22.60	V
6980.15	-24.45	8.30	21.13	-37.28	-13.00	-24.28	V
<b>LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.77	-28.16	7.20	12.56	-33.52	-13.00	-20.52	H
5332.36	-26.48	8.10	16.32	-34.70	-13.00	-21.70	H
7090.16	-26.23	8.30	21.13	-39.06	-13.00	-26.06	H
3544.77	-27.78	7.20	12.56	-33.14	-13.00	-20.14	V
5332.36	-26.47	8.10	16.32	-34.69	-13.00	-21.69	V
7090.16	-24.75	8.30	21.13	-37.58	-13.00	-24.58	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.85	-25.00	7.20	12.56	<b>-30.36</b>	-13.00	-17.36	H
5160.13	-29.30	8.10	16.32	-37.52	-13.00	-24.52	H
6880.16	-26.86	8.30	21.13	-39.69	-13.00	-26.69	H
3439.85	-29.94	7.20	12.56	-35.30	-13.00	-22.30	V
5160.13	-26.14	8.10	16.32	-34.36	-13.00	-21.36	V
6880.16	-24.38	8.30	21.13	-37.21	-13.00	-24.21	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.77	-24.31	7.20	12.56	<b>-29.67</b>	-13.00	-16.67	H
5234.90	-28.76	8.10	16.32	-36.98	-13.00	-23.98	H
6980.00	-27.29	8.30	21.13	-40.12	-13.00	-27.12	H
3489.77	-25.92	7.20	12.56	-31.28	-13.00	-18.28	V
5234.90	-26.63	8.10	16.32	-34.85	-13.00	-21.85	V
6980.00	-24.92	8.30	21.13	-37.75	-13.00	-24.75	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.14	-27.39	7.20	12.56	<b>-32.75</b>	-13.00	-19.75	H
5310.16	-26.50	8.10	16.32	-34.72	-13.00	-21.72	H
7080.62	-23.59	8.30	21.13	-36.42	-13.00	-23.42	H
3540.14	-29.01	7.20	12.56	-34.37	-13.00	-21.37	V
5310.16	-28.34	8.10	16.32	-36.56	-13.00	-23.56	V
7080.62	-26.02	8.30	21.13	-38.85	-13.00	-25.85	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1330.93	-29.89	6.50	9.34	-32.73	-13.00	-19.73	H
1966.51	-28.96	7.70	10.42	-31.68	-13.00	-18.68	H
2661.88	-29.48	7.90	11.12	-32.70	-13.00	-19.70	H
1330.93	-31.63	6.50	9.34	-34.47	-13.00	-21.47	V
1966.51	-28.19	7.70	10.42	<b>-30.91</b>	-13.00	-17.91	V
2661.88	-27.74	7.90	11.12	-30.96	-13.00	-17.96	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.09	-26.76	6.50	9.34	-29.60	-13.00	-16.60	H
2041.22	-28.84	7.70	10.42	-31.56	-13.00	-18.56	H
2722.03	-25.29	7.90	11.12	<b>-28.51</b>	-13.00	-15.51	H
1361.09	-31.96	6.50	9.34	-34.80	-13.00	-21.80	V
2041.22	-28.39	7.70	10.42	-31.11	-13.00	-18.11	V
2722.03	-29.81	7.90	11.12	-33.03	-13.00	-20.03	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1391.16	-29.42	6.50	9.34	-32.26	-13.00	-19.26	H
2085.82	-26.96	7.70	10.42	-29.68	-13.00	-16.68	H
2781.74	-26.30	7.90	11.12	<b>-29.52</b>	-13.00	-16.52	H
1391.16	-29.04	6.50	9.34	-31.88	-13.00	-18.88	V
2085.82	-28.20	7.70	10.42	-30.92	-13.00	-17.92	V
2781.74	-27.03	7.90	11.12	-30.25	-13.00	-17.25	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1336.03	-28.52	6.50	9.34	-31.36	-13.00	-18.36	H
2004.00	-31.32	7.70	10.42	-34.04	-13.00	-21.04	H
2671.72	-27.42	7.90	11.12	-30.64	-13.00	-17.64	H
1336.03	-30.67	6.50	9.34	-33.51	-13.00	-20.51	V
2004.00	-26.46	7.70	10.42	-29.18	-13.00	-16.18	V
2671.72	-25.73	7.90	11.12	<b>-28.95</b>	-13.00	-15.95	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.26	-27.67	6.50	9.34	-30.51	-13.00	-17.51	H
2041.25	-29.92	7.70	10.42	-32.64	-13.00	-19.64	H
2722.07	-25.16	7.90	11.12	<b>-28.38</b>	-13.00	-15.38	H
1361.26	-29.26	6.50	9.34	-32.10	-13.00	-19.10	V
2041.25	-26.66	7.70	10.42	-29.38	-13.00	-16.38	V
2722.07	-28.84	7.90	11.12	-32.06	-13.00	-19.06	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1386.13	-29.38	6.50	9.34	-32.22	-13.00	-19.22	H
2078.88	-29.78	7.70	10.42	-32.50	-13.00	-19.50	H
2722.15	-27.52	7.90	11.12	<b>-30.74</b>	-13.00	-17.74	H
1386.13	-31.12	6.50	9.34	-33.96	-13.00	-20.96	V
2078.88	-28.05	7.70	10.42	-30.77	-13.00	-17.77	V
2722.15	-28.41	7.90	11.12	-31.63	-13.00	-18.63	V



LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1341.06	-27.29	6.50	9.34	-30.13	-13.00	-17.13	H
2010.87	-31.41	7.70	10.42	-34.13	-13.00	-21.13	H
2681.93	-27.22	7.90	11.12	-30.44	-13.00	-17.44	H
1341.06	-29.25	6.50	9.34	-32.09	-13.00	-19.09	V
2010.87	-31.02	7.70	10.42	-33.74	-13.00	-20.74	V
2681.93	-27.94	7.90	11.12	-31.16	-13.00	-18.16	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.29	-29.22	6.50	9.34	-32.06	-13.00	-19.06	H
2041.35	-27.71	7.70	10.42	-30.43	-13.00	-17.43	H
2721.75	-29.25	7.90	11.12	-32.47	-13.00	-19.47	H
1361.29	-27.71	6.50	9.34	-30.55	-13.00	-17.55	V
2041.35	-26.76	7.70	10.42	-29.48	-13.00	-16.48	V
2721.75	-26.07	7.90	11.12	-29.29	-13.00	-16.29	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1381.10	-27.73	6.50	9.34	-30.57	-13.00	-17.57	H
2070.71	-29.98	7.70	10.42	-32.70	-13.00	-19.70	H
2762.02	-27.93	7.90	11.12	-31.15	-13.00	-18.15	H
1381.10	-30.31	6.50	9.34	-33.15	-13.00	-20.15	V
2070.71	-27.46	7.70	10.42	-30.18	-13.00	-17.18	V
2762.02	-28.34	7.90	11.12	-31.56	-13.00	-18.56	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1346.14	-29.51	6.50	9.34	-32.35	-13.00	-19.35	H
2018.72	-29.51	7.70	10.42	-32.23	-13.00	-19.23	H
2692.14	-29.19	7.90	11.12	-32.41	-13.00	-19.41	H
1346.14	-28.58	6.50	9.34	<b>-31.42</b>	-13.00	-18.42	V
2018.72	-29.53	7.70	10.42	-32.25	-13.00	-19.25	V
2692.14	-28.53	7.90	11.12	-31.75	-13.00	-18.75	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.15	-26.73	6.50	9.34	<b>-29.57</b>	-13.00	-16.57	H
2041.24	-29.49	7.70	10.42	-32.21	-13.00	-19.21	H
2721.82	-26.37	7.90	11.12	-29.59	-13.00	-16.59	H
1361.15	-31.33	6.50	9.34	-34.17	-13.00	-21.17	V
2041.24	-26.96	7.70	10.42	-29.68	-13.00	-16.68	V
2721.82	-29.50	7.90	11.12	-32.72	-13.00	-19.72	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1375.89	-30.71	6.50	9.34	-33.55	-13.00	-20.55	H
2064.16	-31.23	7.70	10.42	-33.95	-13.00	-20.95	H
2751.90	-26.87	7.90	11.12	-30.09	-13.00	-17.09	H
1375.89	-31.62	6.50	9.34	-34.46	-13.00	-21.46	V
2064.16	-26.42	7.70	10.42	<b>-29.14</b>	-13.00	-16.14	V
2751.90	-29.19	7.90	11.12	-32.41	-13.00	-19.41	V

※※※※END OF THE REPORT※※※※