

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

| Band: 5 | | | | | | | | | |
|---------|-----------|--------------|-----------------|-----------------------|------------|-----------|---------|---------|------|
| ENV | Mode | | Frequency (MHz) | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) | | Verdict | |
| | Network | Subset | | | | Result | Limit | | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 23.79 | -0.71 | 20.93 | <=38.45 | Pass | |
| | | | 836.6 | 23.75 | -0.71 | 20.89 | <=38.45 | Pass | |
| | | | 846.6 | 23.74 | -0.71 | 20.88 | <=38.45 | Pass | |
| | HSDPA | Subtest 1 | 826.4 | 22.07 | -0.71 | 19.21 | <=38.45 | Pass | |
| | | Subtest 2 | 826.4 | 22.07 | -0.71 | 19.21 | <=38.45 | Pass | |
| | | Subtest 3 | 826.4 | 22.11 | -0.71 | 19.25 | <=38.45 | Pass | |
| | | Subtest 4 | 826.4 | 22.07 | -0.71 | 19.21 | <=38.45 | Pass | |
| | | Subtest 1 | 836.6 | 22.58 | -0.71 | 19.72 | <=38.45 | Pass | |
| | | Subtest 2 | 836.6 | 22.62 | -0.71 | 19.76 | <=38.45 | Pass | |
| | | Subtest 3 | 836.6 | 22.63 | -0.71 | 19.77 | <=38.45 | Pass | |
| | | Subtest 4 | 836.6 | 22.55 | -0.71 | 19.69 | <=38.45 | Pass | |
| | | Subtest 1 | 846.6 | 22.35 | -0.71 | 19.49 | <=38.45 | Pass | |
| | | Subtest 2 | 846.6 | 22.38 | -0.71 | 19.52 | <=38.45 | Pass | |
| | | Subtest 3 | 846.6 | 22.40 | -0.71 | 19.54 | <=38.45 | Pass | |
| | | Subtest 4 | 846.6 | 22.31 | -0.71 | 19.45 | <=38.45 | Pass | |
| | | HSUPA | Subtest 1 | 826.4 | 20.11 | -0.71 | 17.25 | <=38.45 | Pass |
| | | | Subtest 2 | 826.4 | 20.12 | -0.71 | 17.26 | <=38.45 | Pass |
| | | | Subtest 3 | 826.4 | 19.64 | -0.71 | 16.78 | <=38.45 | Pass |
| | Subtest 4 | | 826.4 | 19.64 | -0.71 | 16.78 | <=38.45 | Pass | |
| | Subtest 5 | | 826.4 | 19.63 | -0.71 | 16.77 | <=38.45 | Pass | |
| | Subtest 1 | | 836.6 | 20.68 | -0.71 | 17.82 | <=38.45 | Pass | |
| | Subtest 2 | | 836.6 | 20.74 | -0.71 | 17.88 | <=38.45 | Pass | |
| | Subtest 3 | | 836.6 | 20.50 | -0.71 | 17.64 | <=38.45 | Pass | |
| | Subtest 4 | | 836.6 | 20.23 | -0.71 | 17.37 | <=38.45 | Pass | |
| | Subtest 5 | | 836.6 | 20.72 | -0.71 | 17.86 | <=38.45 | Pass | |
| | Subtest 1 | | 846.6 | 20.47 | -0.71 | 17.61 | <=38.45 | Pass | |
| | Subtest 2 | | 846.6 | 19.99 | -0.71 | 17.13 | <=38.45 | Pass | |
| | Subtest 3 | | 846.6 | 20.26 | -0.71 | 17.40 | <=38.45 | Pass | |
| | Subtest 4 | | 846.6 | 20.21 | -0.71 | 17.35 | <=38.45 | Pass | |
| | Subtest 5 | | 846.6 | 20.26 | -0.71 | 17.40 | <=38.45 | Pass | |

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

| Band: 5 | | | | | | | |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) | | Verdict |
| | | | | | Result | Limit | |
| RMC | 826.4 | 20 | 3.27 | 0.572 | 0.0007 | -2.5 to 2.5 | Pass |
| | | | 3.85 | 0.079 | 0.0001 | -2.5 to 2.5 | Pass |
| | | | 4.43 | 2.861 | 0.0035 | -2.5 to 2.5 | Pass |
| | | -30 | 3.85 | 0.215 | 0.0003 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | 1.523 | 0.0018 | -2.5 to 2.5 | Pass |

| | | | | | | | | |
|-------|-------|--------|---------|-------------|-------------|-------------|-------------|------|
| | | -10 | 3.85 | 1.945 | 0.0024 | -2.5 to 2.5 | Pass | |
| | | 0 | 3.85 | -2.439 | -0.0030 | -2.5 to 2.5 | Pass | |
| | | 10 | 3.85 | -1.094 | -0.0013 | -2.5 to 2.5 | Pass | |
| | | 30 | 3.85 | -1.001 | -0.0012 | -2.5 to 2.5 | Pass | |
| | | 40 | 3.85 | -0.007 | 0.0000 | -2.5 to 2.5 | Pass | |
| | 50 | 3.85 | -1.881 | -0.0023 | -2.5 to 2.5 | Pass | | |
| | 836.6 | 20 | 3.27 | -0.436 | -0.0005 | -2.5 to 2.5 | Pass | |
| | | | 3.85 | 0.358 | 0.0004 | -2.5 to 2.5 | Pass | |
| | | | 4.43 | 1.059 | 0.0013 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | -3.040 | -0.0036 | -2.5 to 2.5 | Pass | |
| | | -20 | 3.85 | -0.100 | -0.0001 | -2.5 to 2.5 | Pass | |
| | | -10 | 3.85 | -0.157 | -0.0002 | -2.5 to 2.5 | Pass | |
| | | 0 | 3.85 | 0.730 | 0.0009 | -2.5 to 2.5 | Pass | |
| | | 10 | 3.85 | 3.076 | 0.0037 | -2.5 to 2.5 | Pass | |
| | | 30 | 3.85 | -0.758 | -0.0009 | -2.5 to 2.5 | Pass | |
| | | 40 | 3.85 | 0.730 | 0.0009 | -2.5 to 2.5 | Pass | |
| | 50 | 3.85 | 0.944 | 0.0011 | -2.5 to 2.5 | Pass | | |
| | 846.6 | 20 | 3.27 | 0.036 | 0.0000 | -2.5 to 2.5 | Pass | |
| | | | 3.85 | -1.080 | -0.0013 | -2.5 to 2.5 | Pass | |
| | | | 4.43 | -0.229 | -0.0003 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | 2.117 | 0.0025 | -2.5 to 2.5 | Pass | |
| | | -20 | 3.85 | -0.350 | -0.0004 | -2.5 to 2.5 | Pass | |
| | | -10 | 3.85 | 1.295 | 0.0015 | -2.5 to 2.5 | Pass | |
| | | 0 | 3.85 | -0.200 | -0.0002 | -2.5 to 2.5 | Pass | |
| | | 10 | 3.85 | 0.429 | 0.0005 | -2.5 to 2.5 | Pass | |
| | | 30 | 3.85 | -0.365 | -0.0004 | -2.5 to 2.5 | Pass | |
| | | 40 | 3.85 | 1.531 | 0.0018 | -2.5 to 2.5 | Pass | |
| | 50 | 3.85 | 1.960 | 0.0023 | -2.5 to 2.5 | Pass | | |
| | HSDPA | 826.4 | 20 | 3.27 | 0.508 | 0.0006 | -2.5 to 2.5 | Pass |
| | | | | 3.85 | 1.609 | 0.0019 | -2.5 to 2.5 | Pass |
| 4.43 | | | | 1.652 | 0.0020 | -2.5 to 2.5 | Pass | |
| -30 | | | 3.85 | 0.958 | 0.0012 | -2.5 to 2.5 | Pass | |
| -20 | | | 3.85 | -0.165 | -0.0002 | -2.5 to 2.5 | Pass | |
| -10 | | | 3.85 | 1.094 | 0.0013 | -2.5 to 2.5 | Pass | |
| 0 | | | 3.85 | -0.472 | -0.0006 | -2.5 to 2.5 | Pass | |
| 10 | | | 3.85 | 1.473 | 0.0018 | -2.5 to 2.5 | Pass | |
| 30 | | | 3.85 | 4.385 | 0.0053 | -2.5 to 2.5 | Pass | |
| 40 | | | 3.85 | 0.336 | 0.0004 | -2.5 to 2.5 | Pass | |
| 50 | | 3.85 | -0.901 | -0.0011 | -2.5 to 2.5 | Pass | | |
| 836.6 | | 20 | 3.27 | 0.279 | 0.0003 | -2.5 to 2.5 | Pass | |
| | | | 3.85 | 1.087 | 0.0013 | -2.5 to 2.5 | Pass | |
| | | | 4.43 | 2.403 | 0.0029 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | 1.259 | 0.0015 | -2.5 to 2.5 | Pass | |
| | | -20 | 3.85 | -1.731 | -0.0021 | -2.5 to 2.5 | Pass | |
| | | -10 | 3.85 | -0.966 | -0.0012 | -2.5 to 2.5 | Pass | |
| | | 0 | 3.85 | 1.037 | 0.0012 | -2.5 to 2.5 | Pass | |
| | | 10 | 3.85 | 2.596 | 0.0031 | -2.5 to 2.5 | Pass | |
| | | 30 | 3.85 | 2.053 | 0.0025 | -2.5 to 2.5 | Pass | |
| | | 40 | 3.85 | 2.339 | 0.0028 | -2.5 to 2.5 | Pass | |
| 50 | | 3.85 | 0.587 | 0.0007 | -2.5 to 2.5 | Pass | | |
| 846.6 | | 20 | 3.27 | -0.694 | -0.0008 | -2.5 to 2.5 | Pass | |
| | | | 3.85 | -0.286 | -0.0003 | -2.5 to 2.5 | Pass | |
| | | | 4.43 | -1.945 | -0.0023 | -2.5 to 2.5 | Pass | |
| | | -30 | 3.85 | -2.596 | -0.0031 | -2.5 to 2.5 | Pass | |
| | | -20 | 3.85 | -3.691 | -0.0044 | -2.5 to 2.5 | Pass | |
| | | -10 | 3.85 | -3.648 | -0.0043 | -2.5 to 2.5 | Pass | |
| | | 0 | 3.85 | -4.835 | -0.0057 | -2.5 to 2.5 | Pass | |
| | | 10 | 3.85 | -0.372 | -0.0004 | -2.5 to 2.5 | Pass | |
| 30 | 3.85 | -0.343 | -0.0004 | -2.5 to 2.5 | Pass | | | |

| | | | | | | | |
|-------|-------|--------|---------|-------------|-------------|-------------|------|
| | | 40 | 3.85 | -2.310 | -0.0027 | -2.5 to 2.5 | Pass |
| | | 50 | 3.85 | -3.226 | -0.0038 | -2.5 to 2.5 | Pass |
| HSUPA | 826.4 | 20 | 3.27 | -3.705 | -0.0045 | -2.5 to 2.5 | Pass |
| | | | 3.85 | -3.047 | -0.0037 | -2.5 to 2.5 | Pass |
| | | | 4.43 | -2.954 | -0.0036 | -2.5 to 2.5 | Pass |
| | | -30 | 3.85 | -3.211 | -0.0039 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | -2.475 | -0.0030 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | -1.466 | -0.0018 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | -1.688 | -0.0020 | -2.5 to 2.5 | Pass |
| | | 10 | 3.85 | -2.410 | -0.0029 | -2.5 to 2.5 | Pass |
| | | 30 | 3.85 | -1.953 | -0.0024 | -2.5 to 2.5 | Pass |
| | | 40 | 3.85 | -0.408 | -0.0005 | -2.5 to 2.5 | Pass |
| | 50 | 3.85 | -1.352 | -0.0016 | -2.5 to 2.5 | Pass | |
| | 836.6 | 20 | 3.27 | -0.751 | -0.0009 | -2.5 to 2.5 | Pass |
| | | | 3.85 | -2.210 | -0.0026 | -2.5 to 2.5 | Pass |
| | | | 4.43 | -1.395 | -0.0017 | -2.5 to 2.5 | Pass |
| | | -30 | 3.85 | -2.539 | -0.0030 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | -2.768 | -0.0033 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | -2.968 | -0.0035 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | -3.676 | -0.0044 | -2.5 to 2.5 | Pass |
| | | 10 | 3.85 | -4.592 | -0.0055 | -2.5 to 2.5 | Pass |
| | | 30 | 3.85 | -5.028 | -0.0060 | -2.5 to 2.5 | Pass |
| | | 40 | 3.85 | -5.121 | -0.0061 | -2.5 to 2.5 | Pass |
| | 50 | 3.85 | -4.613 | -0.0055 | -2.5 to 2.5 | Pass | |
| | 846.6 | 20 | 3.27 | -3.040 | -0.0036 | -2.5 to 2.5 | Pass |
| | | | 3.85 | -3.591 | -0.0042 | -2.5 to 2.5 | Pass |
| | | | 4.43 | -3.397 | -0.0040 | -2.5 to 2.5 | Pass |
| | | -30 | 3.85 | -0.522 | -0.0006 | -2.5 to 2.5 | Pass |
| | | -20 | 3.85 | -1.259 | -0.0015 | -2.5 to 2.5 | Pass |
| | | -10 | 3.85 | -1.073 | -0.0013 | -2.5 to 2.5 | Pass |
| | | 0 | 3.85 | -0.644 | -0.0008 | -2.5 to 2.5 | Pass |
| | | 10 | 3.85 | -0.558 | -0.0007 | -2.5 to 2.5 | Pass |
| 30 | | 3.85 | -1.309 | -0.0015 | -2.5 to 2.5 | Pass | |
| 40 | | 3.85 | 0.215 | 0.0003 | -2.5 to 2.5 | Pass | |
| 50 | 3.85 | -0.436 | -0.0005 | -2.5 to 2.5 | Pass | | |



3. Modulation Characteristics

3.1 Band5

3.1.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|----------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Modulation Characteristics | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 836.6 | Refer To Test Graph | | Pass |
| | HSDPA | Subtest 1 | 836.6 | Refer To Test Graph | | Pass |
| | HSUPA | Subtest 1 | 836.6 | Refer To Test Graph | | Pass |

3.1.2 Test Graph



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV

WCDMA UE TX Measurement 1 - V3.7.21 - Base V 3.7.22
WCDMA

Multi Evaluation
 TPC Measurement
 PRACH
 DPCCH Open Loop Power
 Out-of-Sync Handling

Multi Evaluation

UL Frequency: 836.600000 MHz Ref. Level: 34.00 dBm Connector: RF1COM Meas. Period: Full Slot
RDY

IQ

Statistic Count

20 / 20

| 1st Measured Slot No | 0 | CurrentStdDev |
|-----------------------|------|---------------|
| Power [dBm] | NCAP | NCAP |
| Power Steps [dB] | NCAP | NCAP |
| EVM RMS [%] | NCAP | NCAP |
| EVM Peak [%] | NCAP | NCAP |
| Magn. Error RMS [%] | NCAP | NCAP |
| Magn. Error Peak [%] | NCAP | NCAP |
| Phase Error RMS [°] | NCAP | NCAP |
| Phase Error Peak [°] | NCAP | NCAP |
| IQ Origin Offset [dB] | NCAP | NCAP |
| IQ Imbalance [dB] | NCAP | NCAP |
| CF Error [Hz] | NCAP | NCAP |
| Phase Disc. [°] | NCAP | NCAP |

HSDPA+ CPC Circuit Switched
 HSUPA CM Registered

Packet Switched
 Connection Established

Power: OK
 Sync: OK

Go To Local
Show Remote Screen

WCDMA
Multi Evaluation
RDY
RF Settings
Trigger
Display
Signaling Parameter
WCDMA 1 Signaling
Run



4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|------------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 4.179 | / | Pass |
| | | | 836.6 | 4.158 | / | Pass |
| | | | 846.6 | 4.157 | / | Pass |
| | HSDPA | Subtest 1 | 826.4 | 4.171 | / | Pass |
| | | | 836.6 | 4.149 | / | Pass |
| | | | 846.6 | 4.144 | / | Pass |
| | HSUPA | Subtest 1 | 826.4 | 4.147 | / | Pass |
| | | | 836.6 | 4.147 | / | Pass |
| | | | 846.6 | 4.149 | / | Pass |


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV





4.2 Band5_XDB


4.2.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|----------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | 26dB Bandwidth (MHz) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 4.717 | / | Pass |
| | | | 836.6 | 4.705 | / | Pass |
| | | | 846.6 | 4.716 | / | Pass |
| | HSDPA | Subtest 1 | 826.4 | 4.712 | / | Pass |
| | | | 836.6 | 4.703 | / | Pass |
| | | | 846.6 | 4.687 | / | Pass |
| | HSUPA | Subtest 1 | 826.4 | 4.711 | / | Pass |
| | | | 836.6 | 4.715 | / | Pass |
| | | | 846.6 | 4.716 | / | Pass |


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV





5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|-------------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Peak-Average Ratio (dB) | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | 2.89 | <=13 | Pass |
| | | | 836.6 | 2.95 | <=13 | Pass |
| | | | 846.6 | 2.86 | <=13 | Pass |
| | HSDPA | Subtest 1 | 826.4 | 5.48 | <=13 | Pass |
| | | | 836.6 | 5.40 | <=13 | Pass |
| | | | 846.6 | 5.42 | <=13 | Pass |
| | HSUPA | Subtest 1 | 826.4 | 5.77 | <=13 | Pass |
| | | | 836.6 | 5.72 | <=13 | Pass |
| | | | 846.6 | 5.81 | <=13 | Pass |

5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




2024-05-25 11:21:51

Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




2024-05-25 11:22:13

Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




2024-05-25 11:22:25

Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




2024-05-25 11:22:36


Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



2024-05-25 11:23:11



6. Spurious Emission

6.1 Band5


6.1.1 Test Result

| Band: 5 | | | | | | |
|---------|---------|--------------|-----------------|---------------------|-------|---------|
| ENV | Mode | | Frequency (MHz) | Spurious Emission | | Verdict |
| | Network | Subset | | Result | Limit | |
| NTNV | RMC | 12.2kbps RMC | 826.4 | Refer To Test Graph | Pass | |
| | | | 836.6 | Refer To Test Graph | Pass | |
| | | | 846.6 | Refer To Test Graph | Pass | |
| | HSDPA | Subtest 1 | 826.4 | Refer To Test Graph | Pass | |
| | | | 836.6 | Refer To Test Graph | Pass | |
| | | | 846.6 | Refer To Test Graph | Pass | |
| | HSUPA | Subtest 1 | 826.4 | Refer To Test Graph | Pass | |
| | | | 836.6 | Refer To Test Graph | Pass | |
| | | | 846.6 | Refer To Test Graph | Pass | |


6.1.2 Test Graph




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5 | 3.84 | 826.4 | 846.6 | 0.2393 | 0.0061 | ppm | 4M18F9W | 22H | 23.79 |

7.2 Form731_ERP

7.2.1 Test Result

| Band | BW | Lower Freq | High Freq | MAX Power (W) | Value | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5 | 3.84 | 826.4 | 846.6 | 0.1239 | 0.0061 | ppm | 4M18F9W | 22H | 20.93 |