




802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV



802.11n(HT40)\_LCH\_5270MHz\_Ant1\_NTNV



802.11n(HT40)\_HCH\_5310MHz\_Ant1\_NTNV



### 3. Maximum Conducted Output Power


#### 3.1 Power



##### 3.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	11.88	<=30	Pass
		5200	9.99	<=30	Pass
		5240	10.41	<=30	Pass
		5260	13.54	<=23.98	Pass
		5300	13.63	<=23.98	Pass
		5320	13.55	<=23.98	Pass
		5745	13.96	<=30	Pass
		5785	14.00	<=30	Pass
802.11n (HT20)	SISO	5180	13.26	<=30	Pass
		5200	13.53	<=30	Pass
		5240	13.52	<=30	Pass
		5260	13.53	<=23.98	Pass
		5300	13.42	<=23.98	Pass
		5320	13.40	<=23.98	Pass
		5745	13.59	<=30	Pass
		5785	13.65	<=30	Pass
802.11n (HT40)	SISO	5190	13.78	<=30	Pass
		5230	13.76	<=30	Pass
		5270	13.73	<=23.98	Pass
		5310	13.73	<=23.98	Pass
		5755	14.18	<=30	Pass
		5795	14.20	<=30	Pass

Note1: Antenna Gain: Ant1: 1.16dBi;



### 3.1.2 Test Graph



















802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV







802.11n(HT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTNV





802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV





802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV









## 4. Maximum Power Spectral Density


### 4.1 PSD



#### 4.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	1.47	<=11	Pass
		5200	-0.44	<=11	Pass
		5240	0.11	<=11	Pass
		5260	3.12	<=11	Pass
		5300	3.18	<=11	Pass
		5320	3.05	<=11	Pass
802.11n (HT20)	SISO	5180	2.83	<=11	Pass
		5200	2.99	<=11	Pass
		5240	3.05	<=11	Pass
		5260	0.17	<=11	Pass
		5300	0.20	<=11	Pass
		5320	0.06	<=11	Pass
802.11n (HT40)	SISO	5190	0.54	<=11	Pass
		5230	0.47	<=11	Pass
		5270	0.45	<=11	Pass
		5310	0.41	<=11	Pass



Note1: Antenna Gain: Ant1: 1.16dBi;



### 4.1.2 Test Graph













802.11n(HT20)\_MCH\_5300MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5320MHz\_Ant1\_NTNV







802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV



802.11n(HT40)\_LCH\_5270MHz\_Ant1\_NTNV



802.11n(HT40)\_HCH\_5310MHz\_Ant1\_NTNV




## 4.2 PSD-Band3



## 4.2.1 Test Result



Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	1.00	<=30	Pass
		5785	0.75	<=30	Pass
		5825	0.68	<=30	Pass
802.11n (HT20)	SISO	5745	0.36	<=30	Pass
		5785	0.36	<=30	Pass
		5825	0.52	<=30	Pass
802.11n (HT40)	SISO	5755	-2.06	<=30	Pass
		5795	-2.30	<=30	Pass



Note1: Antenna Gain: Ant1: 1.16dBi;

### 4.2.2 Test Graph









## 5. Frequency Stability

### 5.1 Ant1

#### 5.1.1 Test Result

Ant1								
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict	
Carrier Wave	SISO	5180	20	102	5179.973	5150 to 5250	Pass	
				120	5179.972	5150 to 5250	Pass	
				138	5179.972	5150 to 5250	Pass	
			-30	120	5179.972	5150 to 5250	Pass	
				-20	120	5179.972	5150 to 5250	Pass
					120	5179.971	5150 to 5250	Pass
			0	120	5179.971	5150 to 5250	Pass	
				120	5179.971	5150 to 5250	Pass	
			10	120	5179.971	5150 to 5250	Pass	
				120	5179.971	5150 to 5250	Pass	
			30	120	5179.971	5150 to 5250	Pass	
				120	5179.971	5150 to 5250	Pass	
		40	120	5179.971	5150 to 5250	Pass		
			120	5179.971	5150 to 5250	Pass		
		50	120	5179.971	5150 to 5250	Pass		
			120	5179.971	5150 to 5250	Pass		
		5200	20	102	5199.971	5150 to 5250	Pass	
				120	5199.971	5150 to 5250	Pass	
				138	5199.971	5150 to 5250	Pass	
			-30	120	5199.970	5150 to 5250	Pass	
				-20	120	5199.970	5150 to 5250	Pass
					120	5199.970	5150 to 5250	Pass
			-10	120	5199.970	5150 to 5250	Pass	
				120	5199.970	5150 to 5250	Pass	
			0	120	5199.970	5150 to 5250	Pass	
				120	5199.970	5150 to 5250	Pass	
			10	120	5199.970	5150 to 5250	Pass	
				120	5199.970	5150 to 5250	Pass	
		30	120	5199.970	5150 to 5250	Pass		
			120	5199.970	5150 to 5250	Pass		
		40	120	5199.970	5150 to 5250	Pass		
			120	5199.970	5150 to 5250	Pass		
		50	120	5199.970	5150 to 5250	Pass		
			120	5199.970	5150 to 5250	Pass		
		5240	20	102	5239.970	5150 to 5250	Pass	
				120	5239.970	5150 to 5250	Pass	
				138	5239.970	5150 to 5250	Pass	
			-30	120	5239.970	5150 to 5250	Pass	
				-20	120	5239.970	5150 to 5250	Pass
					120	5239.970	5150 to 5250	Pass
			-10	120	5239.970	5150 to 5250	Pass	
				120	5239.970	5150 to 5250	Pass	
			0	120	5239.970	5150 to 5250	Pass	
				120	5239.970	5150 to 5250	Pass	
			10	120	5239.970	5150 to 5250	Pass	
				120	5239.970	5150 to 5250	Pass	
		30	120	5239.970	5150 to 5250	Pass		
			120	5239.970	5150 to 5250	Pass		
40	120	5239.970	5150 to 5250	Pass				
	120	5239.970	5150 to 5250	Pass				
50	120	5239.970	5150 to 5250	Pass				
	120	5239.970	5150 to 5250	Pass				
5260	20	102	5259.970	5250 to 5350	Pass			
		120	5259.970	5250 to 5350	Pass			
		138	5259.970	5250 to 5350	Pass			
	-30	120	5259.970	5250 to 5350	Pass			
		-20	120	5259.970	5250 to 5350	Pass		
			120	5259.970	5250 to 5350	Pass		
	-10	120	5259.970	5250 to 5350	Pass			
		120	5259.970	5250 to 5350	Pass			
	0	120	5259.970	5250 to 5350	Pass			
		120	5259.970	5250 to 5350	Pass			
	10	120	5259.970	5250 to 5350	Pass			
		120	5259.970	5250 to 5350	Pass			



			30	120	5259.970	5250 to 5350	Pass
			40	120	5259.970	5250 to 5350	Pass
			50	120	5259.970	5250 to 5350	Pass
		5300	20	102	5299.969	5250 to 5350	Pass
				120	5299.969	5250 to 5350	Pass
				138	5299.969	5250 to 5350	Pass
			-30	120	5299.969	5250 to 5350	Pass
			-20	120	5299.969	5250 to 5350	Pass
			-10	120	5299.969	5250 to 5350	Pass
			0	120	5299.969	5250 to 5350	Pass
			10	120	5299.969	5250 to 5350	Pass
			30	120	5299.969	5250 to 5350	Pass
			40	120	5299.969	5250 to 5350	Pass
			50	120	5299.969	5250 to 5350	Pass
		5320	20	102	5319.970	5250 to 5350	Pass
				120	5319.972	5250 to 5350	Pass
				138	5319.972	5250 to 5350	Pass
			-30	120	5319.971	5250 to 5350	Pass
			-20	120	5319.971	5250 to 5350	Pass
			-10	120	5319.971	5250 to 5350	Pass
			0	120	5319.971	5250 to 5350	Pass
			10	120	5319.971	5250 to 5350	Pass
			30	120	5319.970	5250 to 5350	Pass
			40	120	5319.970	5250 to 5350	Pass
			50	120	5319.970	5250 to 5350	Pass
		5745	20	102	5744.968	5725 to 5850	Pass
				120	5744.967	5725 to 5850	Pass
				138	5744.968	5725 to 5850	Pass
			-30	120	5744.968	5725 to 5850	Pass
			-20	120	5744.968	5725 to 5850	Pass
			-10	120	5744.967	5725 to 5850	Pass
			0	120	5744.968	5725 to 5850	Pass
			10	120	5744.967	5725 to 5850	Pass
			30	120	5744.967	5725 to 5850	Pass
			40	120	5744.967	5725 to 5850	Pass
			50	120	5744.967	5725 to 5850	Pass
		5785	20	102	5784.967	5725 to 5850	Pass
				120	5784.966	5725 to 5850	Pass
				138	5784.967	5725 to 5850	Pass
			-30	120	5784.967	5725 to 5850	Pass
			-20	120	5784.967	5725 to 5850	Pass
			-10	120	5784.967	5725 to 5850	Pass
			0	120	5784.967	5725 to 5850	Pass
			10	120	5784.967	5725 to 5850	Pass
			30	120	5784.967	5725 to 5850	Pass
40	120		5784.967	5725 to 5850	Pass		
50	120		5784.967	5725 to 5850	Pass		
5825	20	102	5824.967	5725 to 5850	Pass		
		120	5824.967	5725 to 5850	Pass		
		138	5824.967	5725 to 5850	Pass		
	-30	120	5824.967	5725 to 5850	Pass		
	-20	120	5824.967	5725 to 5850	Pass		
	-10	120	5824.967	5725 to 5850	Pass		

			0	120	5824.967	5725 to 5850	Pass	
			10	120	5824.967	5725 to 5850	Pass	
			30	120	5824.967	5725 to 5850	Pass	
			40	120	5824.967	5725 to 5850	Pass	
			50	120	5824.967	5725 to 5850	Pass	
		5190	20	102	5189.971	5150 to 5250	Pass	
				120	5189.971	5150 to 5250	Pass	
				138	5189.971	5150 to 5250	Pass	
			-30	120	5189.971	5150 to 5250	Pass	
			-20	120	5189.971	5150 to 5250	Pass	
			-10	120	5189.971	5150 to 5250	Pass	
			0	120	5189.971	5150 to 5250	Pass	
			10	120	5189.971	5150 to 5250	Pass	
			30	120	5189.970	5150 to 5250	Pass	
			40	120	5189.970	5150 to 5250	Pass	
			50	120	5189.970	5150 to 5250	Pass	
			5230	20	102	5229.971	5150 to 5250	Pass
					120	5229.970	5150 to 5250	Pass
		138			5229.970	5150 to 5250	Pass	
		-30		120	5229.970	5150 to 5250	Pass	
		-20		120	5229.970	5150 to 5250	Pass	
		-10		120	5229.970	5150 to 5250	Pass	
		0		120	5229.970	5150 to 5250	Pass	
		10		120	5229.970	5150 to 5250	Pass	
		30		120	5229.970	5150 to 5250	Pass	
		40		120	5229.970	5150 to 5250	Pass	
		5270	20	102	5269.970	5250 to 5350	Pass	
				120	5269.970	5250 to 5350	Pass	
				138	5269.970	5250 to 5350	Pass	
			-30	120	5269.970	5250 to 5350	Pass	
			-20	120	5269.970	5250 to 5350	Pass	
			-10	120	5269.970	5250 to 5350	Pass	
			0	120	5269.970	5250 to 5350	Pass	
			10	120	5269.970	5250 to 5350	Pass	
			30	120	5269.970	5250 to 5350	Pass	
			40	120	5269.970	5250 to 5350	Pass	
		5310	20	102	5309.970	5250 to 5350	Pass	
				120	5309.970	5250 to 5350	Pass	
				138	5309.970	5250 to 5350	Pass	
			-30	120	5309.970	5250 to 5350	Pass	
			-20	120	5309.970	5250 to 5350	Pass	
			-10	120	5309.970	5250 to 5350	Pass	
			0	120	5309.970	5250 to 5350	Pass	
			10	120	5309.970	5250 to 5350	Pass	
			30	120	5309.969	5250 to 5350	Pass	
			40	120	5309.969	5250 to 5350	Pass	
		5755	20	102	5754.967	5725 to 5850	Pass	
				120	5754.967	5725 to 5850	Pass	
				138	5754.968	5725 to 5850	Pass	
			-30	120	5754.967	5725 to 5850	Pass	

			-20	120	5754.967	5725 to 5850	Pass
			-10	120	5754.967	5725 to 5850	Pass
			0	120	5754.967	5725 to 5850	Pass
			10	120	5754.968	5725 to 5850	Pass
			30	120	5754.967	5725 to 5850	Pass
			40	120	5754.967	5725 to 5850	Pass
			50	120	5754.967	5725 to 5850	Pass
		5795	20	102	5794.967	5725 to 5850	Pass
				120	5794.967	5725 to 5850	Pass
				138	5794.967	5725 to 5850	Pass
			-30	120	5794.967	5725 to 5850	Pass
			-20	120	5794.967	5725 to 5850	Pass
			-10	120	5794.967	5725 to 5850	Pass
			0	120	5794.967	5725 to 5850	Pass
			10	120	5794.967	5725 to 5850	Pass
			30	120	5794.967	5725 to 5850	Pass
			40	120	5794.967	5725 to 5850	Pass
			50	120	5794.966	5725 to 5850	Pass

## 6. Form731

### 6.1 Form731

#### 6.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0225	13.53
5260	5320	0.0231	13.63
5745	5825	0.0251	14.00
5190	5230	0.0239	13.78
5270	5310	0.0236	13.73
5755	5795	0.0263	14.20



Test Report Number: BTF230506R00204



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street,  
Bao'an District, Shenzhen, China

[www.btf-lab.com](http://www.btf-lab.com)

**-- END OF REPORT --**