

Total or partial reproduction of this document without permission of the Laboratory is not allowed. BTF Testing Lab (Shenzhen) Co., Ltd. Page 53 of 73



3. Maximum Conducted Output Power

3.1 Power


3.1.1 Test Result

Mode	TX Frequency		Maximum Peak Conducted Output Power (dBm)		Verdict
Mode	Туре	(MHz)	ANT1	Limit	veruici
1M	SISO	2402	-1.53	<=30	Pass
		2440	-1.38	<=30	Pass
		2480	-1.47	<=30	Pass
2M	SISO	2402	-1.48	<=30	Pass
		2440	-1.26	<=30	Pass
		2480	-1.41	<=30	Pass

Note1: Antenna Gain: Ant1: 1.16dBi;




3.1.2 Test Graph




Total or partial reproduction of this document without permission of the Laboratory is not allowed. BTF Testing Lab (Shenzhen) Co., Ltd.






Page 56 of 73





Page 57 of 73





4. Maximum Power Spectral Density

4.1 PSD


4.1.1 Test Result

Mode	TX	Frequency	Maximum PSD (dBm/3kHz)		Verdict
Mode	Туре	(MHz)	ANT1	Limit	verdici
1M	SISO	2402	-18.40	<=8	Pass
		2440	-17.72	<=8	Pass
		2480	-17.86	<=8	Pass
2M	SISO	2402	-20.73	<=8	Pass
		2440	-22.00	<=8	Pass
		2480	-20.60	<=8	Pass

Note1: Antenna Gain: Ant1: 1.16dBi;




4.1.2 Test Graph




Total or partial reproduction of this document without permission of the Laboratory is not allowed. BTF Testing Lab (Shenzhen) Co., Ltd.





Total or partial reproduction of this document without permission of the Laboratory is not allowed. BTF Testing Lab (Shenzhen) Co., Ltd. Page 60 of 73







5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Ref


5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
	SISO	2402	1	-1.79
1M		2440	1	-1.64
		2480	1	-1.73
	SISO	2402	1	-2.52
2M		2440	1	-2.44
		2480	1	-2.55

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.




5.1.2 Test Graph




Total or partial reproduction of this document without permission of the Laboratory is not allowed. BTF Testing Lab (Shenzhen) Co., Ltd. F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China





Page 64 of 73





Page 65 of 73



5.2 CSE


5.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	-1.64	-21.64	Pass
		2440	1	-1.64	-21.64	Pass
		2480	1	(dBm) -1.64 -1.64 -1.64 -2.44 -2.44	-21.64	Pass
2M	SISO	2402	1	-2.44	-22.44	Pass
		2440	1	-2.44	-22.44	Pass
		2480	1	-2.44	-22.44	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.




5.2.2 Test Graph




Total or partial reproduction of this document without permission of the Laboratory is not allowed. BTF Testing Lab (Shenzhen) Co., Ltd.






Page 68 of 73










Page 70 of 73





Page 71 of 73



Test Report Number: BTF230710R00201

6. Form731

6.1 Form731

6.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0007	-1.26

Total or partial reproduction of this document without permission of the Laboratory is not allowed.Page 72 of 73BTF Testing Lab (Shenzhen) Co., Ltd.F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China



Test Report Number: BTF230710R00201



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT --