

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26c_15MHz_ERP

1.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	821.5	1	0	23.66	0.66	22.17	<=38.45	Pass		
			38	23.87	0.66	22.38	<=38.45	Pass		
			74	23.74	0.66	22.25	<=38.45	Pass		
		36	0	22.78	0.66	21.29	<=38.45	Pass		
			18	22.89	0.66	21.40	<=38.45	Pass		
			39	22.87	0.66	21.38	<=38.45	Pass		
		75	0	22.89	0.66	21.40	<=38.45	Pass		
		831.5	1	0	23.73	0.66	22.24	<=38.45	Pass	
				38	23.80	0.66	22.31	<=38.45	Pass	
	74			23.58	0.66	22.09	<=38.45	Pass		
	36		0	22.89	0.66	21.40	<=38.45	Pass		
			18	22.85	0.66	21.36	<=38.45	Pass		
			39	22.80	0.66	21.31	<=38.45	Pass		
	75		0	22.81	0.66	21.32	<=38.45	Pass		
	841.5		1	0	23.55	0.66	22.06	<=38.45	Pass	
				38	23.86	0.66	22.37	<=38.45	Pass	
		74		23.64	0.66	22.15	<=38.45	Pass		
		36	0	22.78	0.66	21.29	<=38.45	Pass		
			18	22.88	0.66	21.39	<=38.45	Pass		
			39	22.84	0.66	21.35	<=38.45	Pass		
		75	0	22.81	0.66	21.32	<=38.45	Pass		
		16QAM	821.5	1	0	23.01	0.66	21.52	<=38.45	Pass
					38	23.21	0.66	21.72	<=38.45	Pass
	74				22.90	0.66	21.41	<=38.45	Pass	
36	0			21.85	0.66	20.36	<=38.45	Pass		
	18			21.93	0.66	20.44	<=38.45	Pass		
	39			21.90	0.66	20.41	<=38.45	Pass		
75	0			21.91	0.66	20.42	<=38.45	Pass		
831.5	1			0	22.72	0.66	21.23	<=38.45	Pass	
				38	22.98	0.66	21.49	<=38.45	Pass	
			74	22.82	0.66	21.33	<=38.45	Pass		
	36		0	21.84	0.66	20.35	<=38.45	Pass		
			18	21.86	0.66	20.37	<=38.45	Pass		
			39	21.87	0.66	20.38	<=38.45	Pass		
	75		0	21.82	0.66	20.33	<=38.45	Pass		
	841.5		1	0	22.68	0.66	21.19	<=38.45	Pass	
				38	22.76	0.66	21.27	<=38.45	Pass	
74				22.69	0.66	21.20	<=38.45	Pass		
36			0	21.83	0.66	20.34	<=38.45	Pass		
			18	21.83	0.66	20.34	<=38.45	Pass		
			39	21.82	0.66	20.33	<=38.45	Pass		
75			0	21.79	0.66	20.30	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26c_15MHz

2.1.1 Test Result

Band: 26c / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	821.5	75	0	20	3.23	-1.402	-0.0017	-2.5 to 2.5	Pass
					3.8	-3.519	-0.0043	-2.5 to 2.5	Pass
					4.37	-1.044	-0.0013	-2.5 to 2.5	Pass
				-30	3.8	-2.718	-0.0033	-2.5 to 2.5	Pass
				-20	3.8	-0.830	-0.0010	-2.5 to 2.5	Pass
				-10	3.8	-2.260	-0.0028	-2.5 to 2.5	Pass
				0	3.8	-2.775	-0.0034	-2.5 to 2.5	Pass
				10	3.8	-2.618	-0.0032	-2.5 to 2.5	Pass
				30	3.8	-2.232	-0.0027	-2.5 to 2.5	Pass
				40	3.8	-3.090	-0.0038	-2.5 to 2.5	Pass
	50	3.8	-1.416	-0.0017	-2.5 to 2.5	Pass			
	831.5	75	0	20	3.23	-0.701	-0.0008	-2.5 to 2.5	Pass
					3.8	-0.143	-0.0002	-2.5 to 2.5	Pass
					4.37	0.315	0.0004	-2.5 to 2.5	Pass
				-30	3.8	-1.602	-0.0019	-2.5 to 2.5	Pass
				-20	3.8	-0.844	-0.0010	-2.5 to 2.5	Pass
				-10	3.8	-0.916	-0.0011	-2.5 to 2.5	Pass
				0	3.8	-0.687	-0.0008	-2.5 to 2.5	Pass
				10	3.8	-0.529	-0.0006	-2.5 to 2.5	Pass
				30	3.8	-2.117	-0.0025	-2.5 to 2.5	Pass
				40	3.8	0.343	0.0004	-2.5 to 2.5	Pass
	50	3.8	0.372	0.0004	-2.5 to 2.5	Pass			
	841.5	75	0	20	3.23	0.744	0.0009	-2.5 to 2.5	Pass
					3.8	-0.200	-0.0002	-2.5 to 2.5	Pass
					4.37	-0.801	-0.0010	-2.5 to 2.5	Pass
				-30	3.8	1.130	0.0013	-2.5 to 2.5	Pass
				-20	3.8	0.186	0.0002	-2.5 to 2.5	Pass
				-10	3.8	-0.129	-0.0002	-2.5 to 2.5	Pass
				0	3.8	0.730	0.0009	-2.5 to 2.5	Pass
				10	3.8	0.587	0.0007	-2.5 to 2.5	Pass
30				3.8	-0.014	0.0000	-2.5 to 2.5	Pass	
40				3.8	0.114	0.0001	-2.5 to 2.5	Pass	
50	3.8	0.072	0.0001	-2.5 to 2.5	Pass				
16QAM	821.5	75	0	20	3.23	-1.845	-0.0022	-2.5 to 2.5	Pass
					3.8	-2.804	-0.0034	-2.5 to 2.5	Pass
					4.37	-2.003	-0.0024	-2.5 to 2.5	Pass
				-30	3.8	-0.901	-0.0011	-2.5 to 2.5	Pass
				-20	3.8	-1.917	-0.0023	-2.5 to 2.5	Pass
				-10	3.8	-2.775	-0.0034	-2.5 to 2.5	Pass
				0	3.8	-0.672	-0.0008	-2.5 to 2.5	Pass
				10	3.8	-2.017	-0.0025	-2.5 to 2.5	Pass
				30	3.8	-1.202	-0.0015	-2.5 to 2.5	Pass
				40	3.8	-1.073	-0.0013	-2.5 to 2.5	Pass
50	3.8	-1.287	-0.0016	-2.5 to 2.5	Pass				

	831.5	75	0	20	3.23	-1.359	-0.0016	-2.5 to 2.5	Pass	
					3.8	0.730	0.0009	-2.5 to 2.5	Pass	
					4.37	-0.129	-0.0002	-2.5 to 2.5	Pass	
				-30	3.8	-2.918	-0.0035	-2.5 to 2.5	Pass	
					-20	3.8	-3.691	-0.0044	-2.5 to 2.5	Pass
						-10	3.8	1.216	0.0015	-2.5 to 2.5
				0	3.8	-1.674	-0.0020	-2.5 to 2.5	Pass	
					10	3.8	-1.245	-0.0015	-2.5 to 2.5	Pass
					30	3.8	-0.958	-0.0012	-2.5 to 2.5	Pass
	40	3.8	-1.316		-0.0016	-2.5 to 2.5	Pass			
	50	3.8	-1.216		-0.0015	-2.5 to 2.5	Pass			
	841.5	75	0		20	3.23	-1.259	-0.0015	-2.5 to 2.5	Pass
				3.8		-0.372	-0.0004	-2.5 to 2.5	Pass	
				4.37		1.273	0.0015	-2.5 to 2.5	Pass	
				-30	3.8	0.215	0.0003	-2.5 to 2.5	Pass	
					-20	3.8	1.059	0.0013	-2.5 to 2.5	Pass
						-10	3.8	-1.116	-0.0013	-2.5 to 2.5
				0	3.8	-1.616	-0.0019	-2.5 to 2.5	Pass	
10					3.8	-0.544	-0.0006	-2.5 to 2.5	Pass	
30					3.8	0.529	0.0006	-2.5 to 2.5	Pass	
40	3.8	0.572	0.0007		-2.5 to 2.5	Pass				
50	3.8	1.273	0.0015		-2.5 to 2.5	Pass				



3. Modulation Characteristics

3.1 B26c_15MHz

3.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	Refer To Test Graph		Pass
16QAM	831.5	75	0	Refer To Test Graph		Pass

3.1.2 Test Graph





4. 99% & 26dB Bandwidth

4.1 Band26c_OBW


4.1.1 Test Result

Band: 26c / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
15	QPSK	821.5	75	0	13.612	Pass
		831.5	75	0	13.584	Pass
		841.5	75	0	13.545	Pass
	16QAM	821.5	75	0	13.613	Pass
		831.5	75	0	13.603	Pass
		841.5	75	0	13.571	Pass


4.1.2 Test Graph




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





4.2 Band26c_XDB


4.2.1 Test Result

Band: 26c / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
15	QPSK	821.5	75	0	15.031	Pass
		831.5	75	0	14.916	Pass
		841.5	75	0	14.893	Pass
	16QAM	821.5	75	0	14.966	Pass
		831.5	75	0	14.897	Pass
		841.5	75	0	14.951	Pass


4.2.2 Test Graph




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





5. Peak-Average Ratio

5.1 B26c_15MHz


5.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	75	0	4.82	<=13	Pass
	831.5	75	0	4.92	<=13	Pass
	841.5	75	0	4.91	<=13	Pass
16QAM	821.5	75	0	5.59	<=13	Pass
	831.5	75	0	5.75	<=13	Pass
	841.5	75	0	5.79	<=13	Pass


5.1.2 Test Graph




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV





6. Spurious Emission

6.1 B26c_15MHz


6.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	821.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.1.2 Test Graph




Band26c_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	0	1	811.810	-27.20	-13	Pass
813	814	0.15	1.76	2	814.000	-25.69	-20	Pass
814	829	0.15	1.76	/	/	/	/	/


Band26c_15MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV




Ant: Ant1
 Start: 30 MHz
 Stop: 8490 MHz
 RBW: 1 MHz
 VBW: 3 MHz
 Detector: RMS
 TraceType: Average
 AverageCount: 30
 SweepPoint: 16921
 SweepTime: 14.66 ms
 Sweep: Single

Marker:
 1. 831.500 MHz
 -42.15 dBm

Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	0	/	/	/	/	/
849	850	0.003	0	1	849.016	-40.74	-13	Pass
850	864	0.1	15.23	2	850.006	-44.07	-13	Pass

Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.15	1.76	/	/	/	/	/
849	850	0.15	1.76	1	849.000	-28.03	-13	Pass
850	864	0.1	0	2	851.910	-32.56	-13	Pass

Band26c_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	15.23	1	812.938	-43.03	-13	Pass
813	814	0.003	0	2	813.971	-39.53	-20	Pass
814	829	0.003	0	/	/	/	/	/

Band26c_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	0	1	811.930	-29.90	-13	Pass
813	814	0.15	1.76	2	813.970	-28.29	-20	Pass
814	829	0.15	1.76	/	/	/	/	/


Band26c_15MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26c_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	0	/	/	/	/	/
849	850	0.003	0	1	849.000	-39.84	-13	Pass
850	864	0.1	15.23	2	851.777	-51.06	-13	Pass

Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.15	1.76	/	/	/	/	/
849	850	0.15	1.76	1	849.420	-31.59	-13	Pass
850	864	0.1	0	2	850.320	-34.96	-13	Pass

7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26c	15	821.5	841.5	0.2438	0.0043	ppm	13M6G7D	/	23.87
26c	15	821.5	841.5	0.2094	0.0044	ppm	13M6W7D	/	23.21

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26c	15	821.5	841.5	0.1730	0.0043	ppm	13M6G7D	/	22.38
26c	15	821.5	841.5	0.1486	0.0044	ppm	13M6W7D	/	21.72