

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	826.4	23.13	0.56	21.54	<=38.45	Pass	
			836.6	23.08	0.56	21.49	<=38.45	Pass	
			846.6	23.16	0.56	21.57	<=38.45	Pass	
	HSDPA	Subtest 1	826.4	20.79	0.56	19.20	<=38.45	Pass	
		Subtest 2	826.4	20.81	0.56	19.22	<=38.45	Pass	
		Subtest 3	826.4	20.82	0.56	19.23	<=38.45	Pass	
		Subtest 4	826.4	20.81	0.56	19.22	<=38.45	Pass	
		Subtest 1	836.6	20.69	0.56	19.10	<=38.45	Pass	
		Subtest 2	836.6	20.71	0.56	19.12	<=38.45	Pass	
		Subtest 3	836.6	20.73	0.56	19.14	<=38.45	Pass	
		Subtest 4	836.6	20.77	0.56	19.18	<=38.45	Pass	
		Subtest 1	846.6	20.80	0.56	19.21	<=38.45	Pass	
		Subtest 2	846.6	20.86	0.56	19.27	<=38.45	Pass	
		Subtest 3	846.6	20.82	0.56	19.23	<=38.45	Pass	
		Subtest 4	846.6	20.83	0.56	19.24	<=38.45	Pass	
		HSUPA	Subtest 1	826.4	18.84	0.56	17.25	<=38.45	Pass
			Subtest 2	826.4	18.82	0.56	17.23	<=38.45	Pass
			Subtest 3	826.4	18.85	0.56	17.26	<=38.45	Pass
			Subtest 4	826.4	18.34	0.56	16.75	<=38.45	Pass
			Subtest 5	826.4	18.35	0.56	16.76	<=38.45	Pass
	Subtest 1		836.6	18.81	0.56	17.22	<=38.45	Pass	
	Subtest 2		836.6	18.82	0.56	17.23	<=38.45	Pass	
	Subtest 3		836.6	18.34	0.56	16.75	<=38.45	Pass	
	Subtest 4		836.6	18.35	0.56	16.76	<=38.45	Pass	
	Subtest 5		836.6	18.63	0.56	17.04	<=38.45	Pass	
	Subtest 1		846.6	18.86	0.56	17.27	<=38.45	Pass	
	Subtest 2		846.6	18.86	0.56	17.27	<=38.45	Pass	
	Subtest 3		846.6	18.68	0.56	17.09	<=38.45	Pass	
	Subtest 4	846.6	18.35	0.56	16.76	<=38.45	Pass		
	Subtest 5	846.6	18.67	0.56	17.08	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	

RMC	826.4	20	3.27	-4.542	-0.0055	-2.5 to 2.5	Pass
			3.85	-10.915	-0.0132	-2.5 to 2.5	Pass
			4.43	-10.471	-0.0127	-2.5 to 2.5	Pass
		-30	3.85	-10.915	-0.0132	-2.5 to 2.5	Pass
		-20	3.85	-10.171	-0.0123	-2.5 to 2.5	Pass
		-10	3.85	-12.081	-0.0146	-2.5 to 2.5	Pass
		0	3.85	-11.823	-0.0143	-2.5 to 2.5	Pass
		10	3.85	-11.544	-0.0140	-2.5 to 2.5	Pass
		30	3.85	-12.016	-0.0145	-2.5 to 2.5	Pass
		40	3.85	-13.368	-0.0162	-2.5 to 2.5	Pass
	50	3.85	-15.471	-0.0187	-2.5 to 2.5	Pass	
	836.6	20	3.27	-10.035	-0.0120	-2.5 to 2.5	Pass
			3.85	-9.942	-0.0119	-2.5 to 2.5	Pass
			4.43	-8.204	-0.0098	-2.5 to 2.5	Pass
		-30	3.85	-14.498	-0.0173	-2.5 to 2.5	Pass
		-20	3.85	-11.873	-0.0142	-2.5 to 2.5	Pass
		-10	3.85	-11.315	-0.0135	-2.5 to 2.5	Pass
		0	3.85	-7.775	-0.0093	-2.5 to 2.5	Pass
		10	3.85	-15.085	-0.0180	-2.5 to 2.5	Pass
		30	3.85	-11.902	-0.0142	-2.5 to 2.5	Pass
		40	3.85	-7.675	-0.0092	-2.5 to 2.5	Pass
	50	3.85	-13.239	-0.0158	-2.5 to 2.5	Pass	
	846.6	20	3.27	-11.380	-0.0134	-2.5 to 2.5	Pass
			3.85	-7.453	-0.0088	-2.5 to 2.5	Pass
			4.43	-11.530	-0.0136	-2.5 to 2.5	Pass
		-30	3.85	-9.770	-0.0115	-2.5 to 2.5	Pass
		-20	3.85	-9.184	-0.0108	-2.5 to 2.5	Pass
		-10	3.85	-7.038	-0.0083	-2.5 to 2.5	Pass
		0	3.85	-10.779	-0.0127	-2.5 to 2.5	Pass
		10	3.85	-9.542	-0.0113	-2.5 to 2.5	Pass
30		3.85	-14.906	-0.0176	-2.5 to 2.5	Pass	
40		3.85	-9.162	-0.0108	-2.5 to 2.5	Pass	
50	3.85	-13.525	-0.0160	-2.5 to 2.5	Pass		
HSDPA	826.4	20	3.27	-9.406	-0.0114	-2.5 to 2.5	Pass
			3.85	-10.929	-0.0132	-2.5 to 2.5	Pass
			4.43	-10.078	-0.0122	-2.5 to 2.5	Pass
		-30	3.85	-8.368	-0.0101	-2.5 to 2.5	Pass
		-20	3.85	-7.682	-0.0093	-2.5 to 2.5	Pass
		-10	3.85	-6.087	-0.0074	-2.5 to 2.5	Pass
		0	3.85	-6.974	-0.0084	-2.5 to 2.5	Pass
		10	3.85	-10.057	-0.0122	-2.5 to 2.5	Pass
		30	3.85	-13.347	-0.0162	-2.5 to 2.5	Pass
		40	3.85	-12.088	-0.0146	-2.5 to 2.5	Pass
	50	3.85	-14.613	-0.0177	-2.5 to 2.5	Pass	
	836.6	20	3.27	-13.146	-0.0157	-2.5 to 2.5	Pass
			3.85	-14.019	-0.0168	-2.5 to 2.5	Pass
			4.43	-13.053	-0.0156	-2.5 to 2.5	Pass
		-30	3.85	-11.430	-0.0137	-2.5 to 2.5	Pass
		-20	3.85	-14.520	-0.0174	-2.5 to 2.5	Pass
		-10	3.85	-10.707	-0.0128	-2.5 to 2.5	Pass
		0	3.85	-10.779	-0.0129	-2.5 to 2.5	Pass
		10	3.85	-16.773	-0.0200	-2.5 to 2.5	Pass
		30	3.85	-13.733	-0.0164	-2.5 to 2.5	Pass
40		3.85	-9.556	-0.0114	-2.5 to 2.5	Pass	
50	3.85	-7.610	-0.0091	-2.5 to 2.5	Pass		

	846.6	20	3.27	-6.945	-0.0082	-2.5 to 2.5	Pass
			3.85	-6.709	-0.0079	-2.5 to 2.5	Pass
			4.43	-2.825	-0.0033	-2.5 to 2.5	Pass
		-30	3.85	-9.563	-0.0113	-2.5 to 2.5	Pass
		-20	3.85	-5.007	-0.0059	-2.5 to 2.5	Pass
		-10	3.85	-9.491	-0.0112	-2.5 to 2.5	Pass
		0	3.85	-8.426	-0.0100	-2.5 to 2.5	Pass
		10	3.85	-13.497	-0.0159	-2.5 to 2.5	Pass
		30	3.85	-10.686	-0.0126	-2.5 to 2.5	Pass
		40	3.85	-6.180	-0.0073	-2.5 to 2.5	Pass
50	3.85	-1.559	-0.0018	-2.5 to 2.5	Pass		
HSUPA	826.4	20	3.27	-13.039	-0.0158	-2.5 to 2.5	Pass
			3.85	-13.254	-0.0160	-2.5 to 2.5	Pass
			4.43	-6.316	-0.0076	-2.5 to 2.5	Pass
		-30	3.85	-8.132	-0.0098	-2.5 to 2.5	Pass
		-20	3.85	-10.507	-0.0127	-2.5 to 2.5	Pass
		-10	3.85	-7.203	-0.0087	-2.5 to 2.5	Pass
		0	3.85	-8.118	-0.0098	-2.5 to 2.5	Pass
		10	3.85	-11.036	-0.0134	-2.5 to 2.5	Pass
		30	3.85	-5.786	-0.0070	-2.5 to 2.5	Pass
		40	3.85	-6.137	-0.0074	-2.5 to 2.5	Pass
	50	3.85	-9.134	-0.0111	-2.5 to 2.5	Pass	
	836.6	20	3.27	-13.304	-0.0159	-2.5 to 2.5	Pass
			3.85	-15.585	-0.0186	-2.5 to 2.5	Pass
			4.43	-8.962	-0.0107	-2.5 to 2.5	Pass
		-30	3.85	-13.797	-0.0165	-2.5 to 2.5	Pass
		-20	3.85	-10.035	-0.0120	-2.5 to 2.5	Pass
		-10	3.85	-16.658	-0.0199	-2.5 to 2.5	Pass
		0	3.85	-14.205	-0.0170	-2.5 to 2.5	Pass
		10	3.85	-12.867	-0.0154	-2.5 to 2.5	Pass
		30	3.85	-10.443	-0.0125	-2.5 to 2.5	Pass
		40	3.85	-10.571	-0.0126	-2.5 to 2.5	Pass
	50	3.85	-11.444	-0.0137	-2.5 to 2.5	Pass	
	846.6	20	3.27	-10.350	-0.0122	-2.5 to 2.5	Pass
			3.85	-15.507	-0.0183	-2.5 to 2.5	Pass
			4.43	-13.425	-0.0159	-2.5 to 2.5	Pass
		-30	3.85	-15.392	-0.0182	-2.5 to 2.5	Pass
		-20	3.85	-12.224	-0.0144	-2.5 to 2.5	Pass
		-10	3.85	-13.897	-0.0164	-2.5 to 2.5	Pass
		0	3.85	-12.031	-0.0142	-2.5 to 2.5	Pass
		10	3.85	-10.107	-0.0119	-2.5 to 2.5	Pass
30		3.85	-6.938	-0.0082	-2.5 to 2.5	Pass	
40		3.85	-12.445	-0.0147	-2.5 to 2.5	Pass	
50	3.85	-12.610	-0.0149	-2.5 to 2.5	Pass		

3. Modulation Characteristics


3.1 Band5

3.1.1 Test Result

Band: 5

ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV

WCDMA UE TX Measurement 1 - V3.7.20 - Base V 3.7.22


UL Frequency: 836.600000 MHz Ref. Level: 16.80 dBm Connector: RF1COM Meas. Period: Full Slot

WCDMA

Multi Evaluation

RDY

Multi Evaluation TPC Measurement PRACH DPCCH Open Loop Power Out-of-Sync Handling



Statistic Count: 20 / 20

1st Measured Slot No	0
Statistics @ Pre. ...	CurrentStdDev
Power [dBm]	-1.26 3.38
Power Steps [dB]	NCAP NCAP
EVM RMS [%]	13.51 3.89
EVM Peak [%]	100.00 39.35
Magn. Error RMS [%]	13.16 4.27
Magn. Error Peak [%]	100.00 39.49
Phase Error RMS [°]	1.91 0.49
Phase Error Peak [°]	12.56 3.37
IQ Origin Offset [dB]	-32.13 0.79
IQ Imbalance [dB]	-57.74 4.00
CF Error [Hz]	-0.17 4.77
Phase Disc. [°]	NCAP

RF Settings

Trigger

Display

Signaling Parameter

HSDPA+ CPC Circuit Switched

HSUPA CM Registered

Packet Switched: Connection Established

Power: ON

Sync: ON

Go To Local

Show Remote Screen



4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.235	Pass
			836.6	4.187	Pass
			846.6	4.189	Pass
	HSDPA	Subtest 1	826.4	4.199	Pass
			836.6	4.209	Pass
			846.6	4.227	Pass
	HSUPA	Subtest 1	826.4	4.244	Pass
			836.6	4.202	Pass
			846.6	4.193	Pass


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




4.2 Band5_XDB


4.2.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.847	Pass
			836.6	4.772	Pass
			846.6	4.770	Pass
	HSDPA	Subtest 1	826.4	5.620	Pass
			836.6	5.096	Pass
			846.6	5.577	Pass
	HSUPA	Subtest 1	826.4	5.889	Pass
			836.6	5.519	Pass
			846.6	5.779	Pass


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV





5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	1.99	<=13	Pass
			836.6	2.69	<=13	Pass
			846.6	2.47	<=13	Pass
	HSDPA	Subtest 1	826.4	5.47	<=13	Pass
			836.6	5.87	<=13	Pass
			846.6	5.73	<=13	Pass
	HSUPA	Subtest 1	826.4	5.48	<=13	Pass
			836.6	5.80	<=13	Pass
			846.6	5.76	<=13	Pass


5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV





6. Spurious Emission

6.1 Band5


6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass


6.1.2 Test Graph




Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV




Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV




Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.2070	0.0200	ppm	4M24F9W	24E	23.16

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1435	0.0200	ppm	4M24F9W	24E	21.57