


## 1. Duty Cycle

### 1.1 Ant1


#### 1.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1M	SISO	2402	2.094	3.124	67.03	1.74	16.78
		2440	2.094	3.125	67.01	1.74	16.78
		2480	2.094	3.124	67.03	1.74	16.78


#### 1.1.2 Test Graph



## 1M\_MCH\_2440MHz\_Ant1\_NTNV



## 1M\_HCH\_2480MHz\_Ant1\_NTNV




## 2. Bandwidth

### 2.1 OBW


#### 2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result		
1M	SISO	2402	1	1.020		Pass
		2440	1	1.021		Pass
		2480	1	1.022		Pass


#### 2.1.2 Test Graph



### 1M\_MCH\_2440MHz\_Ant1\_NTNV



### 1M\_HCH\_2480MHz\_Ant1\_NTNV




## 2.2 6dB BW


### 2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.653	>=0.5	Pass
		2440	1	0.650	>=0.5	Pass
		2480	1	0.650	>=0.5	Pass


### 2.2.2 Test Graph



## 1M\_MCH\_2440MHz\_Ant1\_NTNV



## 1M\_HCH\_2480MHz\_Ant1\_NTNV



## 3. Maximum Conducted Output Power


### 3.1 Power

#### 3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	6.56	<=30	Pass
		2440	6.61	<=30	Pass
		2480	6.66	<=30	Pass

Note1: Antenna Gain: Ant1: 4.23dBi;


#### 3.1.2 Test Graph



### 1M\_MCH\_2440MHz\_Ant1\_NTNV



### 1M\_HCH\_2480MHz\_Ant1\_NTNV






## 4. Maximum Power Spectral Density

### 4.1 PSD


#### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-9.02	<=8	Pass
		2440	-8.85	<=8	Pass
		2480	-8.75	<=8	Pass


#### 4.1.2 Test Graph



### 1M\_MCH\_2440MHz\_Ant1\_NTNV



### 1M\_HCH\_2480MHz\_Ant1\_NTNV



## 5. Unwanted Emissions In Non-restricted Frequency Bands


### 5.1 Ref

#### 5.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	6.00
		2440	1	6.12
		2480	1	6.22

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

## 5.1.2 Test Graph



1M\_HCH\_2480MHz\_Ant1\_NTNV




## 5.2 CSE

### 5.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	6.22	-13.78	Pass
		2440	1	6.22	-13.78	Pass
		2480	1	6.22	-13.78	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


## 5.2.2 Test Graph



## 1M\_MCH\_2440MHz\_Ant1\_NTNV




## 1M\_HCH\_2480MHz\_Ant1\_NTNV





1M\_HCH\_2480MHz\_Ant1\_NTNV



-----End-----