

FT-C11B-BT BOM

Item	Part No	Material	Description	unit	Q' ty
1	1D-SG1083-01	Backlight	108.3*86*2.3mm	PC	1
2	1L-869828-01	LCD display	86.2*98.6*2.85mm ,with WHO & Backlight	PC	1
3	2B-Y20032-01	Speaker	20.0mmx3.2mm, 8Ω 0.5W	PC	1
4	2K-D60619-01	DC socket	13*15.5*19mm OD:6mm	PC	1
5	2M-D0305B-03	Release Valve	ZT1-6A 6V	PC	1
6	2M-D0370C-01	Pressure Pump	ZT370-01 6V	PC	1
7	2W-A21302-01	Wire (Red)	130*2*2mm OD:1.0mm Red	PC	1
8	2W-A21302-02	Wire (Black)	130*2*2mm, OD 1.0mm, Black	PC	1
9	2W-A28022-03	Wire (Red)	80*2*2mm, OD:0.8mm Red	PC	1
10	2W-A28022-04	Wire (Black)	80*2*2mm, OD:0.8mm Black	PC	1
11	2W-A41502-01	Wire (Red)	150*2*2mm, OD:1.0mm, Red	PCS	2
12	2W-A41502-02	Wire (Black)	150*2*2mm, D:1.0mm, Black	PCS	2
13	3P-CA1269-03	Pressure pump clip	ABS	PC	1
14	3P-CC1429-01	Battery cover	ABS	PC	1
15	3P-CC1439-01	Upper Case	ABS	PC	1
16	3P-CC1449-01	Buttom case	ABS	PC	1
17	3P-CC1469-04	Power button	ABS	PC	1
18	3P-CC1469-05	Memory button	ABS	PC	1
19	3P-CC1469-07	SET button	ABS	PC	1
20	3P-CC2268-02	5 way tube	ABS	PC	1
21	3P-CC2269-17	2 way connector	ABS, 12mm, OD:5.5mm, Bore:2mm	PCS	2
22	3P-PC1196-01	Buffer	PP 63*25*15mm	PC	1
23	3R-C88419-01	Conductor	87*4.5*1.9mm, P=0.1 with WHO	PC	1
24	3R-D40202-01	Shock proof cotton	with one side glues 18*80*2mm	PC	2
25	3R-R74301-01	seal ring	7.0*4.0*3.0mm	PC	1
26	3S-X10848-01	2 way Silicon tube	RA 2 way 10.8*10.8*4.8mm	PCS	2
27	3S-X52210-01	Silicon tube	OD:5.0mm, Bore:2.2mm	M	0.18
28	4C-S17513-01	Metal Dome switch	OD 7.5mm, 0.1mm, Pin L. 3.0mm	PCS	4
29	4P-061011-01	Spring	10.0*1.0*19.0mm, TH 0.4mm	PC	1
30	4P-061091-01	Spring	10.0*9.2*19.0mm, TH 0.4mm	PC	1
31	4P-062459-01	Spring	24.5*9.2*12.6mm, TH 0.4mm	PCS	2
32	4P-062459-02	Spring	24.5*9.2*12.6mm, TH 0.4mm	PC	1
33	4S-S15060-01	Scraw	1.5*6mm	PCS	6
34	4S-S23080-01	Scraw	2.3*8mm	PCS	6

FT-C11B-BT BOM

Item	Part No	Material	Description	unit	Q' ty
35	7Z-CBC14B-C3	FT-C14B COB(BT40)	FT-C14B COB(BT40)	PC	1
35.1	0A-BWK102-01	IC1	MAIN IC WKJJ-102 GPRS/UART/BT	PC	1
35.2	0C-A24168-02	SMD IC	K24C16B SOP8 (L24C16 SOT8NB)	PC	1
35.3	1C-D10725-02	Capacitor	100uF/25V 6.3*7mm DIP	PC	1
35.4	1C-S10350-01	Capacitor	10nF ±10% 50V X7R 0603 (0.01uF)	PC	1
35.5	1C-S10450-03	Capacitor	0.1uF ±10% 50V Y5V 0603(100nF)	PCS	11
35.6	1C-S10605-01	Capacitor	10uF +80/-20% 10V Y5V 1206	PC	1
35.7	1C-S20025-01	Capacitor	20pF ±5% 50V 0603	PC	1
35.8	1C-S22425-01	Capacitor	0.22uF +20/-20% 25V Y5V 0603 (220nF)	PCS	7
35.9	1C-S22616-01	Capacitor	22uF ±10% 10V 1206 X5R	PCS	3
35.10	1D-S10250-01	Diode	M1 D0-214AC	PC	1
35.11	1D-S14148-01	Diode	IN4148 SMD1206 [D4, D5]	PCS	2
35.12	1P-C14162-03	FT-C14B PCB BT 4.0	80*64.8*1.6mm FT-C14B-BT40	PC	1
35.13	1R-S00045-01	Resistor	0Ω ±5% 1206	PC	1
35.14	1R-S1005B-01	Resistor	10Ω 5% 1206 0.5W	PC	1
35.15	1R-S1013B-01	Resistor	100Ω (R25) 5% 0603	PCS	2
35.16	1R-S1023B-01	Resistor	1KΩ 5% 0603	PCS	8
35.17	1R-S1033B-01	Resistor	10KΩ 5% 0603	PCS	4
35.18	1R-S1043B-01	Resistor	100KΩ 5% 0603	PCS	2
35.19	1R-S13230-01	Resistor	1.3KΩ ±1% 0603	PC	1
35.2	1R-S2033B-01	Resistor	20KΩ 5% 0603	PCS	2
35.21	1R-S2R225-01	Resistor	2.2Ω ±5% 0603	PCS	2
35.22	1R-S6853B-01	Resistor	6.8MΩ ±5% 0603	PC	1
35.23	1S-XFDK02-01	Transducer	PSG010S	PC	1
35.24	1T-N8050D-01	Transistor	SOT 23 8050 (J3Y) hfe=200-350	PCS	2
35.25	1T-P85502-01	Transistor	SOT 23 8550(2TY) PNP type hfe=200-350	PCS	2
35.26	1T-P85508-01	Transistor	SOT 89 8550(BA-RN)	PC	1
35.27	1Y-O32768-01	Crystal	32.768KHZ DIP 5PPM 3*8MM Inner R.<40KΩ 12.5PF	PC	1
35.28	1Y-O80003-01	Crystal	8MHZ DIP 20PPM	PC	1
36	7Z-SCOB01-17	Voice function COB	English/Spainish COB(HF6519)	PC	1
36.1	0A-HF6519-01	Voice function IC	HFK English/Spainish, HF6519	PC	1
36.2	1C-S10450-03	Capacitor	0.1uF ±10% 50V Y5V 0603(100nF)	PCS	2
36.3	1P-133102-01	Voice function PCB	13.35*11.7*1.0mm, HF6519-HFK	PC	1
36.4	1R-S00030-01	Resistor	0Ω ±1% 0603R	PCS	3
36.5	1R-S1023B-01	Resistor	1KΩ 5% 0603	PC	1
36.6	1T-P80503-01	Trasistor	8050 SOT23 NPN type	PC	1
37	7Z-SFBT40-01	Blue tooth modular	Blue tooth modular 4.0	PC	1
38	8Z-FDKC22-04	Air tap	14-18 seconds	PC	1
38.1	3P-CC226B-01	Air tap	Transparent acrylic, 2.0*3.5mm 14-18 seconds	PC	1
38.2	3S-X99500-02	Air tap shell	silicon, 10.0*5.0*3.0mm	PC	1