UNII Declaration Letter

We have declared	below featured for	FCC equ	uipment aut	horizatio	n, device F0	CC ID: 2A	ADOBF15	
(1) DFS Device			nt with Rada ar detection		on capability	•		
(2) Active / Passive	e Scanning , adhoc	mode a	ccess point	capabilit	У			
(MHz)	transmit a probe (beacon))		passive scanning (where the device is can listen only with no probes)		Ad Hoc Mode capability		Access point capability	
2412 – 2462 [No	Yes,	☐ No	Yes,	☐ No	Yes,	☐ No
2422 – 2452 [No	Yes,	☐ No	Yes,	☐ No	Yes,	☐ No
5745 – 5825 I		No	Yes,	☐ No	Yes,	☐ No	Yes,	∐ No
5755 – 5795 [No	Yes,	☐ No	Yes,	☐ No	Yes,	☐ No
5180 - 5240 [No	Yes,	☐ No	Yes,	☐ No	Yes,	∐ No
5190 - 5230 I 5260 - 5320 I		No No	Yes,	☐ No No	Yes,	☐ No	Yes, Yes,	No No
5270 - 5310 I		No	Yes,	No	Yes,	No	Yes,	No
5500 - 5700 1		No	Yes,	No	Yes,	No	Yes,	No
5510 – 5670 l		No	Yes,	No	Yes,	No	Yes,	No
(3) Country code selection ability - Yes , No If no, pls explain how was implemented : use Microsoft network utility (4) Meet 15.202 requirement - Yes , No , pls check below : A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network. (5) For client devices that have software configuration control to operate in different modes (active scanning in some and passive scanning in others) in different bands (devices with multiple equipment classes or those that operate on non-DFS frequencies) or modular devices which configure the modes of operations through software, the application must provide software and operations description on how the software and / or hardware is implemented to ensure that proper operations modes can not be modified by end user or an installer. Apply , No Apply , No Apply , (If apply , pls help to provide explanation on how it was implement (By hardware or software , and how software was controlled)								

Hisense International Co., Ltd.

Address: Floor 22, Hisense Tower, 17 Donghai Xi Road, Qingdao, 266071, China

Tel: +86-532-80877742

 Ersteller:
 D. Brandhorst
 Revision:
 00

 Erstelldatum:
 20.06.2011
 Datum:
 00.00.00

Seite 1 von 1