

Report No.: SZEM161201085001

Page: 1 of 64

# Appendix B

Test Data for SZEM161201085001RG



Report No.: SZEM161201085001

Page

Page: 2 of 64

## CONTENT

			•
1	EFFE	CTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	4
2	PEAK	-TO-AVERAGE RATIO	5
	2.1 F	FOR WCDMA	6
	2.1.1	Test Band = WCDMA 1900	6
	2.1.2	Test Band = WCDMA 1700	<u>C</u>
	2.1.3	Test Band = WCDMA 850	
3	MODU	JLATION CHARACTERISTICS	15
	3.1 F	For WCDMA	
	3.1.1	Test Band = WCDMA 1900	
	3.1.2	Test Band = WCDMA 1700	
	3.1.3	Test Band = WCDMA 850	
4	BAND	WIDTH	18
	4.1 F	For WCDMA	
	4.1.1	Test Band = WCDMA 1900	
	4.1.2	Test Band = WCDMA 1700	22
	4.1.3	Test Band = WCDMA 850	
5	BAND	EDGES COMPLIANCE	28
	5.1 F	FOR WCDMA	28
	5.1.1	Test Band = WCDMA 1900	28
	5.1.2	Test Band = WCDMA 1700	30
	5.1.3	Test Band = WCDMA 850	
6	SPUR	IOUS EMISSION AT ANTENNA TERMINAL	34
	6.1 F	FOR WCDMA	
	6.1.1	Test Band = WCDMA 1900	34
	6.1.2	Test Band = WCDMA 1700	
	6.1.3	Test Band = WCDMA 850	52
7	FIELD	STRENGTH OF SPURIOUS RADIATION	58
	7.1 F	For WCDMA	58
	7.1.1	Test Band = WCDMA 1900	58



Report No.: SZEM161201085001

Page: 3 of 64

	7.1.2	P Test Band = WCDMAband 1700	59
	7.1.3	3 Test Band = WCDMAband 850	60
8	FRE	QUENCY STABILITY	.61
	8.1	FREQUENCY ERROR VS. VOLTAGE	61
	8.2	FREQUENCY ERROR VS. TEMPERATURE	62



Report No.: SZEM161201085001

Page: 4 of 64

## 1 Effective (Isotropic) Radiated Power Output Data

### Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	EIRP[dB]	Limit[dBm]	Verdict
		LCH	23.24	23.24	33	PASS
WCDMA1900	UMTS/TM1	MCH	23.34	23.34	33	PASS
		HCH	23.18	23.18	33	PASS
		LCH	22.40	22.40	30	PASS PASS
WCDMA1700	UMTS/TM1	MCH	22.67	22.67	30	PASS
		HCH	22.56	22.56	30	PASS

#### Note:

a: For getting the ERP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level

c: RBW > emission bandwidth, VBW > 3 x RBW.

Detector: RMS

Test Band	Test Mode	Test Channel	Measured[dB]	ERP[dB]	Limit[dBm]	Verdict
	UMTS/TM1	LCH	23.11	22.11	38.45	PASS
WCDMA850		MCH	23.05	22.05	38.45	PASS
		HCH	23.04	22.04	38.45	PASS

### Note:

a: For getting the ERP (Efficient Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

b: SGP=Signal Generator Level

c: RBW > emission bandwidth, VBW > 3 x RBW.

Detector: RMS



Report No.: SZEM161201085001

Page: 5 of 64

## 2 Peak-to-Average Ratio

### Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
		LCH	2.43	13	PASS
WCDMA1900	UMTS/TM1	MCH	2.72	13	PASS
		HCH	2.64	13	PASS
	UMTS/TM1	LCH	2.72	13	PASS
WCDMA1700		MCH	2.43	13	PASS
		HCH	2.67	13	PASS
		LCH	2.87	13	PASS
WCDMA850	UMTS/TM1	M1 MCH 2.70	2.70	13	PASS
		HCH	1.83	13	PASS



Report No.: SZEM161201085001

Page: 6 of 64


Part II - Test Plots

## 2.1 For WCDMA

## 2.1.1 Test Band = WCDMA 1900

#### 2.1.1.1 Test Mode = UMTS/TM1

#### 2.1.1.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:31:21



Report No.: SZEM161201085001

Page: 7 of 64

### 2.1.1.1.2 Test Channel = MCH




Date: 29.DEC.2016 09:31:45



Report No.: SZEM161201085001

Page: 8 of 64

### 2.1.1.1.3 Test Channel = HCH



Date: 29.DEC.2016 09:32:07




Report No.: SZEM161201085001

Page: 9 of 64

## 2.1.2 Test Band = WCDMA 1700

### 2.1.2.1 Test Mode = UMTS/TM1

### 2.1.2.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:28:49



Report No.: SZEM161201085001

Page: 10 of 64

### 2.1.2.1.2 Test Channel = MCH




Date: 29.DEC.2016 09:29:24



Report No.: SZEM161201085001

Page: 11 of 64

### 2.1.2.1.3 Test Channel = HCH



Date: 29.DEC.2016 09:29:43




Report No.: SZEM161201085001

Page: 12 of 64

## 2.1.3 Test Band = WCDMA 850

### 2.1.3.1 Test Mode = UMTS/TM1

### 2.1.3.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:25:18



Report No.: SZEM161201085001

Page: 13 of 64

### 2.1.3.1.2 Test Channel = MCH




Date: 29.DEC.2016 09:26:01



Report No.: SZEM161201085001

Page: 14 of 64

### 2.1.3.1.3 Test Channel = HCH



Date: 29.DEC.2016 09:26:29



Report No.: SZEM161201085001

Page: 15 of 64

## 3 Modulation Characteristics


Part I - Test Plots

## 3.1 For WCDMA

## 3.1.1 Test Band = WCDMA 1900

#### 3.1.1.1 Test Mode = UMTS/TM1

### 3.1.1.1.1 Test Channel = MCH






Report No.: SZEM161201085001

Page: 16 of 64

### 3.1.2 Test Band = WCDMA 1700

### 3.1.2.1 Test Mode = UMTS /TM1

#### 3.1.2.1.1 Test Channel = MCH






Report No.: SZEM161201085001

Page: 17 of 64

### 3.1.3 Test Band = WCDMA 850

### 3.1.3.1 Test Mode = UMTS /TM1

#### 3.1.3.1.1 Test Channel = MCH





Report No.: SZEM161201085001

Page: 18 of 64

## 4 Bandwidth

Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
		LCH	4.21	4.88	PASS
WCDMA1900	UMTS/TM1	MCH	4.21	4.88	PASS
		HCH	4.21	4.88	PASS
		LCH	4.20	4.88	PASS
WCDMA1700	UMTS/TM1	MCH	4.21	4.88	PASS
		HCH	4.21	4.88	PASS
		LCH	4.22	4.87	PASS
WCDMA850	UMTS/TM1	MCH	4.21	4.89	PASS PASS PASS PASS PASS PASS PASS
		HCH	4.26	4.98	PASS



Report No.: SZEM161201085001


Page: 19 of 64

## 4.1 For WCDMA

## 4.1.1 Test Band = WCDMA 1900

### 4.1.1.1 Test Mode = UMTS/TM1

### 4.1.1.1.1 Test Channel = LCH




Date: 29.DEC.2016 08:57:00



Report No.: SZEM161201085001

Page: 20 of 64




Date: 29.DEC.2016 08:58:50



Report No.: SZEM161201085001

Page: 21 of 64



Date: 29.DEC.2016 09:00:14




Report No.: SZEM161201085001

Page: 22 of 64

## 4.1.2 Test Band = WCDMA 1700

### 4.1.2.1 Test Mode = UMTS/TM1

### 4.1.2.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:16:14



Report No.: SZEM161201085001

Page: 23 of 64




Date: 29.DEC.2016 09:14:56



Report No.: SZEM161201085001

Page: 24 of 64





Date: 29.DEC.2016 09:13:09




Report No.: SZEM161201085001

Page: 25 of 64

## 4.1.3 Test Band = WCDMA 850

### 4.1.3.1 Test Mode = UMTS/TM1

#### 4.1.3.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:18:37



Report No.: SZEM161201085001

Page: 26 of 64




Date: 29.DEC.2016 09:21:03



Report No.: SZEM161201085001

Page: 27 of 64

### 4.1.3.1.3 Test Channel = HCH



Date: 29.DEC.2016 09:22:20



Report No.: SZEM161201085001

Page: 28 of 64

## 5 Band Edges Compliance


Part I - Test Plots

## 5.1 For WCDMA

## 5.1.1 Test Band = WCDMA 1900

### 5.1.1.1 Test Mode = UMTS/TM1

## 5.1.1.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:01:38



Report No.: SZEM161201085001

Page: 29 of 64

#### 5.1.1.1.2 Test Channel = HCH



Date: 29.DEC.2016 09:01:01




Report No.: SZEM161201085001

Page: 30 of 64

## 5.1.2 Test Band = WCDMA 1700

### 5.1.2.1 Test Mode = UMTS/TM1

### 5.1.2.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:10:15



Report No.: SZEM161201085001

Page: 31 of 64

#### 5.1.2.1.2 Test Channel = HCH



Date: 29.DEC.2016 09:10:49




Report No.: SZEM161201085001

Page: 32 of 64

## **5.1.3 Test Band = WCDMA 850**

### 5.1.3.1 Test Mode = UMTS/TM1

### 5.1.3.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:24:27



Report No.: SZEM161201085001

Page: 33 of 64

#### 5.1.3.1.2 Test Channel = HCH



Date: 29.DEC.2016 09:23:50



Report No.: SZEM161201085001

Page: 34 of 64

## 6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k \* (Span / RBW)" with k = 4 \* (Span / RBW) with k = 4 \* (Span / RBW)


Part I - Test Plots

## 6.1 For WCDMA

### 6.1.1 Test Band = WCDMA 1900

### 6.1.1.1 Test Mode = UMTS/TM1

### 6.1.1.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:38:12



Report No.: SZEM161201085001

Page: 35 of 64




Date: 29.DEC.2016 09:37:29



Report No.: SZEM161201085001

Page: 36 of 64




Date: 29.DEC.2016 16:12:45



Report No.: SZEM161201085001

Page: 37 of 64

#### 6.1.1.1.2 Test Channel = MCH




Date: 29.DEC.2016 09:36:17



Report No.: SZEM161201085001

Page: 38 of 64




Date: 29.DEC.2016 09:36:47



Report No.: SZEM161201085001

Page: 39 of 64




Date: 29.DEC.2016 16:12:26



Report No.: SZEM161201085001

Page: 40 of 64

#### 6.1.1.1.3 Test Channel = HCH




Date: 29.DEC.2016 09:35:44



Report No.: SZEM161201085001

Page: 41 of 64




Date: 29.DEC.2016 09:34:48



Report No.: SZEM161201085001

Page: 42 of 64



Date: 29.DEC.2016 16:11:38




Report No.: SZEM161201085001

Page: 43 of 64

#### 6.1.2 Test Band = WCDMA 1700

#### 6.1.2.1 Test Mode = UMTS/TM1

6.1.2.1.1 Test Channel = LCH




Date: 29.DEC.2016 09:54:06



Report No.: SZEM161201085001

Page: 44 of 64




Date: 29.DEC.2016 09:55:08



Report No.: SZEM161201085001

Page: 45 of 64




Date: 29.DEC.2016 16:13:12



Report No.: SZEM161201085001

Page: 46 of 64

#### 6.1.2.1.2 Test Channel = MCH




Date: 29.DEC.2016 09:52:56



Report No.: SZEM161201085001

Page: 47 of 64




Date: 29.DEC.2016 09:50:42



Report No.: SZEM161201085001

Page: 48 of 64




Date: 29.DEC.2016 16:13:31



Report No.: SZEM161201085001

Page: 49 of 64

#### 6.1.2.1.3 Test Channel = HCH




Date: 29.DEC.2016 09:47:49



Report No.: SZEM161201085001

Page: 50 of 64




Date: 29.DEC.2016 09:49:29



Report No.: SZEM161201085001

Page: 51 of 64



Date: 29.DEC.2016 16:13:53




Report No.: SZEM161201085001

Page: 52 of 64

#### 6.1.3 Test Band = WCDMA 850

#### 6.1.3.1 Test Mode = UMTS/TM1

#### 6.1.3.1.1 Test Channel = LCH




Date: 29.DEC.2016 10:33:05



Report No.: SZEM161201085001

Page: 53 of 64




Date: 29.DEC.2016 10:07:51



Report No.: SZEM161201085001

Page: 54 of 64

#### 6.1.3.1.2 Test Channel = MCH




Date: 29.DEC.2016 10:09:05



Report No.: SZEM161201085001

Page: 55 of 64




Date: 29.DEC.2016 10:07:51



Report No.: SZEM161201085001

Page: 56 of 64

#### 6.1.3.1.3 Test Channel = HCH




Date: 29.DEC.2016 10:05:57



Report No.: SZEM161201085001

Page: 57 of 64



Date: 29.DEC.2016 10:06:58



Report No.: SZEM161201085001

Page: 58 of 64

#### 7 Field Strength of Spurious Radiation

Part I - Test Plots

#### 7.1 For WCDMA

#### 7.1.1 Test Band = WCDMA 1900

#### 7.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1199.000	-61.53	-13.00	48.53	Vertical	
2582.500	-58.05	-13.00	45.05	Vertical	
5030.925	-67.34	-13.00	54.34	Vertical	
1327.500	-63.04	-13.00	50.04	Horizontal	
2801.000	-56.82	-13.00	43.82	Horizontal	
5077.725	-67.44	-13.00	54.44	Horizontal	

#### 7.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1195.500	-61.79 -13.00		48.79	Vertical	
2467.000	-58.63	-13.00	45.63	Vertical	
5319.037	-67.74	-13.00	54.74	Vertical	
1454.500	-61.19	-13.00	48.19	Horizontal	
2670.000	-57.79	-13.00	44.79	Horizontal	
6224.325	-66.19	-13.00	53.19	Horizontal	

#### 7.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1267.500	-61.40	-13.00	48.40	Vertical	
2187.500	-55.77	-13.00	42.77	Vertical	
6518.775	-66.21	-13.00	53.21	Vertical	
1454.500	-61.19	-13.00	48.19	Horizontal	
2584.000	-58.56	-13.00	45.56	Horizontal	
5468.212	-67.44	-13.00	54.44	Horizontal	



Report No.: SZEM161201085001

Page: 59 of 64

#### 7.1.2 Test Band = WCDMAband 1700

#### 7.1.2.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1200.000	-61.52	-13.00	48.52	Vertical	
1898.500	-56.46	-13.00	43.46	Vertical	
5520.375	-67.40	-13.00	54.40	Vertical	
1224.000	-62.44	-13.00	49.44	Horizontal	
2681.500	-57.45	-13.00	44.45	Horizontal	
6420.300	-67.17	-13.00	54.17	Horizontal	

#### 7.1.2.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1459.000	-61.49	-13.00	48.49	Vertical	
2652.000	-57.39	-13.00	44.39	Vertical	
7019.437	-66.15	-13.00	53.15	Vertical	
1283.000	-62.81	-13.00	49.81	Horizontal	
2681.000	-57.47	-13.00	44.47	Horizontal	
6980.437	-65.86	-13.00	52.86	Horizontal	

#### 7.1.2.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1267.500	-61.44	-13.00	48.44	Vertical	
1889.000	-51.26	-13.00	38.26	Vertical	
4066.162	-68.90	-13.00	55.90	Vertical	
1490.000	-60.89	-13.00	47.89	Horizontal	
2492.500	-58.99	-13.00	45.99	Horizontal	
6551.925	-66.16	-13.00	53.16	Horizontal	



Report No.: SZEM161201085001

Page: 60 of 64

#### 7.1.3 Test Band = WCDMAband 850

#### 7.1.3.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1508.000	-61.85	-13.00	48.85	Vertical
1731.000	-51.88	-13.00	38.88	Vertical
5032.387	-67.43	-13.00	54.43	Vertical
1512.000	-61.17	-13.00	48.17	Horizontal
2602.500	-58.35	-13.00	45.35	Horizontal
5125.012	-67.44	-13.00	54.44	Horizontal

#### 7.1.3.1.1 Test Channel = MCH

Frequency (MHz)	Level (dBm)	evel (dBm) Limit Line (dBm)		Polarization	
1200.500	-61.48	-13.00	48.48	Vertical	
1995.500	-58.11	-13.00	45.11	Vertical	
2972.000	-56.66	-13.00	43.66	Vertical	
1269.500	-62.44	-13.00	49.44	Horizontal	
1895.000	-53.39	-13.00	40.39	Horizontal	
5941.575	-66.68	-13.00	53.68	Horizontal	

#### 7.1.3.1.2 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1591.000	-60.94	-13.00	47.94	Vertical	
2656.500	-57.51	-13.00	44.51	Vertical	
6557.287	-65.76	-13.00	52.76	Vertical	
1210.000	-62.31	-13.00	49.31	Horizontal	
2872.000	-56.55	-13.00	43.55	Horizontal	
3474.337	-69.51	-13.00	56.51	Horizontal	

#### NOTE:

1) All modes are tested, but the data presented above is the worst case. the disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Report No.: SZEM161201085001

Page: 61 of 64

### 8 Frequency Stability

#### 8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	2.48	0.00134	PASS
		LCH	TN	VN	-2.38	-0.00128	PASS
				VH	3.02	0.00163	PASS
WCDMA		M1 MCH	TN	VL	-4.83	-0.00257	PASS
1900	UMTS/TM1			VN	3.73	0.00198	PASS
				VH	-0.37	-0.00020	PASS
		НСН	TN	VL	1.65	0.00086	PASS
				VN	-3.88	-0.00203	PASS
				VH	-4.64	-0.00243	PASS

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	-5.38	-0.00314	PASS
		LCH	TN	VN	-2.40	-0.00140	PASS
				VH	2.32	0.00135	PASS
MCDMA		MCH	TN	VL	-3.25	-0.00188	PASS
WCDMA 1700	UMTS/TM1			VN	0.39	0.00023	PASS
1700				VH	-2.45	-0.00141	PASS
		НСН	TN	VL	-3.75	-0.00214	PASS
				VN	-4.61	-0.00263	PASS
				VH	-2.80	-0.00160	PASS

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	-3.66	-0.00443	PASS
		LCH	TN	VN	-1.48	-0.00179	PASS
				VH	2.55	0.00309	PASS
WCDMA		MTS/TM1 MCH	TN	VL	-6.84	-0.00818	PASS
850	UMTS/TM1			VN	2.34	0.00280	PASS
000				VH	-2.45	-0.00293	PASS
		НСН	TN	VL	3.75	0.00443	PASS
				VN	-5.61	-0.00663	PASS
				VH	2.57	0.00304	PASS



Report No.: SZEM161201085001

Page: 62 of 64

#### 8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
WCDMA 1900	UMTS/TM1	LCH	VN	-30	-4.43	-0.00239	PASS
				-20	3.60	0.00194	PASS
				-10	3.65	0.00197	PASS
				0	-2.68	-0.00145	PASS
				10	2.53	0.00137	PASS
				20	-4.80	-0.00259	PASS
				30	1.60	0.00086	PASS
				40	-3.04	-0.00164	PASS
				50	-6.33	-0.00342	PASS
		мсн	VN	-30	-3.80	-0.00202	PASS
				-20	-5.21	-0.00277	PASS
				-10	-0.39	-0.00021	PASS
				0	-2.38	-0.00127	PASS
				10	1.51	0.00080	PASS
				20	2.70	0.00144	PASS
				30	1.41	0.00075	PASS
				40	0.13	0.00007	PASS
				50	-4.35	-0.00231	PASS
		НСН	VN	-30	-1.17	-0.00061	PASS
				-20	3.38	0.00177	PASS
				-10	2.35	0.00123	PASS
				0	-5.42	-0.00284	PASS
				10	2.41	0.00126	PASS
				20	-2.78	-0.00146	PASS
				30	3.24	0.00170	PASS
				40	-1.60	-0.00084	PASS
				50	-4.43	-0.00232	PASS



Report No.: SZEM161201085001

Page: 63 of 64

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
WCDMA 1700	UMTS/TM1	LCH	VN	-30	-3.23	-0.00189	PASS
				-20	-4.25	-0.00248	PASS
				-10	1.58	0.00092	PASS
				0	-3.45	-0.00201	PASS
				10	-2.58	-0.00151	PASS
				20	1.42	0.00083	PASS
				30	-3.29	-0.00192	PASS
				40	-3.89	-0.00227	PASS
				50	-4.34	-0.00253	PASS
		МСН	VN	-30	-3.92	-0.00226	PASS
				-20	1.25	0.00072	PASS
				-10	-2.43	-0.00140	PASS
				0	3.80	0.00219	PASS
				10	-3.15	-0.00182	PASS
				20	-6.32	-0.00365	PASS
				30	-2.87	-0.00166	PASS
				40	-4.19	-0.00242	PASS
				50	-5.81	-0.00335	PASS
		нсн	VN	-30	-3.35	-0.00191	PASS
				-20	3.62	0.00207	PASS
				-10	-2.85	-0.00163	PASS
				0	-0.37	-0.00021	PASS
				10	-5.18	-0.00296	PASS
				20	-4.16	-0.00237	PASS
				30	1.69	0.00096	PASS
				40	-4.22	-0.00241	PASS
				50	-4.20	-0.00240	PASS



Report No.: SZEM161201085001

Page: 64 of 64

	Tuge. 010101						
Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			VN	-30	-4.13	-0.00500	PASS
	UMTS/TM1	LCH		-20	-4.08	-0.00494	PASS
				-10	1.77	0.00214	PASS
				0	-2.57	-0.00311	PASS
				10	-3.75	-0.00454	PASS
				20	-4.08	-0.00494	PASS
				30	1.54	0.00186	PASS
				40	-3.67	-0.00444	PASS
				50	-5.31	-0.00643	PASS
		МСН	VN	-30	-5.02	-0.00600	PASS
				-20	-2.44	-0.00292	PASS
				-10	-4.32	-0.00516	PASS
WCDMA				0	1.96	0.00234	PASS
850				10	-5.15	-0.00616	PASS
000				20	-2.62	-0.00313	PASS
				30	-3.37	-0.00403	PASS
				40	0.44	0.00053	PASS
				50	-6.04	-0.00722	PASS
		нсн	VN	-30	-3.45	-0.00408	PASS
				-20	2.34	0.00276	PASS
				-10	3.45	0.00408	PASS
				0	-4.30	-0.00508	PASS
				10	-6.31	-0.00745	PASS
				20	-4.30	-0.00508	PASS
				30	-3.37	-0.00398	PASS
				40	-2.55	-0.00301	PASS
				50	-3.19	-0.00377	PASS

The End