

Fig.5




Fig.6




Fig.7




Fig.8





Fig.9



Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
12	704	23060	10	50	0	9.0561	Fig.1	9.0234	Fig.2	9.0267	Fig.3
12	707.5	23095	10	50	0	9.1047	Fig.4	9.0282	Fig.5	9.0612	Fig.6
12	711	23130	10	50	0	9.0321	Fig.7	8.9923	Fig.8	8.9889	Fig.9

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
12	704	23060	10	50	0	10.030	Fig.1	9.950	Fig.2	10.080	Fig.3
12	707.5	23095	10	50	0	10.060	Fig.4	9.967	Fig.5	10.000	Fig.6
12	711	23130	10	50	0	10.020	Fig.7	9.993	Fig.8	10.040	Fig.9




Fig.5




Fig.6




Fig.7




Fig.8






Fig.9




3 Peak-Average Ratio


Test result:




Peak-Average Ratio Plot(1.4MHz BW,QPSK,Band 12-mid Channel)




Peak-Average Ratio Plot(1.4MHz BW,16QAM,Band 12-mid Channel)




Peak-Average Ratio Plot(1.4MHz BW,64QAM,Band 12-mid Channel)




Peak-Average Ratio Plot(3MHz BW,QPSK,Band 12-mid Channel)




Peak-Average Ratio Plot(3MHz BW,16QAM,Band 12-mid Channel)




Peak-Average Ratio Plot(3MHz BW,64QAM,Band 12-mid Channel)




Peak-Average Ratio Plot(5MHz BW,QPSK,Band 12-mid Channel)




Peak-Average Ratio Plot(5MHz BW,16QAM,Band 12-mid Channel)




Peak-Average Ratio Plot(5MHz BW,64QAM,Band 12-mid Channel)



Peak-Average Ratio Plot(10MHz BW,QPSK,Band 12-mid Channel)



Peak-Average Ratio Plot(10MHz BW,16QAM,Band 12-mid Channel)



Peak-Average Ratio Plot(10MHz BW,64QAM,Band 12-mid Channel)

4 Spurious Emissions at antenna terminal

Test result

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
12	704	23060	10	1	0	Fig.1




Fig.1

Band	Carrier frequency (MHz)	Channel(Mid)	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
12	707.5	23095	10	1	0	Fig.1




Fig.1

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Conducted Spurious Plot	
						QPSK	16-QAM
12	711	23130	10	1	0	Fig.1	Fig.8




Fig.1

5 Band Edges Compliance

Test result

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	699.7	23017	1.4	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	715.3	23173	1.4	1	0	Fig.1
				6	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	700.5	23025	3	1	0	Fig.1
				15	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	714.5	23165	3	1	14	Fig.1
				15	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	701.5	23035	5	1	0	Fig.1
				25	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	713.5	23155	5	1	24	Fig.1
				25	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (Low)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	704	23060	10	1	0	Fig.1
				50	0	Fig.4




Fig.1




Fig.4

Band	Carrier frequency (MHz)	Channel (High)	BW	RB Size	RB Offset	Band EdgesPlot
						QPSK
12	711	23130	10	1	49	Fig.1
				50	0	Fig.4




Fig.1




Fig.4

6 Frequency Stability

Test result:

Test result:

Temperature(°C)	Voltage	Test Result (ppm) Band12 Low Channel			
		1.4M	3M	5M	10M
0	NV	0.009	0.002	0.019	0.001
+10	NV	0.020	-0.012	0.019	0.019
+20	NV	-0.009	0.004	0.019	0.017
+30	NV	0.015	0.007	0.002	0.017
+35	NV	0.015	-0.014	0.016	0.014
+20	LV	0.002	0.012	0.001	0.009
+20	HV	-0.002	-0.008	-0.001	0.012

Temperature(°C)	Voltage	Test Result (ppm) Band12 High Channel			
		1.4M	3M	5M	10M
0	NV	-0.020	0.011	-0.009	0.002
+10	NV	0.010	0.018	0.013	0.008
+20	NV	0.004	0.017	-0.006	0.012
+30	NV	0.020	0.006	0.020	0.002
+35	NV	0.008	0.003	0.002	-0.014
+20	LV	0.016	-0.010	0.016	0.018
+20	HV	-0.001	0.017	0.020	-0.018

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 66

1 RF Power Output

Main ANT and DIV ANT are TX diversity switching.

Main Antenna Gain=-9.5dBi

DIV Antenna Gain=-5.5dBi

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
QPSK	1710.7	131979	1.4	1	0	20.7	0.013	0.033
				1	5	20.7	0.013	0.033
				3	2	20.8	0.013	0.034
				6	0	19.9	0.011	0.028
	1745	132322		1	0	20.6	0.013	0.032
				1	5	20.5	0.013	0.032
				3	2	20.6	0.013	0.032
				6	0	19.6	0.010	0.026
	1779.3	132665		1	0	20.2	0.012	0.030
				1	5	20.2	0.012	0.030
				3	2	20.3	0.012	0.030
				6	0	19.4	0.010	0.025
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
16QAM	1710.7	131979	1.4	1	0	19.4	0.010	0.025
				1	5	19.6	0.010	0.026
				3	2	19.7	0.010	0.026
				6	0	18.8	0.009	0.021
	1745	132322		1	0	19.4	0.010	0.025
				1	5	19.3	0.010	0.024
				3	2	19.7	0.010	0.026
				6	0	18.7	0.008	0.021
	1779.3	132665		1	0	18.8	0.009	0.021
				1	5	18.9	0.009	0.022
				3	2	19.3	0.010	0.024
				6	0	18.8	0.009	0.021
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
64QAM	1710.7	131979	1.4	1	0	19.4	0.010	0.025
				1	5	19.5	0.010	0.025
				3	2	19.7	0.010	0.026
				6	0	18.6	0.008	0.020
	1745	132322		1	0	19.4	0.010	0.025
				1	5	19.2	0.009	0.023
				3	2	19.7	0.010	0.026
				6	0	18.8	0.009	0.021
	1779.3	132665		1	0	18.8	0.009	0.021
				1	5	18.7	0.008	0.021
				3	2	19.3	0.010	0.024
				6	0	18.7	0.008	0.021

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
QPSK	1711.5	131987	3	1	0	20.8	0.013	0.034
				1	14	20.9	0.014	0.035
				8	4	19.9	0.011	0.028
				15	0	19.8	0.011	0.027
	1745	132322		1	0	20.7	0.013	0.033
				1	14	20.8	0.013	0.034
				8	4	20.8	0.013	0.034
				15	0	19.8	0.011	0.027
	1778.5	132657		1	0	20.3	0.012	0.030
				1	14	20.2	0.012	0.030
				8	4	19.6	0.010	0.026
				15	0	19.4	0.010	0.025
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
16QAM	1711.5	131987	3	1	0	19.5	0.010	0.025
				1	14	19.7	0.010	0.026
				8	4	18.8	0.009	0.021
				15	0	18.8	0.009	0.021
	1745	132322		1	0	19.2	0.009	0.023
				1	14	19.2	0.009	0.023
				8	4	18.6	0.008	0.020
				15	0	18.7	0.008	0.021
	1778.5	132657		1	0	18.6	0.008	0.020
				1	14	18.6	0.008	0.020
				8	4	18.3	0.008	0.019
				15	0	18.3	0.008	0.019
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
64QAM	1711.5	131987	3	1	0	19.6	0.010	0.026
				1	14	19.7	0.010	0.026
				8	4	18.8	0.009	0.021
				15	0	18.7	0.008	0.021
	1745	132322		1	0	19.2	0.009	0.023
				1	14	19.4	0.010	0.025
				8	4	18.6	0.008	0.020
				15	0	18.7	0.008	0.021
	1778.5	132657		1	0	18.5	0.008	0.020
				1	14	18.6	0.008	0.020
				8	4	18.4	0.008	0.019
				15	0	18.4	0.008	0.019

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
QPSK	1712.5	131997	5	1	0	18.7	0.008	0.021
				1	24	21.0	0.014	0.035
				12	6	19.8	0.011	0.027
				25	0	19.8	0.011	0.027
	1745	132322		1	0	20.5	0.013	0.032
				1	24	20.6	0.013	0.032
				12	6	19.7	0.010	0.026
				25	0	19.7	0.010	0.026
	1777.5	132647		1	0	20.3	0.012	0.030
				1	24	19.9	0.011	0.028
				12	6	19.4	0.010	0.025
				25	0	19.3	0.010	0.024
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
16QAM	1712.5	131997	5	1	0	19.3	0.010	0.024
				1	24	19.6	0.010	0.026
				12	6	18.6	0.008	0.020
				25	0	18.7	0.008	0.021
	1745	132322		1	0	19.2	0.009	0.023
				1	24	19.1	0.009	0.023
				12	6	18.5	0.008	0.020
				25	0	18.6	0.008	0.020
	1777.5	132647		1	0	18.7	0.008	0.021
				1	24	18.6	0.008	0.020
				12	6	18.3	0.008	0.019
				25	0	18.3	0.008	0.019
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
64QAM	1712.5	131997	5	1	0	19.4	0.010	0.025
				1	24	19.6	0.010	0.026
				12	6	18.6	0.008	0.020
				25	0	18.5	0.008	0.020
	1745	132322		1	0	19.2	0.009	0.023
				1	24	19.1	0.009	0.023
				12	6	18.4	0.008	0.019
				25	0	18.6	0.008	0.020
	1777.5	132647		1	0	18.7	0.008	0.021
				1	24	18.7	0.008	0.021
				12	6	18.3	0.008	0.019
				25	0	18.3	0.008	0.019

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
QPSK	1715	132022	10	1	0	21.1	0.014	0.036
				1	49	21.2	0.015	0.037
				24	12	20.0	0.011	0.028
				50	0	21.2	0.015	0.037
	1745	132322		1	0	20.8	0.013	0.034
				1	49	20.6	0.013	0.032
				24	12	19.9	0.011	0.028
				50	0	19.9	0.011	0.028
	1775	132622		1	0	20.5	0.013	0.032
				1	49	20.2	0.012	0.030
				24	12	19.6	0.010	0.026
				50	0	19.5	0.010	0.025
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
16QAM	1715	132022	10	1	0	19.4	0.010	0.025
				1	49	19.6	0.010	0.026
				24	12	19.0	0.009	0.022
				50	0	19.0	0.009	0.022
	1745	132322		1	0	19.5	0.010	0.025
				1	49	19.3	0.010	0.024
				24	12	19.0	0.009	0.022
				50	0	18.8	0.009	0.021
	1775	132622		1	0	19.3	0.010	0.024
				1	49	18.8	0.009	0.021
				24	12	18.5	0.008	0.020
				50	0	18.4	0.008	0.019
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
64QAM	1715	132022	10	1	0	19.5	0.010	0.025
				1	49	19.6	0.010	0.026
				24	12	19.1	0.009	0.023
				50	0	19.0	0.009	0.022
	1745	132322		1	0	19.4	0.010	0.025
				1	49	19.3	0.010	0.024
				24	12	19.1	0.009	0.023
				50	0	18.7	0.008	0.021
	1775	132622		1	0	19.3	0.010	0.024
				1	49	18.8	0.009	0.021
				24	12	18.4	0.008	0.019
				50	0	18.4	0.008	0.019

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
QPSK	1717.5	132047	15	1	0	21.0	0.014	0.035
				1	74	21.2	0.015	0.037
				40	18	20.2	0.012	0.030
				75	0	21.2	0.015	0.037
	1745	132322		1	0	20.7	0.013	0.033
				1	74	20.6	0.013	0.032
				40	18	19.8	0.011	0.027
				75	0	19.9	0.011	0.028
	1772.5	132597		1	0	20.5	0.013	0.032
				1	74	20.1	0.011	0.029
				40	18	19.4	0.010	0.025
				75	0	19.5	0.010	0.025
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
16QAM	1717.5	132047	15	1	0	19.4	0.010	0.025
				1	74	19.6	0.010	0.026
				40	18	19.2	0.009	0.023
				75	0	19.0	0.009	0.022
	1745	132322		1	0	19.4	0.010	0.025
				1	74	19.3	0.010	0.024
				40	18	19.2	0.009	0.023
				75	0	18.6	0.008	0.020
	1772.5	132597		1	0	19.3	0.010	0.024
				1	74	18.8	0.009	0.021
				40	18	18.4	0.008	0.019
				75	0	18.5	0.008	0.020
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
64QAM	1717.5	132047	15	1	0	19.5	0.010	0.025
				1	74	19.6	0.010	0.026
				40	18	19.1	0.009	0.023
				75	0	19.0	0.009	0.022
	1745	132322		1	0	19.5	0.010	0.025
				1	74	19.3	0.010	0.024
				40	18	19.2	0.009	0.023
				75	0	18.7	0.008	0.021
	1772.5	132597		1	0	19.3	0.010	0.024
				1	74	18.7	0.008	0.021
				40	18	18.4	0.008	0.019
				75	0	18.4	0.008	0.019

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
QPSK	1720	132072	20	1	0	21.0	0.014	0.035
				1	99	21.1	0.014	0.038
				50	25	20.3	0.012	0.030
				100	0	20.2	0.012	0.030
	1745	132322		1	0	21.0	0.014	0.035
				1	99	20.7	0.013	0.033
				50	25	20.0	0.011	0.028
				100	0	19.8	0.011	0.027
	1770	132572		1	0	20.7	0.013	0.033
				1	99	20.4	0.012	0.031
				50	25	19.8	0.011	0.027
				100	0	19.7	0.010	0.026
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
16QAM	1720	132072	20	1	0	19.5	0.010	0.025
				1	99	19.6	0.010	0.027
				50	25	19.0	0.009	0.022
				100	0	19.0	0.009	0.022
	1745	132322		1	0	19.5	0.010	0.025
				1	99	19.1	0.009	0.023
				50	25	18.8	0.009	0.021
				100	0	18.6	0.008	0.020
	1770	132572		1	0	19.3	0.010	0.024
				1	99	19.4	0.010	0.025
				50	25	18.8	0.009	0.021
				100	0	18.6	0.008	0.020
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	Main-Ant EIRP (W)	DIV-Ant EIRP (W)
64QAM	1720	132072	20	1	0	19.6	0.010	0.027
				1	99	19.6	0.010	0.026
				50	25	19.0	0.009	0.022
				100	0	19.1	0.009	0.023
	1745	132322		1	0	19.5	0.010	0.025
				1	99	19.2	0.009	0.023
				50	25	18.7	0.008	0.021
				100	0	18.6	0.008	0.020
	1770	132572		1	0	19.3	0.010	0.024
				1	99	19.3	0.010	0.024
				50	25	18.8	0.009	0.021
				100	0	18.7	0.008	0.021

2 Occupied Bandwidth

Test result

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1710.7	131979	1.4	6	0	1.0968	Fig.1	1.1010	Fig.2	1.0969	Fig.3
66	1745	132322	1.4	6	0	1.0994	Fig.4	1.0997	Fig.5	1.0977	Fig.6
66	1779.3	132665	1.4	6	0	1.0997	Fig.7	1.0991	Fig.8	1.0983	Fig.9

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1710.7	131979	1.4	6	0	1.281	Fig.1	1.299	Fig.2	1.293	Fig.3
66	1745	132322	1.4	6	0	1.296	Fig.4	1.302	Fig.5	1.311	Fig.6
66	1779.3	132665	1.4	6	0	1.302	Fig.7	1.292	Fig.8	1.298	Fig.9





Fig.5




Fig.6




Fig.7




Fig.8





Fig.9



Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1711.5	131987	3	15	0	2.6880	Fig.1	2.6772	Fig.2	2.6772	Fig.3
66	1745	132322	3	15	0	2.6846	Fig.4	2.6920	Fig.5	2.6850	Fig.6
66	1778.5	132657	3	15	0	2.6861	Fig.7	2.6970	Fig.8	2.6898	Fig.9

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1711.5	131987	3	15	0	2.950	Fig.1	2.857	Fig.2	2.857	Fig.3
66	1745	132322	3	15	0	2.952	Fig.4	2.934	Fig.5	2.929	Fig.6
66	1778.5	132657	3	15	0	2.915	Fig.7	2.931	Fig.8	2.932	Fig.9





Fig.5




Fig.6




Fig.7




Fig.8





Fig.9



Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1712.5	131997	5	25	0	4.5011	Fig.1	4.5162	Fig.2	4.5138	Fig.3
66	1745	132322	5	25	0	4.5154	Fig.4	4.5139	Fig.5	4.5077	Fig.6
66	1777.5	132647	5	25	0	4.5071	Fig.7	4.5107	Fig.8	4.5009	Fig.9

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1712.5	131997	5	25	0	4.973	Fig.1	5.004	Fig.2	4.996	Fig.3
66	1745	132322	5	25	0	5.026	Fig.4	5.025	Fig.5	4.990	Fig.6
66	1777.5	132647	5	25	0	5.036	Fig.7	5.027	Fig.8	4.969	Fig.9




Fig.5




Fig.6




Fig.7




Fig.8





Fig.9



Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1715	132022	10	50	0	9.0568	Fig.1	9.0198	Fig.2	9.0354	Fig.3
66	1745	132322	10	50	0	9.0721	Fig.4	9.0149	Fig.5	9.0485	Fig.6
66	1775	132622	10	50	0	9.0724	Fig.7	9.0265	Fig.8	9.0532	Fig.9

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1715	132022	10	50	0	9.944	Fig.1	9.920	Fig.2	9.963	Fig.3
66	1745	132322	10	50	0	10.040	Fig.4	9.956	Fig.5	9.946	Fig.6
66	1775	132622	10	50	0	9.976	Fig.7	10.060	Fig.8	10.070	Fig.9




Fig.5




Fig.6




Fig.7




Fig.8





Fig.9



Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1717.5	132047	15	75	0	13.408	Fig.1	13.442	Fig.2	13.413	Fig.3
66	1745	132322	15	75	0	13.457	Fig.4	13.485	Fig.5	13.466	Fig.6
66	1772.5	132597	15	75	0	13.432	Fig.7	13.449	Fig.8	13.457	Fig.9

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1717.5	132047	15	75	0	14.64	Fig.1	14.64	Fig.2	14.61	Fig.3
66	1745	132322	15	75	0	14.70	Fig.4	14.64	Fig.5	14.60	Fig.6
66	1772.5	132597	15	75	0	14.65	Fig.7	14.60	Fig.8	14.66	Fig.9




Fig.5




Fig.6




Fig.7




Fig.8





Fig.9



Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1720	132072	20	100	0	17.829	Fig.1	17.855	Fig.2	17.833	Fig.3
66	1745	132322	20	100	0	17.894	Fig.4	17.902	Fig.5	17.911	Fig.6
66	1770	132572	20	100	0	17.865	Fig.7	17.874	Fig.8	17.873	Fig.9

Band	Carrier frequency (MHz)	Channel(Low)	BW	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
66	1720	132072	20	100	0	19.06	Fig.1	19.17	Fig.2	19.17	Fig.3
66	1745	132322	20	100	0	19.27	Fig.4	19.26	Fig.5	19.28	Fig.6
66	1770	132572	20	100	0	19.17	Fig.7	19.24	Fig.8	19.22	Fig.9

Fig.1




Fig.2




Fig.3




Fig.4

