






Channel 661




Channel 810

EDGE (8PSK) MODE:




Date: 15.APR.2021 18:32:13

Channel 512



Date: 15.APR.2021 18:33:29

Channel 661




Date: 15.APR.2021 18:34:26

Channel 810

4. Spurious Emissions at antenna terminal


GSM850

GSM MODE:




Channel 189 1GHz~10GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.




Channel 189 30MHz~1GHz(dBm)

GPRS MODE:




Channel 189 1GHz~10GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.




Channel 189 30MHz~1GHz(dBm)

EDGE (8PSK) MODE:



Channel 189 1GHz~10GHz(dBm)


Note: The signal beyond the limit is the signal transmitted by EUT.




Channel 189 30MHz~1GHz(dBm)

PCS1900

GSM MODE:




Channel 661 30MHz~1GHz(dBm)




Channel 661 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

GPRS MODE:




Channel 661 30MHz~1GHz(dBm)




Channel 661 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

EDGE (8PSK) MODE:



Channel 661 30MHz~1GHz(dBm)




Channel 661 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

5. Band Edges Compliance


GSM850

GSM MODE:



Date: 15.APR.2021 17:31:09


Channel 128




Date: 15.APR.2021 17:32:56

Channel 251

GPRS MODE:




Channel 128




Channel 251

EDGE (8PSK) MODE:




Channel 128




Channel 251

PCS1900

GSM MODE:




Channel 512




Channel 810

GPRS MODE:




Channel 512




Channel 810

EDGE (8PSK) MODE:



Channel 512



Channel 810

6. Frequency Stability

GSM850

GSM MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 128	Channel 189	Channel 251
-20	0.004	0.013	0.001
-10	-0.004	0.007	0.007
0	0.003	0.004	0.027
+10	0.004	0.011	0.001
+20	0.000	0.000	0.000
+30	-0.002	0.001	0.004
+40	0.000	0.007	0.003
+50	-0.002	0.008	0.009
+55	0.006	0.003	0.000
Voltage	Test Result (ppm)@NT		
	Channel 128	Channel 189	Channel 251
LV	0.002	-0.001	0.000
HV	-0.001	0.007	0.003

GPRS MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 128	Channel 189	Channel 251
-20	0.004	0.003	-0.016
-10	0.005	0.004	-0.015
0	0.022	0.005	-0.007
+10	-0.003	0.000	-0.012
+20	0.000	0.000	0.000
+30	0.010	0.010	-0.023
+40	0.009	-0.005	0.003
+50	0.003	0.015	-0.002
+55	-0.001	0.007	0.004
Voltage	Test Result (ppm)@NT		
	Channel 128	Channel 189	Channel 251
LV	0.008	0.001	0.012
HV	0.007	0.010	-0.017

EDGE (8PSK) MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 128	Channel 189	Channel 251
-20	0.023	0.014	0.018
-10	0.018	0.000	0.017
0	0.024	0.012	0.021
+10	0.021	0.007	0.017
+20	0.000	0.000	0.000
+30	0.014	0.007	0.015
+40	0.016	0.010	0.017
+50	0.017	0.005	0.018
+55	0.023	0.013	0.014
Voltage	Test Result (ppm)@NT		
	Channel 128	Channel 189	Channel 251
LV	0.006	0.014	0.016
HV	0.026	0.010	0.014

PCS1900

GSM MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 512	Channel 661	Channel 810
-20	-0.003	-0.001	0.013
-10	-0.004	0.001	0.004
0	-0.005	0.006	0.006
+10	-0.004	0.010	0.004
+20	0.000	0.000	0.000
+30	0.000	0.003	0.008
+40	0.000	-0.004	0.003
+50	0.006	0.001	0.004
+55	-0.006	0.000	0.002
Voltage	Test Result (ppm)@NT		
	Channel 512	Channel 661	Channel 810
LV	-0.008	0.000	0.003
HV	0.001	0.001	0.001

GPRS MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 512	Channel 661	Channel 810
-20	0.010	0.009	0.007
-10	0.004	0.010	-0.002
0	0.008	0.010	0.009
+10	-0.001	0.005	0.012
+20	0.000	0.000	0.000
+30	0.001	0.005	0.013
+40	0.003	0.008	0.000
+50	0.004	0.005	0.001
+55	-0.001	0.001	0.001
Voltage	Test Result (ppm)@NT		
	Channel 512	Channel 661	Channel 810
LV	0.005	0.007	0.001
HV	0.011	0.003	0.005


EDGE (8PSK) MODE:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 512	Channel 661	Channel 810
-20	-0.001	0.009	0.002
-10	-0.005	0.004	0.003
0	-0.006	0.007	0.001
+10	-0.003	0.005	0.000
+20	0.000	0.000	0.000
+30	-0.002	0.009	0.003
+40	0.001	0.003	-0.004
+50	-0.010	0.011	0.002
+55	-0.004	0.007	0.009
Voltage	Test Result (ppm)@NT		
	Channel 512	Channel 661	Channel 810
LV	-0.004	0.010	0.000
HV	-0.005	0.001	0.001


7. Peak-Average Ratio

GSM850

GSM MODE:



Channel 128



Channel 189