

# FCC TEST REPORT

Application No.:	ZR/2019/B0024
Applicant:	Hisense International Co., Ltd.
Address of Applicant	Floor 22, Hisense Tower, 17 Donghai Xi Road, Qingdao, 266071, China
Manufacturer:	Hisense Communications Co., Ltd.
Address of Manufacturer	No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China
Factory:	Qingdao Intelligent & Precise Electronics Co., Ltd.
Address of Factory	No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China
EUT Description:	Smartphone
Model No.:	HLTE226E
Trade Mark:	Hisense
FCC ID:	2ADOBHLTE226E
Standards:	47 CFR FCC Part 2, Subpart J 47 CFR Part 15, Subpart C
Test Method	ANSI C63.10 (2013) KDB558074 D01 15.247 Meas Guidance v05r02
Date of Receipt:	2019/11/25
Date of Test:	2019/11/26 to 2019/12/10
Date of Issue:	2019/12/10
Test Result:	PASS *

\* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Branch

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. A ditention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test neg retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.Doccheck@ess.com").



Report No.: ZR/2019/B002402 Page: 2 of 77

### 1 Version

	Revision Record					
Version	Version Chapter Date Modifier Remark					
00		2019/12/10		Original		

Authorized for issue by:		
Tested By	Mike Mu	2019/12/10
	(Mike Hu) /Project Engineer	Date
Checked By	David Chen	2019/12/10
	(David Chen) /Reviewer	Date



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@csas.com



Report No.: ZR/2019/B002402 Page: 3 of 77

### 2 Test Summary

Test Item	Test Requirement	Test method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Conducted Peak Output Power	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443, or email: (



Report No.: ZR/2019/B002402 Page: 4 of 77

### Contents

1	VERSION	
2	TEST SUMMARY	
3	GENERAL INFORMATION	5
Ŭ		
	<ul> <li>3.1 CLIENT INFORMATION</li></ul>	
	3.3 TEST FACILITY	
	3.4 GENERAL DESCRIPTION OF EUT	
	3.5 TEST ENVIRONMENT	
	3.6 DESCRIPTION OF SUPPORT UNITS	
4	TEST RESULTS AND MEASUREMENT DATA	
4		
	4.1 ANTENNA REQUIREMENT	
	4.2 OTHER REQUIREMENTS FREQUENCY HOPPING SPREAD SPECTRUM SYSTEM HOPPING SEQUENCE	
	4.2.1 Test Requirement:	
	<ul> <li>4.2.2 Conclusion</li></ul>	
	<ul> <li>4.5 AC POWER LINE CONDUCTED EMISSIONS</li></ul>	
	4.4 CONDUCTED FEAR OUTPUT FOWER	
	4.4.2 Test plots	
	4.5 20DB EMISSION BANDWIDTH & 99% OCCUPIED BANDWIDTH	
	4.5.1 Test Results	
	4.5.2 Test plots	
	4.6 CARRIER FREQUENCIES SEPARATION	
	4.6.1 Test Results	
	4.6.2 Test plots:	
	4.7 HOPPING CHANNEL NUMBER	35
	4.7.1 Test Results	35
	4.7.2 Test plots	
	4.8 DWELL TIME	
	4.8.1 Test Results	
	4.8.2 Test plots	
	4.9 BAND-EDGE FOR RF CONDUCTED EMISSIONS	
	4.9.1 Test plots	
	4.10 Spurious RF Conducted Emissions.	
	4.10.1 Test plots	
	4.11 RADIATED SPURIOUS EMISSION	
	4.11.1 Radiated Emission below 1GHz	
	4.11.2 Transmitter Emission above 1GHz.	
	4.12 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	
_		
5	MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	
6	EQUIPMENT LIST	76
7	PHOTOGRAPHS	77



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443; or email: CALDoccheck@gs.com

> Report No.: ZR/2019/B002402 Page: 5 of 77

### **3** General Information

### 3.1 Client Information

Applicant:	Hisense International Co., Ltd.
Address of Applicant:	Floor 22, Hisense Tower, 17 Donghai Xi Road, Qingdao, 266071, China
Manufacturer:	Hisense Communications Co., Ltd.
Address of Manufacturer:	No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China
Factory:	Qingdao Intelligent & Precise Electronics Co., Ltd.
Address of Factory:	No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China

### 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057
Telephone:	+86 (0) 755 2601 2053
Fax:	+86 (0) 755 2671 0594
E-mail:	ee.shenzhen@sgs.com

### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

#### • A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

#### • VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

#### • FCC – Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

#### Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



Report No.: ZR/2019/B002402 Page: 6 of 77

### 3.4 General Description of EUT

EUT Description:	Smartphone
Model No.:	HLTE226E
Trade Mark:	Hisense
Hardware Version:	V1.00
Software Version:	L1703.6.01.01.MX02
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.
Bluetooth Version:	Bluetooth V3.0 +EDR
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)
Modulation Type:	GFSK, π/4DQPSK, 8DPSK
Number of Channel:	79
Hopping Channel Type:	Adaptive Frequency Hopping systems
Sample Type:	Portable Device,      Module
Antenna Type:	External, 🛛 Integrated
Antenna Gain:	0.5dBi
Power Supply	AC/DC Adapter; Battery PoE:; Other:

	Operation Frequency each of channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443; or sample(s) here relatined for 30 days only.

Report No.: ZR/2019/B002402 Page: 7 of 77

19	2421MHz	39	2441MHz	59	2461MHz	

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle

frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel	2402MHz
The Middle channel	2441MHz
The Highest channel	2480MHz

### 3.5 Test Environment

Operating Environment		
Temperature:	24.0 °C	
Humidity:	55 % RH	
Atmospheric Pressure:	101.30 KPa	

### 3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test neg tables and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, re semial CON Depocherce/Gisson.com

> Report No.: ZR/2019/B002402 Page: 8 of 77

### 4 Test results and Measurement Data

### 4.1 Antenna Requirement

**Standard requirement:** 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 0.5dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test entation, forgery or faisification ofly. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

Report No.: ZR/2019/B002402 Page: 9 of 77

### 4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

#### 4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

#### 4.2.2 Conclusion

#### Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.


> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

20 62 46 77	7 64	8 73	16 75 1
	1 1 1 1		
		111	

Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.





Report No.: ZR/2019/B002402 Page: 10 of 77

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system. Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the example(s) test and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, example.

Report No.: ZR/2019/B002402 Page: 11 of 77

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
	Frequency range (MHz)	Limit (dBuV)			
		Quasi-peak	Average		
Limit:	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the logarith	nm of the frequency.			
Test Procedure:	<ul> <li>* Decreases with the logarithm of the frequency.</li> <li>1) The mains terminal disturbance voltage test was conducted in a shielded room.</li> <li>2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50µH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.</li> <li>3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.</li> <li>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to</li> </ul>				

### 4.3 AC Power Line Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/B002402 Page: 12 of 77

Test Setup:	Shielding Room Test Receiver Test			
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type at the lowest, middle, high channel. Charge + Transmitting mode.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation at the lowest channel is the worst case. Charge + Transmitting mode Only the worst case is recorded in the report.			
Instruments Used:	Refer to section 5.10 for details			
Test Results:	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443;


Report No.: ZR/2019/B002402 Page: 13 of 77

#### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live line:



### **Final Data List**


NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1554	10.10	57.20	65.71	8.51	39.50	55.71	16.21	L
2	0.1776	10.10	55.36	64.60	9.24	36.91	54.60	17.69	L
3	0.2129	10.10	51.66	63.09	11.43	33.31	53.09	19.78	L
4	1.9171	10.10	33.80	56.00	22.20	23.08	46.00	22.92	L
5	16.0807	10.11	50.40	60.00	9.60	39.45	50.00	10.55	L
6	24.3770	10.11	46.87	60.00	13.13	34.94	50.00	15.06	L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: ZR/2019/B002402 Page: 14 of 77



### **Final Data List**

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1770	10.10	54.92	64.63	9.71	32.65	54.63	21.98	N
2	0.2129	10.10	50.98	63.09	12.11	29.72	53.09	23.37	N
3	0.4797	10.10	34.56	56.34	21.78	21.45	46.34	24.89	N
4	2.0037	10.10	29.33	56.00	26.67	22.03	46.00	23.97	N
5	15.5051	10.11	46.88	60.00	13.12	34.98	50.00	15.02	N
6	24.0333	10.11	41.93	60.00	18.07	31.68	50.00	18.32	Ν

#### Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: ZR/2019/B002402 Page: 15 of 77

### 4.4 Conducted Peak Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.5		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	(20.97dBm) 125mW		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of $\pi$ /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this dreper roly to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443;

Report No.: ZR/2019/B002402 Page: 16 of 77

### 4.4.1 Test Results


Measurement Data of Peak power:

	GFSK mode					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	7.00	20.97	Pass			
Middle	6.46	20.97	Pass			
Highest	6.73	20.97	Pass			
	π/4DQPSK mode					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	6.78	20.97	Pass			
Middle	6.30	20.97	Pass			
Highest	6.55	20.97	Pass			
	8DPSK mode					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	6.86	20.97	Pass			
Middle	6.52	20.97	Pass			
Highest	6.76	20.97	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443;

> Report No.: ZR/2019/B002402 Page: 17 of 77







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document tacanot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itseld and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or email: **CN\_Doccheck@egs.cm** 



Report No.: ZR/2019/B002402 Page: 18 of 77








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document tacanot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the example(s) itested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-756) 83071443, or email: **CAL Doccheck@cgs.com** 




Report No.: ZR/2019/B002402 Page: 19 of 77








Report No.: ZR/2019/B002402 Page: 20 of 77








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines of the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines contact with the times of the sample(s) are related for sole days only.



Report No.: ZR/2019/B002402 Page: 21 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C

Report No.: ZR/2019/B002402 Page: 22 of 77

### 4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.7		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	NA		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of $\pi$ /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		
451 Test Resul	ts		

#### Mode **Test Channel** 99% Occupied Bandwidth (KHz) 20dB Emission Bandwidth (KHz) Result Lowest 907.4 1002.9 Pass Middle 898.7 985.5 Pass GFSK Highest 903.0 985.5 Pass Lowest 1167.9 1280.8 Pass Middle 1163.5 1280.8 Pass π/4DQPSK Highest 1159.2 1280.8 Pass Lowest 1172.2 1293.8 Pass Middle 1167.9 1289.4 Pass 8DPSK 1167.9 1289.4 Highest Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/



Report No.: ZR/2019/B002402 Page: 23 of 77

4.5.2 Test plots



Spectrum Ref Level 21.00 dBm Offset 1.00 dB - RBW 30 kHz 30 dB 曼 SWT 10 ms - VBW 100 kHz Att Mode Auto FFT 1Pk Max M1[1] 3 87 dBn 2.40198700 GHz OCC BW 907.380607815 kHz 10 dBm 0 dBm N -10 dBm -20 dBm -30 dBm 40 dBm 50 dBm -60 dBm -70 dBm-CF 2.402 GHz 691 pts Span 3.0 MHz Measuring... THE ROOM OF Date: 11.DEC.2019 07:23:45 Spectrum Ref Level 21.00 dBm Offset 1.00 dB 🖷 RBW 30 kHz Att 30 dB - SWT 10 ms - VBW 100 kHz Mode Auto FFT 1Pk Max 3.84 dBn 2,40199130 GH 10 dBm ndB 20.00 dB Bw 1.002900000 MH D dBm-Q factor 2395. 10 dBm 11~ -20 dBm -30 dBm 40 dBm 50 dBm -60 dBm -70 dBm CF 2.402 GHz 691 pts Span 3.0 MHz Marker Type | Ref | Trc | X-value Y-value Function **Function Result** 2.4019913 GHz 2.4015007 GHz 1.0029 MHz 3.84 dBm -16.20 dBm M1 ndB dow 20.00 dB T1 ndB 1 4025036 GHz -16.10 dBm Q factor 2395.1 Ta Measuring... COLUMN TWO IS NOT

Date: 11.DEC.2019 07:31:45



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small.

Mode Auto FFT

M1[1]

OCC BW

V

Measuring...

Offset 1.00 dB 🖷 RBW 30 kHz

10 ms 🖷 VBW 100 kHz


Report No.: ZR/2019/B002402 Page: 24 of 77

3.46 dBn 2.44098700 GH;

898 697539797 kH

Span 3.0 MHz

STATE OF BOOK STOLEN OF BOARD




30 dB 🥃 SWT

4.5.2.2 GFSK Middle Channel

Spectrum

Att

Ref Level 21.00 dBm




Date: 11.DEC.2019 07:31:29




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (CN\_Doccheck@css.com").

Report No.: ZR/2019/B002402 Page: 25 of 77



Spectrum Ref Level 21.00 dBm Offset 1.00 dB 💼 RBW 30 kHz 10 ms 🖷 VBW 100 kHz Att 30 dB - SWT Mode Auto FFT • 1Pk Ma M1[1] 3.74 dBn 2.47998700 GH OCC BW 903.039073806 kH 10 dBm M 0 dBm N -10 dBm LF -20 dBm -30 dBm -40 dBm 50 dBm -60 dBm -70 dBm CF 2.48 GHz 691 pts Span 3.0 MHz Measuring... The subscript of 

Date: 11.DEC.2019 07:25:27



Date: 11.DEC 2019 07:25:46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443,

Report No.: ZR/2019/B002402 26 of 77 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines of the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines contact with the times of the sample(s) are related for sole days only.

Report No.: ZR/2019/B002402 Page: 27 of 77



Date: 11.DEC.2019 07:31:11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (CN\_Doccheck@css.com").

Report No.: ZR/2019/B002402 Page: 28 of 77



4.5.2.6 π/4DQPSK \_Highest Channel

Date: 11.DEC.2019 07:26:20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (0.1) Deccheck@css.com

Report No.: ZR/2019/B002402 Page: 29 of 77



Date: 11.DEC.2019 07:32:45


4.5.2.7 8DPSK Lowest Channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (CN\_Doccheck@css.com").



Report No.: ZR/2019/B002402 Page: 30 of 77



Spectrum Ref Level 21.00 dBm Offset 1.00 dB 🖷 RBW 30 kHz Att 30 dB 🥃 SWT 10 ms 🖷 VBW 100 kHz Mode Auto FFT 01Pk Ma M1[1] 2.57 dBn 2.44098700 GH OCC BW 1 167872648 MH 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm non -50 dBm -60 dBm -70 dBm-Span 3.0 MHz 691 pts CF 2,441 GHz Measuring.... The subscript in Date: 11.DEC.2019 07:24:37 Spectrum Ref Level 21.00 dBm Offset 1.00 dB . RBW 30 kHz Att 30 dB 曼 SWT 10 ms 🖷 VBW 100 kHz Mode Auto FFT 91Pk Max 2.68 dBn 2.44099130 GH 10 dBm ndB 20.00 dF 1.289400000 MH BW D dBm Q factor 1893. -10 dBm -20 dBm--30 dBm -40 dBm m -50 dBm -60 dBm -70 dBm CF 2,441 GHz 691 pts Span 3.0 MHz Marker

Date: 11.DEC.2019 07:30:55

1

Type | Ref | Trc

M1

Τ1

T2

X-value

2.4409913 GHz

2.4416469 GHz

.4403575 GHz

Y-value

2.68 dBm

-16.90 dBm

-17.55 dBm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (0.1) Deccheck@css.com

Function

ndB down

O factor

ndB

Measuring...

**Function Result** 

TARATES A

1.2894 MHz

20.00 dB

1893.1

Report No.: ZR/2019/B002402 Page: 31 of 77



Date: 11.DEC.2019 07:26:46

4.5.2.9 8DPSK Highest Channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (0.1) Deccheck@css.com

Report No.: ZR/2019/B002402 Page: 32 of 77

#### Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) ANSI C63.10:2013 Section 7.8.2 Test Method: Spectrum Analyzer E.U.T re Test Setup: Non-Conducted Table Ground Reference Plane 2/3 of the 20dB bandwidth Limit: Remark: the transmission power is less than 0.125W. Exploratory Test Mode: Hopping transmitting with all kind of modulation and all kind of data type. Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, Final Test Mode: 2-DH5 of data type is the worst case of $\pi$ /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. Instruments Used: Refer to section 5.10 for details Test Results: Pass

### 4.6 Carrier Frequencies Separation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CN Depoched/Reflore and



> Report No.: ZR/2019/B002402 Page: 33 of 77


#### 4.6.1 Test Results

GFSK mode					
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result		
Middle	1003	668.6	Pass		
	π/4DQPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result		
Middle	1003	853.9	Pass		
	8DPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result		
Middle	1003	862.5	Pass		

Remark: According to section 6.4,

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)
GFSK	1002.9	668.6
π/4DQPSK	1280.8	853.9
8DPSK	1293.8	862.5

4.6.2 Test plots:




Date: 11.DEC.2019 07:37:21




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (0.1) Deccheck@css.com



Report No.: ZR/2019/B002402 Page: 34 of 77







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small.

Report No.: ZR/2019/B002402 Page: 35 of 77

#### Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) ANSI C63.10:2013 Section 7.8.3 Test Method: Spectrum Analyzer 000 000 000 E.U.T 10 Test Setup: Non-Conducted Table Ground Reference Plane Limit: At least 15 channels Test Mode: Hopping transmitting with all kind of modulation Instruments Used: Refer to section 5.10 for details **Test Results:** Pass

### 4.7 Hopping Channel Number


#### 4.7.1 Test Results

Mode	Hopping channel numbers	Limit
GFSK	79	≥15
π/4DQPSK	79	≥15
8DPSK	79	≥15




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines for the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and tester and subscins

Report No.: ZR/2019/B002402 Page: 36 of 77



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention report accentificate, please contactus at telephone: (86-755) 8307 1443; or email: CN-Doccheck@ags.com No.1Woldsed.extent, M-10, Muckhon, M-10,

> Report No.: ZR/2019/B002402 Page: 37 of 77



Date: 12 DEC 2019 03:05:11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: ZR/2019/B002402 Page: 38 of 77

## 4.8 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)					
Test Method:	ANSI C63.10:2013 Section 7.8.4					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane					
Instruments Used:	Refer to section 5.10 for details					
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.					
Limit:	0.4 Second					
Test Results:	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/

Report No.: ZR/2019/B002402 Page: 39 of 77

4.8.1 Test Results	
Operation Modes	On time (ms) on one channel
DH1	0.390
DH3	1.664
DH5	2.900
2-DH1	0.400
2-DH3	1.652
2-DH5	2.905
3-DH1	0.398
3-DH3	1.649
3-DH5	2.904

#### **Bluetooth Time of Occupancy Calculation**

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 2-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel\*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops \*2.905 ms/channel =309.88 ms(worst case dwell time for one channel in 1x/EDR modes)

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 2-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second \*8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.905 ms/channel=154.95 ms(worst case dwell time for one channel in AFH mode)




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.sapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or smail: **CM\_Doccheck@egs.com** 




Report No.: ZR/2019/B002402 Page: 40 of 77

4.8.2 Test plots

#### 4.8.2.1 DH1 \_Middle Channel



## 4.8.2.2 DH3 \_ Middle Channel



Date: 12 DEC 2019 05:37:25




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines of the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines contact with the times of the sample(s) are related for sole days only.




Report No.: ZR/2019/B002402 Page: 41 of 77

#### 4.8.2.3 DH5 \_ Middle Channel



#### 4.8.2.4 2DH1 \_Middle Channel



Date: 12 DEC 2019 05:36:32




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines of the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines contact with the times of the sample(s) are related for sole days only.




Report No.: ZR/2019/B002402 Page: 42 of 77

#### 4.8.2.5 2DH3 \_ Middle Channel



#### 4.8.2.6 2DH5 \_ Middle Channel



Date: 12 DEC 2019 05:45:51




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines of the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines contact with the times of the sample(s) are related for sole days only.




Report No.: ZR/2019/B002402 Page: 43 of 77

#### 4.8.2.7 3DH1 \_Middle Channel



#### 4.8.2.8 3DH3 \_ Middle Channel



Date: 12 DEC 2019 05:38:05




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443, http://www.strain.astructure.astru



Report No.: ZR/2019/B002402 Page: 44 of 77

#### 4.8.2.9 3DH5 Middle Channel



检验检测专用章 tion & Testing Services is Technical Se Co. Ltd SGS-CS Wal Services Laboratory.

Shenzhen Br

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to entor the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: ZR/2019/B002402 Page: 45 of 77

Test Requirement:	47 CFR Part 15C Section 15.247 (d)						
Test Method:	ANSI C63.10:2013 Section 7.8.6						
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane						
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.						
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type						
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of $\pi$ /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.						
Instruments Used:	Refer to section 5.10 for details						
Test Results:	Pass						

## 4.9 Band-edge for RF Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test and sub-sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CNDoccheck@csps.com** 




Report No.: ZR/2019/B002402 Page: 46 of 77

#### 4.9.1 Test plots



**₩** Spectrum Reflevel 21.00 dBm Offset 1.00 dB = RBW 100 kHz Att 30 dB 👄 SWT 10 ms 💩 VBW 300 kHz Mode Auto Sweep e 1Pk Viev M2[1] 53.78 dBn 2.39999000 GH 2.40419600 GHz M1[1] 10 dBm-0 dBm -10 dBm D1 -13 550 dBm -20 dBm -30 dBm Y. 40 dBm with the west of the -50 dBm 6h dbrok 70 dBm CF 2.4 GHz 1001 pts Span 10.0 MHz Measuring... Contractory of the local division of the loc E. Date: 12 DEC 2019 03:11:40

## 4.9.1.2 GFSK Lowest Channel Hopping OFF



Date: 12 DEC 2019 03:12:25




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

SGS SC Br


SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: ZR/2019/B002402 Page: 47 of 77



#### 4.9.1.3 GFSK \_Highest Channel\_ Hopping ON

4.9.1.4 GFSK \_Highest Channel\_ Hopping OFF



Date: 12 DEC 2019 03:19:32



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com

SGS SG

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: ZR/2019/B002402 Page: 48 of 77

# 4.9.1.5 π/4DQPSK \_Lowest Channel\_ Hopping ON

Spectrum Ref Level 21.00 dBm Offset 1.00 dB = RBW 100 kHz 30 dB 曼 SWT 10 ms 🖷 VBW 300 kHz Mode Auto Sweep Att 0 1Pk View M2[1] -52,41 dBn 2.39998000 GHz MIEII 5.54 dBr 10 dBm MI 2,40214800 GH 0 dBm -10 dBm-D1 -14,460 dBm -20 dBm -30 dBm Mult -40 dBm -50 dBm MM Marth HAR HARMAN -70 dBm Span 10.0 MHz 1001 pts CF 2.4 GHz Measuring... 

## 4.9.1.6 π/4DQPSK \_Lowest Channel\_ Hopping OFF

-Spectrum Offset 1.00 dB 🖷 RBW 100 kHz Ref Level 21.00 dBm Att 30 dB 曼 SWT 10 ms 👜 **VBW** 300 kHz Mode Auto Sweep 01Pk View M2[1] -50.76 dBm 2.39998000 GHz MILII 5.55 dBn 10 dBm MI 2.40216800 GHz 0 dBm -10 dBm D1 -14,450 dBm -20 dBm--30 dBm -40 dBm -50 dBm Health and all all the programme to be all the et della -70 dBm CF 2.4 GHz 1001 pts Span 10.0 MHz Measuring... an concertit 🖊

Date: 12 DEC 2019 03:12:58



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the aptroval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing a certain context of 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or email: (

Date: 12 DEC 2019 03:10:42

SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: ZR/2019/B002402 Page: 49 of 77

## 4.9.1.7 π/4DQPSK \_Highest Channel\_ Hopping ON

Spectrum Ref Level 21.00 dBm Offset 1.00 dB = RBW 100 kHz 30 dB 曼 SWT 10 ms 🖷 VBW 300 kHz Mode Auto Sweep Att 0 1Pk View M2[1] -57.45 dBn 2.48368000 GHz MILII 4.91 dBr 10 dBm 2.47897500 GH Queism A. Aler -10 dBm 01 -15.090 -20 dBm -30 dBm -40 dBm de.h -50 dBm howydry 10 -60 dBm -70 dBm-Span 10.0 MHz CF 2.4835 GHz 1001 pts Measuring...

#### 4.9.1.8 π/4DQPSK \_Highest Channel\_ Hopping OFF

**B** Spectrum Ref Level 21.00 dBm Offset 1.00 dB 🖷 RBW 100 kHz Att 30 dB 曼 SWT 10 ms 👜 **VBW** 300 kHz Mode Auto Sweep ●1Pk View M2[1] -56.85 dBm 2.48374000 GH MILII 5.48 dBn 10 dBm 2.47984400 GHz And 0 dBm -10 dBm 1 -14.520 -20 dBm -30 dBm 40 dBm -50 dBm on the design MS Munut -60 dBm -70 dBm 1001 pts CF 2.4835 GHz Span 10.0 MHz Measuring... 

Date: 12 DEC 2019 03:18:51



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443,

Date: 12 DEC 2019 03:22:18



> Report No.: ZR/2019/B002402 50 of 77 Page:




#### 4.9.1.9 8DPSK Lowest Channel Hopping ON

Date: 12 DEC 2019 03:09:19

4.9.1.10

## 8DPSK Lowest Channel Hopping OFF



Date: 12 DEC 2019 03:13:41




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com

SGS SC

4.9.1.11

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2019/B002402 Page: 51 of 77



## 4.9.1.12

#### 8DPSK \_Highest Channel\_ Hopping OFF



Date: 12 DEC 2019 03:16:18



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com



Report No.: ZR/2019/B002402 Page: 52 of 77

#### Test Requirement: 47 CFR Part 15C Section 15.247 (d) Test Method: ANSI C63.10:2013 Section 7.8.8 Spectrum Analyzer \_\_\_\_ E.U.T Test Setup: Non-Conducted Table Ground Reference Plane In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the Limit: 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Exploratory Test Mode: Non-hopping transmitting with all kind of modulation and all kind of data type Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, Final Test Mode: 2-DH5 of data type is the worst case of $\pi$ /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. Instruments Used: Refer to section 5.10 for details Pass Test Results:

## 4.10 Spurious RF Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: (80-755) e307 1443, or email: (80-755)




4.10.1

4.10.1.1

# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZR/2019/B002402 Page: 53 of 77



Date: 12 DEC 2019 03:34:34



#### **GFSK**\_Middle Channel



Date: 12 DEC 2019 03:33:58




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443,



4.10.1.3


# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2019/B002402 Page: 54 of 77



Date: 12 DEC 2019 03:30:50

## 4.10.1.4 π/4DQPSK \_Lowest Channel




Date: 12.DEC.2019 03:35:34



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) present of 30 days only. Attention: To check the authenticity at testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@cgs.com




Report No.: ZR/2019/B002402 Page: 55 of 77



#### 4.10.1.6

#### π/4DQPSK \_Highest Channel



Date: 12 DEC 2019 03:37:38




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443, or email:



4.10.1.7

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZR/2019/B002402 Page: 56 of 77



Date: 12 DEC.2019 03:40:16



#### 8DPSK \_Middle Channel



Date: 12.DEC.2019 03.39:44




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443, or email:



4.10.1.9

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2019/B002402 Page: 57 of 77



#### Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the August and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307



Report No.: ZR/2019/B002402 Page: 58 of 77

4.11 Naula	ted Spurious Emissi									
Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205									
Test Method:	ANSI C63.10: 2013									
Test Site:	Measurement Distance: 3m	or 10m (Semi-Anec	hoic Chaml	per)						
	Frequency	Detector	RBW	VBW	Remark					
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak					
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average					
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak					
Dessiver Cature	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak					
Receiver Setup:	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average					
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak					
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak					
	Above 1GHz	Peak	1MHz	3MHz	Peak					
		Peak	1MHz	10Hz	Average					
	Frequency	Field strength (microvolt/meter )	Limit (dBuV/ m )	Remark	Measuremen t distance (m)					
	0.009MHz-0.490MHz	2400/F(kHz)	/F(kHz) -		300					
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30					
	1.705MHz-30MHz	30	-	-	30					
	30MHz-88MHz	100	40.0	Quasi-peak	3					
Limit:	88MHz-216MHz	150	43.5	Quasi-peak	3					
	216MHz-960MHz	200	46.0	Quasi-peak	3					
	960MHz-1GHz	500	54.0	Quasi-peak	3					
	Above 1GHz	500	54.0	Average	3					
	Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.									


## 4.11 Radiated Spurious Emission



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itset and sub sample(s) are retained for 30 days only. Attention, to check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@egs.com



Report No.: ZR/2019/B002402 Page: 59 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



Report No.: ZR/2019/B002402 Page: 60 of 77

	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. Use the following spectrum analyzer settings:
	<ol> <li>Span shall wide enough to fully capture the emission being measured;</li> </ol>
	(2) Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz ; VBW≥RBW; Sweep = auto;
	Detector function = peak; Trace = max hold for peak
Test Procedure:	(3) For average measurement: use duty cycle correction factor method per 15.35(c).
	Duty cycle = On time/100 milliseconds On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	<ul> <li>g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</li> </ul>
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	<ul> <li>Test the EUT in the lowest channel (2402MHz), the middle channel (2441MHz), the Highest channel (2480MHz)</li> </ul>
	<ol> <li>The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.</li> </ol>
	k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type



Unless otherwise agreed in writing, this document is issued overleaf, available on request or accessible at http://www.sts.c. subject to Terms and Conditions for Electronic Documents at Attention is drawn to the limitation of liability, indemnification advised that information contained hereon reflects the Compa Glient's instructions, if any. The Company's sole responsibilit transaction from exercising all their rights and obligations un except in full, without prior written approval of the Company, appearance of this document is unlawful and offenders may be results shown in this test report refer only to the sample(s) tester Attention: To check the authenticity of testing /inspection et or email: CN_DoccheckBas.com	om/en/Tel http://www and jurisc ny's findir ty is to its der the tr Any unau prosecute d and such	rms-and-Conditions. w.sgs.com/en/Terms- liction issues define ligs at the time of its s Client and this do ansaction documeni uthorized alteration, ed to the fullest exte sample(s) are retai	aspx and, for electron and-Conditions/Term d therein. Any holde is intervention only ar iccument does not ex its. This document co forgery or falsificati nt of the law. Unless ned for 30 days only.	ic format documents, <u>ns-e-Document.aspx</u> , r of this document is d within the limits of ionerate parties to a annot be reproduced ion of the content or otherwise stated the
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China	518057	t (86-755) 26012053	f (86-755) 26710594	www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编:	518057	t (86-755) 26012053	f (86-755) 26710594	sgs.china@sgs.com




Report No.: ZR/2019/B002402 Page: 61 of 77

	Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass

## 4.11.1 Radiated Emission below 1GHz

Charge + Transmitting, Vertical




Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	35.2390	36.55	-29.88	40.00	3.45	100	51	Vertical		
2	46.1052	30.38	-30.41	40.00	9.62	100	77	Vertical		
3	93.6447	22.23	-33.11	43.50	21.27	100	18	Vertical		
4	132.8406	17.98	-35.21	43.50	25.52	100	83	Vertical		
5	728.5397	26.91	-18.84	46.00	19.09	100	341	Vertical		
6	999.6119	29.06	-14.80	54.00	24.94	100	191	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsing all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8



Report No.: ZR/2019/B002402 Page: 62 of 77




Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	35.4331	19.15	-29.82	40.00	20.85	200	31	Horizontal		
2	46.1052	17.86	-30.41	40.00	22.14	100	326	Horizontal		
3	93.6447	20.62	-33.11	43.50	22.88	200	301	Horizontal		
4	311.3563	20.19	-27.94	46.00	25.81	100	245	Horizontal		
5	728.7337	26.38	-18.83	46.00	19.62	200	205	Horizontal		
6	992.6265	28.04	-14.89	54.00	25.96	100	343	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to extone the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) isseld and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (8.1.0.Doccheck@gas.com)



Report No.: ZR/2019/B002402 Page: 63 of 77




Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2976.9942	56.91	11.73	74.00	17.09	150	127	Vertical		
2	2976.9942	45.73	11.73	54.00	8.27	150	209	Vertical		
3	4804.0000	33.10	-14.99	54.00	20.90	150	156	Vertical		
4	4804.0000	44.02	-14.99	74.00	29.98	150	156	Vertical		
5	7206.0000	50.54	-7.05	74.00	23.46	150	129	Vertical		
6	7206.0000	38.45	-7.05	54.00	15.55	150	18	Vertical		
7	17596.979	47.70	4.27	54.00	6.30	150	144	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the aptroval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing a certain context of 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or email: (



Report No.: ZR/2019/B002402 Page: 64 of 77




Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2929.9825	57.10	11.54	74.00	16.90	150	58	Vertical	
2	2994.9988	46.00	11.80	54.00	8.00	150	357	Vertical	
3	4882.0000	33.21	-14.64	54.00	20.79	150	316	Vertical	
4	4882.0000	44.84	-14.64	74.00	29.16	150	127	Vertical	
5	7323.0000	51.49	-6.15	74.00	22.51	150	181	Vertical	
6	7323.0000	39.94	-6.15	54.00	14.06	150	72	Vertical	
7	17612.480	46.83	4.07	54.00	7.17	150	292	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the aptroval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing a certain context of 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or email: (



Report No.: ZR/2019/B002402 Page: 65 of 77



Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2994.4986	57.25	11.80	74.00	16.75	150	72	Vertical	
2	2994.9988	45.94	11.80	54.00	8.06	150	333	Vertical	
3	4960.0000	32.99	-14.23	54.00	21.01	150	261	Vertical	
4	4960.0000	44.39	-14.23	74.00	29.61	150	153	Vertical	
5	7440.0000	51.60	-5.89	74.00	22.40	150	288	Vertical	
6	7440.0000	40.87	-5.89	54.00	13.13	150	288	Vertical	
7	17545.977	47.67	3.56	54.00	6.33	150	95	Vertical	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the aptroval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing a certain context of 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or email: (

SGS SG

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2019/B002402 Page: 66 of 77




Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2970.4926	45.77	11.70	54.00	8.23	150	96	Horizontal		
2	2984.4961	56.61	11.76	74.00	17.39	150	152	Horizontal		
3	4804.0000	32.64	-14.99	54.00	21.36	150	265	Horizontal		
4	4804.0000	43.07	-14.99	74.00	30.93	150	49	Horizontal		
5	7206.0000	49.56	-7.05	74.00	24.44	150	18	Horizontal		
6	7206.0000	38.76	-7.05	54.00	15.24	150	291	Horizontal		
7	17920.496	47.46	2.49	54.00	6.54	150	292	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN\_Doccheck@ess.com** 

Report No.: ZR/2019/B002402 Page: 67 of 77




Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2983.4959	45.74	11.75	54.00	8.26	150	137	Horizontal	
2	2998.4996	57.54	11.81	74.00	16.46	150	137	Horizontal	
3	4882.0000	44.47	-14.64	74.00	29.53	150	342	Horizontal	
4	4882.0000	33.32	-14.64	54.00	20.68	150	315	Horizontal	
5	7323.0000	52.24	-6.15	74.00	21.76	150	18	Horizontal	
6	7323.0000	40.33	-6.15	54.00	13.67	150	18	Horizontal	
7	17606.480	47.55	4.18	54.00	6.45	150	240	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the aptroval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing a certain context of 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or email: (

Report No.: ZR/2019/B002402 Page: 68 of 77



Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2944.4861	57.91	11.60	74.00	16.09	150	166	Horizontal		
2	2997.4994	45.87	11.81	54.00	8.13	150	289	Horizontal		
3	4960.0000	33.41	-14.23	54.00	20.59	150	160	Horizontal		
4	4960.0000	43.79	-14.23	74.00	30.21	150	133	Horizontal		
5	7440.0000	51.81	-5.89	74.00	22.19	150	323	Horizontal		
6	7440.0000	41.15	-5.89	54.00	12.85	150	351	Horizontal		
7	17636.981	47.14	3.59	54.00	6.86	150	193	Horizontal		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All Modes have been tested, but only the worst case data displayed in this report.




	Unless otherwise agreed in writing, this document is issued by the C overleaf, available on request or accessible at http://www.sgs.com/en/Te subject to Terms and Conditions for Electronic Documents at http://ww Attention is drawn to the limitation of liability, indemnification and juris advised that information contained hereon reflects the Company's find Client's instructions, if any. The Company's sole responsibility is to it transaction from exercising all their rights and obligations under the t except in full, without prior written approval of the Company. Any una appearance of this document is unlawful and offenders may be prosecu results shown in this test report refer only to the sample(s) lested and suc Attention: To check the authenticity of testing /inspection report ac	rms-and-Conditions.aspx and, for electron w.gas.com/en/Terms-and-Conditions/Terr diction issues defined therein. Any holde ngs at the time of its intervention only a is Client and this document does not e: ransaction documents. This document uthorized alteration, forgery or falsificat ied to the fullest extent of the law. Unless h sample(s) are retained for 30 days only.	hic format documents, ns-e-Document.aspx, or of this document is nd within the limits of conerate parties to a annot be reproduced ion of the content or otherwise stated the	
Co.,Ltd.	or email: CN. Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057	t (86-755) 26012053 f (86-755) 26710594	www.sgsgroup.com.cn	
nation/	中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057	t (86-755) 26012053 f (86-755) 26710594	sas.china@sas.com	



Report No.: ZR/2019/B002402 Page: 69 of 77

## 4.12 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section	n 15.209 and 15.205							
Test Method:	ANSI C63.10: 2013								
Test Site:	Measurement Distance:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)							
	Frequency	Limit (dBuV/m @3m)	Remark						
	30MHz-88MHz	40.0	Quasi-peak Value						
	88MHz-216MHz	43.5	Quasi-peak Value						
Limit:	216MHz-960MHz	46.0	Quasi-peak Value						
	960MHz-1GHz	54.0	Quasi-peak Value						
	Above 1GHz	54.0	Average Value						
	Above IGHZ	74.0	Peak Value						
Test Setup:									





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email:




Report No.: ZR/2019/B002402 Page: 70 of 77

Test Procedure:	<ul> <li>a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.</li> <li>d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.</li> <li>e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.</li> <li>f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</li> <li>g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel</li> <li>h. Test the EUT in the lowest channel , the Highest channel</li> <li>i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.</li> <li>j. Repeat above procedures until all frequencies measured was complete.</li> </ul>		
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.		
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443, or email: (

Report No.: ZR/2019/B002402 Page: 71 of 77




Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2362.1021	35.62	9.61	54.00	18.38	150	152	Vertical		
2	2378.9189	49.39	9.63	74.00	24.61	150	74	Vertical		
3	2390.0000	35.39	9.65	54.00	18.61	150	309	Vertical		
4	2390.0000	48.87	9.65	74.00	25.13	150	260	Vertical		
5	2402.0000	96.14	9.67	74.00	-22.14	150	292	Vertical		
6	2402.0000	95.80	9.67	54.00	-41.80	150	292	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

Report No.: ZR/2019/B002402 Page: 72 of 77




NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.0000	96.14	10.09	74.00	-22.14	150	325	Vertical
2	2480.0000	95.92	10.09	54.00	-41.92	150	320	Vertical
3	2483.5000	30.43	10.10	54.00	23.57	150	243	Vertical
4	2484.0920	44.29	10.10	74.00	29.71	150	292	Vertical
5	2488.3442	30.33	10.11	54.00	23.67	150	292	Vertical
6	2493.5468	43.64	10.13	74.00	30.36	150	96	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443,

Report No.: ZR/2019/B002402 Page: 73 of 77




Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2362.1021	35.45	9.61	54.00	18.55	150	299	Horizontal		
2	2372.6126	49.98	9.62	74.00	24.02	150	92	Horizontal		
3	2390.0000	36.10	9.65	54.00	17.90	150	211	Horizontal		
4	2390.0000	47.92	9.65	74.00	26.08	150	120	Horizontal		
5	2402.0000	105.97	9.67	74.00	-31.97	150	215	Horizontal		
6	2402.0000	105.56	9.67	54.00	-51.56	150	215	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: ZR/2019/B002402 Page: 74 of 77



#### 4.12.1.4 Worst Case Mode (GFSK(DH5)) \_Highest Channel \_ Horizontal

Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.0000	105.57	10.09	74.00	-31.57	150	209	Horizontal		
2	2480.0000	105.35	10.09	54.00	-51.35	150	215	Horizontal		
3	2484.1421	48.51	10.10	74.00	25.49	150	209	Horizontal		
4	2484.5423	37.41	10.10	54.00	16.59	150	209	Horizontal		
5	2495.2976	44.13	10.13	74.00	29.87	150	346	Horizontal		
6	2498.4993	30.39	10.15	54.00	23.61	150	78	Horizontal		

#### Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email CO Doccheck@come.



Report No.: ZR/2019/B002402 Page: 75 of 77

## 5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty		
1	Total RF power, conducted	±0.75dB		
2	RF power density, conducted	±2.84dB		
3	Spurious emissions, conducted	±0.75dB		
4	Redicted Spurious omission test	±4.5dB (30MHz-1GHz)		
4	Radiated Spurious emission test	±4.8dB (1GHz-25GHz)		
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)		
6	Temperature test	±1°C		
7	Humidity test	±3%		
8	DC and low frequency voltages	±0.5%		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: ZR/2019/B002402 Page: 76 of 77

# 6 Equipment List

Conducted Emission										
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate					
rest Equipment	Manufacturer	Model No.	inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)					
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2017/5/10	2020/5/9					
LISN	Rohde & Schwarz	ENV216	SEM007-01	2019/7/14	2020/7/14					
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2019/4/1	2020/3/31					
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A					
Coaxial Cable	SGS	N/A	SEM024-01	2019/6/12	2020/6/11					
2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN-T2-02	EMC0122	2019/2/11	2020/2/10					
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2019/3/2	2020/3/1					

RF conducted test							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate		
				(yyyy-mm-dd)	(yyyy-mm-dd)		
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2019/7/15	2020/7/15		
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2019/1/13	2020/1/12		
Coaxial Cable	SGS	N/A	SEM031-01	2019/6/12	2020/6/11		
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A		
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2019/7/14	2020/7/14		
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2019/10/27	2020/10/27		
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2019/7/14	2020/7/14		
RE in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date		
Test Equipment				(yyyy-mm-dd)	(yyyy-mm-dd)		
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2017/8/5	2020/8/4		
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM025-01	2019/6/12	2020/6/11		
MXE EMI Receiver (20Hz- 8.4GHz)	Agilent Technologies	N9038A	SEM004-05	2019/7/14	2020/7/14		
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2017/6/27	2020/6/26		
Pre-amplifier (0.1-1.3GHz)	Agilent Technologies	8447D	SEM005-01	2019/3/2	2020/3/1		

RE in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date		
				(yyyy-mm-dd)	(yyyy-mm-dd)		
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12		
Measurement Software	AUDIX	e3V8.2014-6-27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM026-01	2019/6/12	2020/6/11		
EXA Signal Analyzer (10Hz- 26.5GHz)	Agilent Technologies Inc	N9010A	SEM004-09	2019/3/12	2020/3/11		
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26		
Horn Antenna (0.8-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12		
Pre-amplifier(0.1-1.3GHz)	HP	8447D	SEM005-02	2019/7/14	2020/7/14		
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2019/9/3	2020/9/2		
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16		
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2019/3/2	2020/3/1		
Band filter	N/A	N/A	SEM023-01	N/A	N/A		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itset and sub sample(s) are retained for 30 days only. Attention, to check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@egs.com



Report No.: ZR/2019/B002402 Page: 77 of 77

RE in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)		
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30		
EMI Test Receiver (9k-7GHz)	Rohde & Schwarz	ESR	SEM004-03	2019/3/2	2020/3/1		
Trilog-Broadband Antenna(25M- 2GHz)	Schwarzbeck	VULB9168	SEM003-18	2018/3/15	2020/3/14		
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2019/3/12	2020/3/11		
Loop Antenna (9kHz-30MHz)	ETS-Lindgren	6502	SEM003-08	2017/8/22	2020/8/21		
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM029-01	2019/6/12	2020/6/11		

## 7 Photographs

Refer to Appendix A - Photographs of Set-up for ZR/2019/B0024.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: