

5 Band Edges Compliance
Test result

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
12	699.7	23017	1.4	1	0	Fig.1
				6	0	Fig.2
	715.3	23173		1	5	Fig.3
				6	0	Fig.4
	700.5	23025	3	1	0	Fig.5
				15	0	Fig.6
	714.5	23165		1	14	Fig.7
				15	0	Fig.8
	701.5	23035	5	1	0	Fig.9
				25	0	Fig.10
	713.5	23155		1	24	Fig.11
				25	0	Fig.12
	704	23060	10	1	0	Fig.13
				50	0	Fig.14
	711	23130		1	49	Fig.15
				50	0	Fig.16




Fig.1



Fig.2



Fig.3



Fig.4




Fig.5




Fig.6



Fig.7



Fig.8




Fig.9




Fig.10




Fig.11



Fig.12




Fig.13




Fig.14




Fig.15



Fig.16

6 Frequency Stability

Test result:

Temperature(°C)	Voltage	Test Result (ppm) Band12 Low Channel			
		1.4M	3M	5M	10M
0	NV	-0.042	-0.056	-0.090	0.066
+10	NV	0.064	-0.014	-0.059	-0.022
+20	NV	0.000	0.000	0.000	0.000
+30	NV	0.001	-0.090	0.100	0.044
+40	NV	0.065	0.081	-0.090	-0.092
+50	NV	0.041	-0.094	-0.093	-0.057
+55	NV	-0.085	-0.055	0.018	-0.050
+20	LV	-0.034	0.035	-0.037	-0.097
+20	HV	0.003	0.048	-0.091	-0.096

Temperature(°C)	Voltage	Test Result (ppm) Band12 High Channel			
		1.4M	3M	5M	10M
0	NV	-0.006	0.073	0.097	0.028
+10	NV	0.051	0.098	-0.081	-0.065
+20	NV	0.000	0.000	0.000	0.000
+30	NV	0.091	0.075	-0.062	-0.100
+40	NV	-0.048	-0.076	0.022	0.087
+50	NV	-0.100	0.045	-0.075	-0.007
+55	NV	0.002	-0.041	0.059	-0.079
+20	LV	-0.098	-0.066	-0.079	0.028
+20	HV	0.028	-0.005	0.096	0.029

APPENDIX B – TEST DATA OF RADIATED EMISSION

The measurement results are obtained as described below:

Peak EIRP = P_{mea} + P_{ca} Cable loss+ G_a Antenna Gain

Sample calculation: (24.57 dBm) = (19.77 dBm) + (-3.8 dB) + (8.6 dB), the corresponding frequency is 1851.5MHz.

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss(dB)	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1851.5	24.57	-3.8	8.6	19.77	Vertical

LTE band 2

Test result:

band	Modulation	BW (MHz)	Channel	RB/ RB offset	EIRP/ERP (dBm)	EIRP/ERP (W)
Band2	QPSK	1.4	18607	1#0	23.64	0.23
Band2	QPSK	1.4	18900	1#0	24.35	0.27
Band2	QPSK	1.4	19193	1#0	23.90	0.25
Band2	16QAM	1.4	18607	1#0	23.62	0.23
Band2	16QAM	1.4	18900	1#0	23.49	0.22
Band2	16QAM	1.4	19193	1#0	23.28	0.21
Band2	64QAM	1.4	18607	1#0	23.47	0.22
Band2	64QAM	1.4	18900	1#0	22.96	0.20
Band2	64QAM	1.4	19193	1#0	24.01	0.25
Band2	QPSK	3	18615	1#0	23.97	0.25
Band2	QPSK	3	18900	1#0	24.11	0.26
Band2	QPSK	3	19185	1#0	23.82	0.24
Band2	16QAM	3	18615	1#0	23.24	0.25
Band2	16QAM	3	18900	1#0	22.95	0.20
Band2	16QAM	3	19185	1#0	23.84	0.24
Band2	64QAM	3	18615	1#0	23.89	0.24
Band2	64QAM	3	18900	1#0	23.15	0.21
Band2	64QAM	3	19185	1#0	23.37	0.22
Band2	QPSK	5	18625	1#0	23.45	0.22
Band2	QPSK	5	18900	1#0	23.51	0.22
Band2	QPSK	5	19175	1#0	23.62	0.23
Band2	16QAM	5	18625	1#0	23.71	0.23
Band2	16QAM	5	18900	1#0	23.02	0.20
Band2	16QAM	5	19175	1#0	23.73	0.24
Band2	64QAM	5	18625	1#0	23.36	0.22
Band2	64QAM	5	18900	1#0	23.27	0.21
Band2	64QAM	5	19175	1#0	23.98	0.25
Band2	QPSK	10	18650	1#0	23.64	0.23
Band2	QPSK	10	18900	1#0	24.03	0.25
Band2	QPSK	10	19150	1#0	24.11	0.26

Band2	16QAM	10	18650	1#0	23.97	0.25
Band2	16QAM	10	18900	1#0	23.51	0.22
Band2	16QAM	10	19150	1#0	23.96	0.25
Band2	64QAM	10	18650	1#0	23.65	0.23
Band2	64QAM	10	18900	1#0	22.74	0.19
Band2	64QAM	10	19150	1#0	23.82	0.24
Band2	QPSK	15	18675	1#0	24.30	0.27
Band2	QPSK	15	18900	1#0	23.67	0.23
Band2	QPSK	15	19125	1#0	23.85	0.24
Band2	16QAM	15	18675	1#0	23.99	0.25
Band2	16QAM	15	18900	1#0	23.25	0.21
Band2	16QAM	15	19125	1#0	23.35	0.22
Band2	64QAM	15	18675	1#0	23.90	0.25
Band2	64QAM	15	18900	1#0	23.73	0.24
Band2	64QAM	15	19125	1#0	24.02	0.25
Band2	QPSK	20	18700	1#0	23.95	0.25
Band2	QPSK	20	18900	1#0	24.57	0.29
Band2	QPSK	20	19100	1#0	24.06	0.25
Band2	16QAM	20	18700	1#0	23.79	0.25
Band2	16QAM	20	18900	1#0	23.53	0.23
Band2	16QAM	20	19100	1#0	23.90	0.25
Band2	64QAM	20	18700	1#0	23.92	0.25
Band2	64QAM	20	18900	1#0	23.78	0.24
Band2	64QAM	20	19100	1#0	23.58	0.23

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1851.5	24.57	-3.8	8.6	19.77	Vertical
1880.0	24.35	-3.8	8.6	19.55	Vertical
1907.5	24.78	-3.8	8.6	19.98	Vertical

Test result:
Channel 18615

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2463.10	-48.43	-13	Vertical
2780.62	-46.88	-13	Vertical
3726.55	-40.93	-13	Horizontal
6675.57	-40.35	-13	Vertical
9962.92	-36.98	-13	Vertical
17821.46	-34.32	-13	Vertical

Channel 18900

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2459.15	-48.71	-13	Vertical
2779.40	-48.31	-13	Vertical
3724.82	-40.89	-13	Vertical
6676.82	-39.02	-13	Horizontal
9962.00	-37.87	-13	Vertical
17817.98	-33.92	-13	Vertical

Channel 19175

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2458.00	-49.04	-13	Vertical
2779.54	-47.42	-13	Vertical
3729.85	-41.37	-13	Vertical
6677.24	-39.66	-13	Vertical
9962.08	-37.50	-13	Vertical
17823.97	-33.92	-13	Vertical

LTE band 4
Test result:

band	Modulation	BW (MHz)	Channel	RB/ RB offset	EIRP/ERP (dBm)	EIRP/ERP (W)
Band4	QPSK	1.4	19957	1#0	24.37	0.27
Band4	QPSK	1.4	20175	1#0	23.83	0.24
Band4	QPSK	1.4	20393	1#0	23.66	0.23
Band4	16QAM	1.4	19957	1#0	23.18	0.21
Band4	16QAM	1.4	20175	1#0	23.99	0.25
Band4	16QAM	1.4	20393	1#0	23.88	0.24
Band4	64QAM	1.4	19957	1#0	23.45	0.22
Band4	64QAM	1.4	20175	1#0	23.76	0.24
Band4	64QAM	1.4	20393	1#0	23.85	0.24
Band4	QPSK	3	19965	1#0	23.90	0.25
Band4	QPSK	3	20175	1#0	23.58	0.23
Band4	QPSK	3	20385	1#0	23.33	0.22
Band4	16QAM	3	19965	1#0	23.17	0.21
Band4	16QAM	3	20175	1#0	23.67	0.23
Band4	16QAM	3	20385	1#0	23.79	0.24
Band4	64QAM	3	19965	1#0	23.70	0.23
Band4	64QAM	3	20175	1#0	23.27	0.21
Band4	64QAM	3	20385	1#0	23.62	0.23
Band4	QPSK	5	19975	1#0	23.80	0.24
Band4	QPSK	5	20175	1#0	23.74	0.24
Band4	QPSK	5	20375	1#0	23.29	0.21
Band4	16QAM	5	19975	1#0	23.25	0.21
Band4	16QAM	5	20175	1#0	23.85	0.24
Band4	16QAM	5	20375	1#0	23.45	0.22
Band4	64QAM	5	19975	1#0	22.94	0.20
Band4	64QAM	5	20175	1#0	23.40	0.22
Band4	64QAM	5	20375	1#0	23.21	0.21
Band4	QPSK	10	20000	1#0	23.78	0.24
Band4	QPSK	10	20175	1#0	23.82	0.24
Band4	QPSK	10	20350	1#0	24.06	0.25
Band4	16QAM	10	20000	1#0	23.13	0.21
Band4	16QAM	10	20175	1#0	23.42	0.22
Band4	16QAM	10	20350	1#0	23.77	0.24
Band4	64QAM	10	20000	1#0	23.83	0.24
Band4	64QAM	10	20175	1#0	23.59	0.23
Band4	64QAM	10	20350	1#0	23.43	0.22
Band4	QPSK	15	20025	1#0	24.27	0.27
Band4	QPSK	15	20175	1#0	23.46	0.22
Band4	QPSK	15	20325	1#0	24.07	0.25
Band4	16QAM	15	20025	1#0	23.40	0.22
Band4	16QAM	15	20175	1#0	23.83	0.24
Band4	16QAM	15	20325	1#0	23.69	0.23

Band4	64QAM	15	20025	1#0	23.65	0.23
Band4	64QAM	15	20175	1#0	23.34	0.22
Band4	64QAM	15	20325	1#0	23.83	0.24
Band4	QPSK	20	20050	1#0	24.04	0.25
Band4	QPSK	20	20175	1#0	23.97	0.25
Band4	QPSK	20	20300	1#0	23.24	0.21
Band4	16QAM	20	20050	1#0	23.20	0.21
Band4	16QAM	20	20175	1#0	23.45	0.22
Band4	16QAM	20	20300	1#0	23.51	0.22
Band4	64QAM	20	20050	1#0	23.01	0.20
Band4	64QAM	20	20175	1#0	23.29	0.21
Band4	64QAM	20	20300	1#0	23.99	0.25

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1710.7	24.67	-3.8	8.6	19.87	Vertical
1732.5	24.45	-3.8	8.6	19.65	Vertical
1754.3	23.98	-3.8	8.6	19.18	Vertical

Test result:

Channel 19957

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2457.05	-49.13	-13	Vertical
2779.14	-48.09	-13	Vertical
3726.19	-41.25	-13	Vertical
6677.94	-39.68	-13	Vertical
9962.20	-38.08	-13	Horizontal
17820.30	-33.95	-13	Horizontal

Channel 20175

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2462.77	-49.26	-13	Horizontal
2778.69	-47.38	-13	Vertical
3726.62	-41.06	-13	Vertical
6676.06	-39.79	-13	Vertical
9959.26	-37.28	-13	Vertical
17819.06	-33.86	-13	Vertical

Channel 20393

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2461.25	-48.67	-13	Vertical
2780.51	-48.05	-13	Vertical
3726.12	-41.17	-13	Vertical
6677.10	-39.47	-13	Vertical
9964.38	-36.46	-13	Vertical

17818.84	-33.55	-13	Horizontal
----------	--------	-----	------------

LTE band 5
Test result:

band	Modulation	BW (MHz)	Channel	RB/ RB offset	EIRP/ERP (dBm)	EIRP/ERP (W)
Band5	QPSK	1.4	20407	1#0	23.29	0.21
Band5	QPSK	1.4	20525	1#0	22.77	0.19
Band5	QPSK	1.4	20643	1#0	23.36	0.22
Band5	16QAM	1.4	20407	1#0	22.94	0.20
Band5	16QAM	1.4	20525	1#0	23.26	0.21
Band5	16QAM	1.4	20643	1#0	22.90	0.19
Band5	64QAM	1.4	20407	1#0	22.89	0.19
Band5	64QAM	1.4	20525	1#0	23.00	0.20
Band5	64QAM	1.4	20643	1#0	23.05	0.20
Band5	QPSK	3	20415	1#0	23.60	0.23
Band5	QPSK	3	20525	1#0	23.45	0.22
Band5	QPSK	3	20635	1#0	23.02	0.20
Band5	16QAM	3	20415	1#0	22.81	0.19
Band5	16QAM	3	20525	1#0	23.19	0.21
Band5	16QAM	3	20635	1#0	22.63	0.18
Band5	64QAM	3	20415	1#0	23.19	0.21
Band5	64QAM	3	20525	1#0	22.91	0.20
Band5	64QAM	3	20635	1#0	22.31	0.17
Band5	QPSK	5	20425	1#0	23.73	0.24
Band5	QPSK	5	20525	1#0	23.25	0.21
Band5	QPSK	5	20625	1#0	23.21	0.21
Band5	16QAM	5	20425	1#0	22.93	0.20
Band5	16QAM	5	20525	1#0	22.86	0.19
Band5	16QAM	5	20625	1#0	23.02	0.20
Band5	64QAM	5	20425	1#0	23.31	0.21
Band5	64QAM	5	20525	1#0	23.04	0.20
Band5	64QAM	5	20625	1#0	23.09	0.20
Band5	QPSK	10	20450	1#0	23.85	0.24
Band5	QPSK	10	20525	1#0	22.92	0.20
Band5	QPSK	10	20600	1#0	23.51	0.22
Band5	16QAM	10	20450	1#0	23.23	0.21
Band5	16QAM	10	20525	1#0	23.30	0.21
Band5	16QAM	10	20600	1#0	23.08	0.20
Band5	64QAM	10	20450	1#0	23.43	0.22
Band5	64QAM	10	20525	1#0	22.82	0.19
Band5	64QAM	10	20600	1#0	23.15	0.21

Frequency (MHz)	Peak ERP (dBm)	PcaCable loss(dB)	Ga Antenna Gain (dB)	Correction (dB)	Pmea (dBm)	Polarization
824.0	22.45	-3.4	8.3	2.15	19.70	Vertical
836.5	21.95	-3.4	8.3	2.15	19.20	Vertical
848.9	22.90	-3.4	8.3	2.15	20.15	Vertical

Test result:
Channel 20400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1645.25	-52.28	-13	Vertical
1665.43	-50.61	-13	Vertical
2535.68	-43.85	-13	Horizontal
2577.01	-44.25	-13	Vertical
8964.68	-39.51	-13	Horizontal
9972.21	-36.98	-13	Vertical

Channel 20525

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.11	-53.60	-13	Horizontal
1668.92	-51.34	-13	Vertical
2533.45	-44.26	-13	Vertical
2575.11	-44.32	-13	Vertical
8964.31	-39.56	-13	Vertical
9971.54	-35.54	-13	Vertical

Channel 20649

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.95	-53.30	-13	Vertical
1667.72	-51.01	-13	Horizontal
2537.83	-44.36	-13	Horizontal
2577.92	-44.04	-13	Vertical
8963.51	-39.97	-13	Vertical
9972.32	-36.01	-13	Vertical

LTE band 7
Test result:

band	Modulation	BW (MHz)	Channel	RB/ RB offset	EIRP/ERP (dBm)	EIRP/ERP (W)
Band7	QPSK	5	20775	1#0	24.14	0.26
Band7	QPSK	5	21100	1#0	23.27	0.21
Band7	QPSK	5	21425	1#0	24.07	0.26
Band7	16QAM	5	20775	1#0	23.09	0.20
Band7	16QAM	5	21100	1#0	22.91	0.20
Band7	16QAM	5	21425	1#0	23.96	0.25
Band7	64QAM	5	20775	1#0	23.96	0.25
Band7	64QAM	5	21100	1#0	23.53	0.23
Band7	64QAM	5	21425	1#0	23.87	0.24
Band7	QPSK	10	20800	1#0	23.86	0.24
Band7	QPSK	10	21100	1#0	23.84	0.24
Band7	QPSK	10	21400	1#0	23.40	0.22
Band7	16QAM	10	20800	1#0	23.80	0.24
Band7	16QAM	10	21100	1#0	22.96	0.20
Band7	16QAM	10	21400	1#0	23.89	0.24
Band7	64QAM	10	20800	1#0	23.33	0.22
Band7	64QAM	10	21100	1#0	23.49	0.22
Band7	64QAM	10	21400	1#0	23.57	0.23
Band7	QPSK	15	20825	1#0	23.39	0.22
Band7	QPSK	15	21100	1#0	23.95	0.25
Band7	QPSK	15	21375	1#0	23.52	0.22
Band7	16QAM	15	20825	1#0	23.60	0.23
Band7	16QAM	15	21100	1#0	23.71	0.24
Band7	16QAM	15	21375	1#0	23.23	0.21
Band7	64QAM	15	20825	1#0	23.25	0.21
Band7	64QAM	15	21100	1#0	23.78	0.24
Band7	64QAM	15	21375	1#0	23.20	0.21
Band7	QPSK	20	20850	1#0	24.17	0.26
Band7	QPSK	20	21100	1#0	24.24	0.27
Band7	QPSK	20	21350	1#0	23.79	0.24
Band7	16QAM	20	20850	1#0	23.92	0.25
Band7	16QAM	20	21100	1#0	23.70	0.23
Band7	16QAM	20	21350	1#0	24.03	0.25
Band7	64QAM	20	20850	1#0	23.60	0.23
Band7	64QAM	20	21100	1#0	23.31	0.21
Band7	64QAM	20	21350	1#0	23.21	0.21

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
2502.5	23.41	-2.6	7.5	18.51	Vertical
2535	24.86	-2.6	7.5	19.96	Vertical
2560	23.67	-2.6	7.5	18.77	Vertical

Test result:

Channel 20775

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2460.11	-49.22	-25	Horizontal
2779.45	-47.62	-25	Vertical
3727.73	-40.39	-25	Vertical
6675.47	-39.56	-25	Vertical
9962.80	-37.85	-25	Vertical
17821.00	-33.68	-25	Vertical

Channel 21100

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2460.49	-49.75	-25	Vertical
2779.39	-47.75	-25	Horizontal
3725.88	-41.32	-25	Vertical
6679.55	-39.08	-25	Vertical
9962.13	-38.13	-25	Horizontal
17823.34	-33.39	-25	Vertical

Channel 21350

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2459.97	-48.40	-25	Vertical
2780.48	-47.21	-25	Vertical
3729.88	-41.28	-25	Vertical
6677.56	-39.30	-25	Horizontal
9963.80	-37.18	-25	Horizontal
17821.09	-33.48	-25	Vertical

LTE band 12
Test result:

band	Modulation	BW (MHz)	Channel	RB/ RB offset	EIRP/ERP (dBm)	EIRP/ERP (W)
Band12	QPSK	1.4	23017	1#0	23.68	0.23
Band12	QPSK	1.4	23095	1#0	23.19	0.21
Band12	QPSK	1.4	23173	1#0	23.63	0.23
Band12	16QAM	1.4	23017	1#0	23.06	0.20
Band12	16QAM	1.4	23095	1#0	23.11	0.20
Band12	16QAM	1.4	23173	1#0	23.36	0.22
Band12	64QAM	1.4	23017	1#0	22.98	0.20
Band12	64QAM	1.4	23095	1#0	22.43	0.17
Band12	64QAM	1.4	23173	1#0	22.99	0.20
Band12	QPSK	3	23025	1#0	23.13	0.21
Band12	QPSK	3	23095	1#0	22.94	0.20
Band12	QPSK	3	23165	1#0	23.26	0.21
Band12	16QAM	3	23025	1#0	23.01	0.20
Band12	16QAM	3	23095	1#0	23.38	0.22
Band12	16QAM	3	23165	1#0	22.68	0.19
Band12	64QAM	3	23025	1#0	23.53	0.23
Band12	64QAM	3	23095	1#0	23.30	0.21
Band12	64QAM	3	23165	1#0	22.60	0.18
Band12	QPSK	5	23035	1#0	23.76	0.24
Band12	QPSK	5	23095	1#0	23.43	0.22
Band12	QPSK	5	23155	1#0	23.25	0.21
Band12	16QAM	5	23035	1#0	22.75	0.19
Band12	16QAM	5	23095	1#0	23.28	0.21
Band12	16QAM	5	23155	1#0	22.78	0.19
Band12	64QAM	5	23035	1#0	23.13	0.21
Band12	64QAM	5	23095	1#0	23.25	0.21
Band12	64QAM	5	23155	1#0	23.29	0.21
Band12	QPSK	10	23060	1#0	23.20	0.21
Band12	QPSK	10	23095	1#0	23.55	0.23
Band12	QPSK	10	23130	1#0	23.06	0.20
Band12	16QAM	10	23060	1#0	23.49	0.22
Band12	16QAM	10	23095	1#0	23.44	0.22
Band12	16QAM	10	23130	1#0	22.94	0.20
Band12	64QAM	10	23060	1#0	22.93	0.20
Band12	64QAM	10	23095	1#0	23.11	0.20
Band12	64QAM	10	23130	1#0	23.12	0.21

Frequency (MHz)	Peak ERP (dBm)	PcaCable loss(dB)	Ga Antenna Gain (dB)	Correction (dB)	Pmea (dBm)	Polarization
698.0	21.51	-3.4	8.3	2.15	18.76	Vertical
707.0	22.41	-3.4	8.3	2.15	19.66	Vertical
715.9	21.51	-3.4	8.3	2.15	18.76	Vertical

Test result:
Channel 23000

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.42	-53.04	-13	Horizontal
1667.36	-50.93	-13	Vertical
2533.39	-44.43	-13	Horizontal
2579.71	-44.33	-13	Vertical
8963.51	-38.93	-13	Vertical
9969.46	-36.24	-13	Vertical

Channel 23090

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.30	-53.53	-13	Vertical
1664.91	-51.27	-13	Vertical
2534.73	-44.60	-13	Horizontal
2574.81	-43.95	-13	Horizontal
8959.16	-39.19	-13	Vertical
9972.24	-36.51	-13	Vertical

Channel 23179

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.86	-52.71	-13	Vertical
1664.59	-51.18	-13	Vertical
2536.71	-44.56	-13	Vertical
2574.15	-43.75	-13	Horizontal
8962.64	-39.37	-13	Horizontal
9973.10	-36.58	-13	Vertical

Test with secondary supply:
LTE band 5 20400 is selected as the worst point for RSE.

Test result:
Channel 20400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1643.38	-52.31	-13	Vertical
1666.57	-50.35	-13	Vertical
2534.28	-43.87	-13	Vertical
2576.59	-44.05	-13	Vertical
8964.01	-39.76	-13	Vertical
9971.64	-37.06	-13	Horizontal

---The end of the test report---