

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 12

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	699.7	23017	1.4	1	0	21.46
				1	3	21.54
				1	5	21.56
				3	0	21.46
				3	1	21.42
				3	3	21.43
				6	0	21.25
	707.5	23095		1	0	21.59
				1	3	21.96
				1	5	21.90
				3	0	21.46
				3	1	21.52
				3	3	21.52
				6	0	20.47
	715.3	23173		1	0	20.85
				1	3	20.88
				1	5	20.89
				3	0	21.26
				3	1	21.18
				3	3	21.23
				6	0	20.36

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	699.7	23017	1.4	1	0	22.74
				1	3	22.59
				1	5	22.50
				3	0	22.43
				3	1	22.46
				3	3	22.38
				6	0	21.45
	707.5	23095		1	0	22.58
				1	3	22.62
				1	5	22.69
				3	0	22.21
				3	1	22.43
				3	3	22.39
				6	0	21.39
	715.3	23173		1	0	22.41
				1	3	22.34
				1	5	22.46
				3	0	22.15
				3	1	22.14
				3	3	22.14
				6	0	21.18

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	700.5	23025	3	1	0	21.55
				1	8	21.45
				1	14	21.25
				8	0	21.02
				8	4	21.05
				8	7	21.00
				15	0	21.12
	707.5	23095		1	0	21.80
				1	8	21.81
				1	14	21.76
				8	0	20.34
				8	4	20.26
				8	7	20.30
				15	0	20.27
	714.5	23165		1	0	20.95
				1	8	20.93
				1	14	20.89
				8	0	20.01
				8	4	20.06
				8	7	20.22
				15	0	20.04

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	700.5	23025	3	1	0	22.65
				1	8	22.58
				1	14	22.55
				8	0	21.35
				8	4	21.56
				8	7	21.41
				15	0	21.48
	707.5	23095		1	0	22.56
				1	8	22.58
				1	14	22.59
				8	0	21.28
				8	4	21.28
				8	7	21.31
				15	0	21.46
	714.5	23165		1	0	22.42
				1	8	22.39
				1	14	22.49
				8	0	21.26
				8	4	21.19
				8	7	21.29
				15	0	21.27

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	701.5	23035	5	1	0	20.91
				1	12	20.77
				1	24	20.88
				12	0	20.91
				12	7	20.91
				12	13	20.92
				25	0	21.18
	707.5	23095		1	0	21.17
				1	12	21.30
				1	24	21.29
				12	0	20.11
				12	7	19.90
				12	13	19.91
				25	0	20.20
	713.5	23155		1	0	21.48
				1	12	21.50
				1	24	21.55
				12	0	20.04
				12	7	20.05
				12	13	20.02
				25	0	20.32

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	701.5	23035	5	1	0	22.54
				1	12	22.58
				1	24	22.46
				12	0	21.49
				12	7	21.41
				12	13	21.36
				25	0	21.29
	707.5	23095		1	0	22.29
				1	12	22.58
				1	24	22.24
				12	0	21.35
				12	7	21.51
				12	13	21.42
				25	0	21.49
	713.5	23155		1	0	22.39
				1	12	22.37
				1	24	22.40
				12	0	21.38
				12	7	21.31
				12	13	21.39
				25	0	21.35

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	704	23060	10	1	0	22.08
				1	25	22.11
				1	49	22.04
				25	0	21.03
				25	12	21.09
				25	25	20.39
				50	0	20.97
	707.5	23095		1	0	21.78
				1	25	21.86
				1	49	21.63
				25	0	20.50
				25	12	20.31
				25	25	20.24
				50	0	20.27
	711	23130		1	0	21.69
				1	25	21.51
				1	49	21.53
				25	0	20.38
				25	12	20.47
				25	25	20.44
				50	0	20.29

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	704	23060	10	1	0	22.59
				1	25	22.52
				1	49	22.56
				25	0	21.43
				25	12	21.34
				25	25	21.27
	707.5	23095		50	0	21.38
				1	0	22.64
				1	25	22.62
				1	49	22.61
				25	0	21.30
				25	12	21.53
	711	23130		25	25	21.52
				50	0	21.45
				1	0	22.37
				1	25	22.30
				1	49	22.27
				25	0	21.46
				25	12	21.36
				25	25	21.30
				50	0	21.36

2 Occupied Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
12	699.7	23017	1.4	6	0	1.082	Fig.1	1.094	Fig.2	---	---
	707.5	23095		6	0	1.088	Fig.3	1.088	Fig.4	---	---
	715.3	23173		6	0	1.082	Fig.5	1.082	Fig.6	---	---
	700.5	23025	3	15	0	2.683	Fig.7	2.683	Fig.8	---	---
	707.5	23095		15	0	2.683	Fig.9	2.683	Fig.10	---	---
	714.5	23165		15	0	2.696	Fig.11	2.683	Fig.12	---	---
	701.5	23035	5	25	0	4.493	Fig.13	4.472	Fig.14	---	---
	707.5	23095		25	0	4.472	Fig.15	4.450	Fig.16	---	---
	713.5	23155		25	0	4.493	Fig.17	4.472	Fig.18	---	---
	704	23060	10	50	0	8.900	Fig.19	8.987	Fig.20	---	---
	707.5	23095		50	0	8.944	Fig.21	8.900	Fig.22	---	---
	711	23130		50	0	8.900	Fig.23	8.944	Fig.24	---	---




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

3 Emission Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
12	699.7	23017	1.4	6	0	1.228	Fig.1	1.234	Fig.2	---	---
	707.5	23095		6	0	1.222	Fig.3	1.222	Fig.4	---	---
	715.3	23173		6	0	1.228	Fig.5	1.222	Fig.6	---	---
	700.5	23025	3	15	0	2.957	Fig.7	3.009	Fig.8	---	---
	707.5	23095		15	0	2.957	Fig.9	2.957	Fig.10	---	---
	714.5	23165		15	0	2.983	Fig.11	2.983	Fig.12	---	---
	701.5	23035	5	25	0	4.949	Fig.13	4.841	Fig.14	---	---
	707.5	23095		25	0	4.863	Fig.15	4.863	Fig.16	---	---
	713.5	23155		25	0	4.884	Fig.17	4.863	Fig.18	---	---
	704	23060	10	50	0	9.682	Fig.19	9.682	Fig.20	---	---
	707.5	23095		50	0	9.638	Fig.21	9.551	Fig.22	---	---
	711	23130		50	0	9.682	Fig.23	9.638	Fig.24	---	---




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
12	699.7	23017	1.4	1	5	Fig.1	Fig.2	---
	699.7	23017		6	0	Fig.3	Fig.4	---
	707.5	23095		1	5	Fig.5	Fig.6	---
	707.5	23095		6	0	Fig.7	Fig.8	---
	715.3	23173		1	5	Fig.9	Fig.10	---
	715.3	23173		6	0	Fig.11	Fig.12	---
	700.5	23025	3	1	14	Fig.13	Fig.14	---
	700.5	23025		15	0	Fig.15	Fig.16	---
	707.5	23095		1	14	Fig.17	Fig.18	---
	707.5	23095		15	0	Fig.19	Fig.20	---
	714.5	23165		1	14	Fig.21	Fig.22	---
	714.5	23165		15	0	Fig.23	Fig.24	---
	701.5	23035	5	1	24	Fig.25	Fig.26	---
	701.5	23035		25	0	Fig.27	Fig.28	---
	707.5	23095		1	24	Fig.29	Fig.30	---
	707.5	23095		25	0	Fig.31	Fig.32	---
	713.5	23155		1	24	Fig.33	Fig.34	---
	713.5	23155		25	0	Fig.35	Fig.36	---
	704	23060	10	1	49	Fig.37	Fig.38	---
	704	23060		50	0	Fig.39	Fig.40	---
	707.5	23095		1	49	Fig.41	Fig.42	---
	707.5	23095		50	0	Fig.43	Fig.44	---
	711	23130		1	49	Fig.45	Fig.46	---
	711	23130		50	0	Fig.47	Fig.48	---




Fig.1




Fig.2




Fig.3




Fig.4



Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13



Fig.14




Fig.15




Fig.16




Fig.17




Fig.18



Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24



Fig.25



Fig.26




Fig.27




Fig.28




Fig.29




Fig.30



Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
12	704	23060	10	1	0	Fig.1
	707.5	23095		1	0	Fig.2
	711	23130		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
12	699.7	23017	1.4	1	0	Fig.1
				6	0	Fig.2
	715.3	23173		1	5	Fig.3
				6	0	Fig.4
	700.5	23025	3	1	0	Fig.5
				15	0	Fig.6
				1	14	Fig.7
	714.5	23165		15	0	Fig.8
				1	0	Fig.9
	701.5	23035		5	25	0
			1		24	Fig.11
	713.5	23155	25		0	Fig.12
			1		0	Fig.13
	704	23060	10	50	0	Fig.14
				1	49	Fig.15
	711	23130		50	0	Fig.16




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6



Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15



Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 12 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	0.039	0.016	0.011	0.044	---	---
-20	NV	0.011	0.014	0.005	0.028	---	---
-10	NV	-0.001	-0.007	0.022	0.029	---	---
0	NV	0.005	-0.007	0.008	0.005	---	---
+10	NV	-0.019	0.004	-0.013	0.013	---	---
+30	NV	0.002	-0.023	-0.003	0.021	---	---
+40	NV	-0.007	-0.004	-0.012	-0.005	---	---
+50	NV	0.010	-0.032	-0.011	0.001	---	---
+20	LV	0.035	0.028	0.013	0.022	---	---
+20	HV	0.036	0.012	0.025	0.013	---	---

Temperature(°C)	Voltage	Test Result (ppm) Band 12 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	-0.029	-0.042	0.006	0.009	---	---
-20	NV	1.331	-0.016	0.000	-0.053	---	---
-10	NV	-0.044	-0.039	-0.033	-0.018	---	---
0	NV	-0.031	-0.002	-0.014	-0.021	---	---
+10	NV	1.331	-0.024	-0.027	-0.035	---	---
+30	NV	-0.025	-0.048	-0.034	-0.033	---	---
+40	NV	-0.037	-0.023	-0.037	-0.031	---	---
+50	NV	-0.043	-0.047	-0.038	-0.041	---	---
+20	LV	1.331	-0.012	0.007	-0.002	---	---
+20	HV	0.005	-0.043	-0.013	-0.019	---	---

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	699.7	23017	1.4	1	0	21.46	17.90	0.062
				1	3	21.54	17.98	0.063
				1	5	21.56	18.00	0.063
				3	0	21.46	17.90	0.062
				3	1	21.42	17.86	0.061
				3	3	21.43	17.87	0.061
	6	0		21.25	17.69	0.059		
	1	0		21.59	18.03	0.064		
	1	3		21.96	18.40	0.069		
	1	5		21.90	18.34	0.068		
	3	0		21.46	17.90	0.062		
	3	1		21.52	17.96	0.063		
	3	3		21.52	17.96	0.063		
	6	0		20.47	16.91	0.049		
	1	0		20.85	17.29	0.054		
	1	3		20.88	17.32	0.054		
	1	5		20.89	17.33	0.054		
	3	0		21.26	17.70	0.059		
	3	1		21.18	17.62	0.058		
	3	3		21.23	17.67	0.058		
	6	0		20.36	16.80	0.048		
707.5	23095	715.3	23173					

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	699.7	23017	1.4	1	0	22.74	19.18	0.083
				1	3	22.59	19.03	0.080
				1	5	22.50	18.94	0.078
				3	0	22.43	18.87	0.077
				3	1	22.46	18.90	0.078
				3	3	22.38	18.82	0.076
	707.5	23095		6	0	21.45	17.89	0.062
				1	0	22.58	19.02	0.080
				1	3	22.62	19.06	0.081
				1	5	22.69	19.13	0.082
				3	0	22.21	18.65	0.073
				3	1	22.43	18.87	0.077
	715.3	23173		3	3	22.39	18.83	0.076
				6	0	21.39	17.83	0.061
				1	0	22.41	18.85	0.077
				1	3	22.34	18.78	0.076
				1	5	22.46	18.90	0.078
				3	0	22.15	18.59	0.072
				3	1	22.14	18.58	0.072
				3	3	22.14	18.58	0.072
				6	0	21.18	17.62	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	700.5	23025	3	1	0	21.55	17.99	0.063
				1	8	21.45	17.89	0.062
				1	14	21.25	17.69	0.059
				8	0	21.02	17.46	0.056
				8	4	21.05	17.49	0.056
				8	7	21.00	17.44	0.055
				15	0	21.12	17.56	0.057
	707.5	23095		1	0	21.80	18.24	0.067
				1	8	21.81	18.25	0.067
				1	14	21.76	18.20	0.066
				8	0	20.34	16.78	0.048
				8	4	20.26	16.70	0.047
				8	7	20.30	16.74	0.047
				15	0	20.27	16.71	0.047
	714.5	23165		1	0	20.95	17.39	0.055
				1	8	20.93	17.37	0.055
				1	14	20.89	17.33	0.054
				8	0	20.01	16.45	0.044
				8	4	20.06	16.50	0.045
				8	7	20.22	16.66	0.046
				15	0	20.04	16.48	0.044

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	700.5	23025	3	1	0	22.65	19.09	0.081
				1	8	22.58	19.02	0.080
				1	14	22.55	18.99	0.079
				8	0	21.35	17.79	0.060
				8	4	21.56	18.00	0.063
				8	7	21.41	17.85	0.061
				15	0	21.48	17.92	0.062
	707.5	23095		1	0	22.56	19.00	0.079
				1	8	22.58	19.02	0.080
				1	14	22.59	19.03	0.080
				8	0	21.28	17.72	0.059
				8	4	21.28	17.72	0.059
				8	7	21.31	17.75	0.060
				15	0	21.46	17.90	0.062
	714.5	23165		1	0	22.42	18.86	0.077
				1	8	22.39	18.83	0.076
				1	14	22.49	18.93	0.078
				8	0	21.26	17.70	0.059
				8	4	21.19	17.63	0.058
				8	7	21.29	17.73	0.059
				15	0	21.27	17.71	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	701.5	23035	5	1	0	20.91	17.35	0.054
				1	12	20.77	17.21	0.053
				1	24	20.88	17.32	0.054
				12	0	20.91	17.35	0.054
				12	7	20.91	17.35	0.054
				12	13	20.92	17.36	0.054
				25	0	21.18	17.62	0.058
	707.5	23095		1	0	21.17	17.61	0.058
				1	12	21.30	17.74	0.059
				1	24	21.29	17.73	0.059
				12	0	20.11	16.55	0.045
				12	7	19.90	16.34	0.043
				12	13	19.91	16.35	0.043
				25	0	20.20	16.64	0.046
	713.5	23155		1	0	21.48	17.92	0.062
				1	12	21.50	17.94	0.062
				1	24	21.55	17.99	0.063
				12	0	20.04	16.48	0.044
				12	7	20.05	16.49	0.045
				12	13	20.02	16.46	0.044
				25	0	20.32	16.76	0.047

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	701.5	23035	5	1	0	22.54	18.98	0.079
				1	12	22.58	19.02	0.080
				1	24	22.46	18.90	0.078
				12	0	21.49	17.93	0.062
				12	7	21.41	17.85	0.061
				12	13	21.36	17.80	0.060
				25	0	21.29	17.73	0.059
	707.5	23095		1	0	22.29	18.73	0.075
				1	12	22.58	19.02	0.080
				1	24	22.24	18.68	0.074
				12	0	21.35	17.79	0.060
				12	7	21.51	17.95	0.062
				12	13	21.42	17.86	0.061
				25	0	21.49	17.93	0.062
	713.5	23155		1	0	22.39	18.83	0.076
				1	12	22.37	18.81	0.076
				1	24	22.40	18.84	0.077
				12	0	21.38	17.82	0.061
				12	7	21.31	17.75	0.060
				12	13	21.39	17.83	0.061
				25	0	21.35	17.79	0.060

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	704	23060	10	1	0	22.08	18.52	0.071
				1	25	22.11	18.55	0.072
				1	49	22.04	18.48	0.070
				25	0	21.03	17.47	0.056
				25	12	21.09	17.53	0.057
				25	25	20.39	16.83	0.048
	707.5	23095		50	0	20.97	17.41	0.055
				1	0	21.78	18.22	0.066
				1	25	21.86	18.30	0.068
				1	49	21.63	18.07	0.064
				25	0	20.50	16.94	0.049
				25	12	20.31	16.75	0.047
	711	23130		25	25	20.24	16.68	0.047
				50	0	20.27	16.71	0.047
				1	0	21.69	18.13	0.065
				1	25	21.51	17.95	0.062
				1	49	21.53	17.97	0.063
				25	0	20.38	16.82	0.048
				25	12	20.47	16.91	0.049
				25	25	20.44	16.88	0.049
				50	0	20.29	16.73	0.047

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	704	23060	10	1	0	22.59	19.03	0.080
				1	25	22.52	18.96	0.079
				1	49	22.56	19.00	0.079
				25	0	21.43	17.87	0.061
				25	12	21.34	17.78	0.060
				25	25	21.27	17.71	0.059
	707.5	23095		50	0	21.38	17.82	0.061
				1	0	22.64	19.08	0.081
				1	25	22.62	19.06	0.081
				1	49	22.61	19.05	0.080
				25	0	21.30	17.74	0.059
				25	12	21.53	17.97	0.063
	711	23130		25	25	21.52	17.96	0.063
				50	0	21.45	17.89	0.062
				1	0	22.37	18.81	0.076
				1	25	22.30	18.74	0.075
				1	49	22.27	18.71	0.074
				25	0	21.46	17.90	0.062
				25	12	21.36	17.80	0.060
				25	25	21.30	17.74	0.059
				50	0	21.36	17.80	0.060

ReportEnd