



4. Spurious Emissions at antenna terminal

WCDMA band IV

Test Mode: Release 99




Channel 1312 30MHz~1GHz(dBm)




Channel 1312 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSDPA




Channel 1312 30MHz~1GHz(dBm)




Channel 1312 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSUPA



Channel 1312 30MHz~1GHz(dBm)




Channel 1312 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.


5. Band Edges Compliance

WCDMA band IV

Test Mode: Release 99




Channel 1312




Channel 1513

Test Mode: HSDPA




Channel 1312




Channel 1513

Test Mode: HSUPA




Channel 1312




Channel 1513

Test Mode: HSPA+



Channel 1312



Channel 1513

6. Frequency Stability

WCDMA band IV

Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 1312	Channel 1412	Channel 1513
Release 99	-30	0.002	0.001	-0.001
Release 99	-20	-0.002	0.001	0.002
Release 99	-10	0.004	0.002	0.000
Release 99	0	0.003	0.003	0.004
Release 99	+10	0.001	0.001	0.000
Release 99	+30	-0.001	0.001	-0.002
Release 99	+40	0.000	0.001	-0.001
Release 99	+50	-0.001	0.005	-0.001
Mode	Voltage	Test Result (ppm)@NT		
		Channel 1312	Channel 1412	Channel 1513
Release 99	LV	-0.001	0.003	0.000
Release 99	HV	-0.002	0.001	-0.001

Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 1312	Channel 1412	Channel 1513
HSDPA	-30	0.002	-0.004	-0.001
HSDPA	-20	0.001	0.013	-0.002
HSDPA	-10	0.001	0.010	0.000
HSDPA	0	0.001	0.007	-0.003
HSDPA	+10	0.004	-0.050	0.002
HSDPA	+30	0.003	0.008	-0.003
HSDPA	+40	0.003	-0.019	-0.001
HSDPA	+50	0.001	-0.047	-0.003
Mode	Voltage	Test Result (ppm)@NT		
		Channel 1312	Channel 1412	Channel 1513
HSDPA	LV	0.001	0.010	-0.002
HSDPA	HV	0.003	-0.047	-0.003


Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 1312	Channel 1412	Channel 1513
HSUPA	-30	-0.002	-0.057	0.001
HSUPA	-20	0.004	0.003	0.004
HSUPA	-10	0.000	-0.054	0.004
HSUPA	0	0.004	0.004	0.001
HSUPA	+10	0.000	-0.001	-0.001
HSUPA	+30	-0.001	0.004	-0.001
HSUPA	+40	0.000	-0.059	0.001
HSUPA	+50	-0.001	-0.053	-0.001

Mode	Voltage	Test Result (ppm)@NT		
		Channel 1312	Channel 1412	Channel 1513
HSUPA	LV	0.001	-0.044	-0.001
HSUPA	HV	-0.002	-0.005	0.000


7. Peak-Average Ratio

WCDMA band IV


Test Mode: Release 99




Test Mode: HSDPA



Channel 1312




Channel 1412




Channel 1513


Test Mode: HSUPA



Channel 1312



Channel 1412



8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band IV

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
Release 99	RMC,12.2kps	1712.4	1312	22.76	22.11	0.163
Release 99	RMC,12.2kps	1732.6	1412	22.67	22.02	0.159
Release 99	RMC,12.2kps	1752.6	1513	22.75	22.10	0.162

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSDPA	Subtest1	1712.4	1312	21.14	20.49	0.112
HSDPA	Subtest1	1732.6	1412	21.12	20.47	0.111
HSDPA	Subtest1	1752.6	1513	21.35	20.70	0.117
HSDPA	Subtest2	1712.4	1312	21.67	21.02	0.126
HSDPA	Subtest2	1732.6	1412	21.58	20.93	0.124
HSDPA	Subtest2	1752.6	1513	21.85	21.20	0.132
HSDPA	Subtest3	1712.4	1312	21.65	21.00	0.126
HSDPA	Subtest3	1732.6	1412	21.6	20.95	0.124
HSDPA	Subtest3	1752.6	1513	21.85	21.20	0.132
HSDPA	Subtest4	1712.4	1312	21.66	21.01	0.126
HSDPA	Subtest4	1732.6	1412	21.6	20.95	0.124
HSDPA	Subtest4	1752.6	1513	21.83	21.18	0.131

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSUPA	Subtest1	1712.4	1312	22.6	21.95	0.157
HSUPA	Subtest1	1732.6	1412	22.46	21.81	0.152
HSUPA	Subtest1	1752.6	1513	22.7	22.05	0.160
HSUPA	Subtest2	1712.4	1312	22.61	21.96	0.157
HSUPA	Subtest2	1732.6	1412	22.45	21.80	0.151
HSUPA	Subtest2	1752.6	1513	22.65	22.00	0.158
HSUPA	Subtest3	1712.4	1312	22.58	21.93	0.156
HSUPA	Subtest3	1732.6	1412	22.37	21.72	0.149
HSUPA	Subtest3	1752.6	1513	22.66	22.01	0.159
HSUPA	Subtest4	1712.4	1312	22.58	21.93	0.156

HSUPA	Subtest4	1732.6	1412	22.49	21.84	0.153
HSUPA	Subtest4	1752.6	1513	22.71	22.06	0.161
HSUPA	Subtest5	1712.4	1312	22.58	21.93	0.156
HSUPA	Subtest5	1732.6	1412	22.43	21.78	0.151
HSUPA	Subtest5	1752.6	1513	22.69	22.04	0.160

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSPA+	QPSK	1712.4	1312	22.71	22.06	0.161
HSPA+	QPSK	1732.6	1412	22.53	21.88	0.154
HSPA+	QPSK	1752.6	1513	22.79	22.14	0.164
HSPA+	16QAM	1712.4	1312	22.69	22.04	0.160
HSPA+	16QAM	1732.6	1412	22.54	21.89	0.155
HSPA+	16QAM	1752.6	1513	22.78	22.13	0.163

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DC-HSDPA	Subtest1	1712.4	1312	22.66	22.01	0.159
DC-HSDPA	Subtest1	1732.6	1412	22.49	21.84	0.153
DC-HSDPA	Subtest1	1752.6	1513	22.74	22.09	0.162
DC-HSDPA	Subtest2	1712.4	1312	22.65	22.00	0.158
DC-HSDPA	Subtest2	1732.6	1412	22.49	21.84	0.153
DC-HSDPA	Subtest2	1752.6	1513	22.72	22.07	0.161
DC-HSDPA	Subtest3	1712.4	1312	22.64	21.99	0.158
DC-HSDPA	Subtest3	1732.6	1412	22.49	21.84	0.153
DC-HSDPA	Subtest3	1752.6	1513	22.7	22.05	0.160
DC-HSDPA	Subtest4	1712.4	1312	22.64	21.99	0.158
DC-HSDPA	Subtest4	1732.6	1412	22.49	21.84	0.153
DC-HSDPA	Subtest4	1752.6	1513	22.71	22.06	0.161

WCDMA band V

1. RF Power Output

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
Release 99	RMC,12.2kbps	826.4	4132	22.77
Release 99	RMC,12.2kbps	836.6	4183	22.76
Release 99	RMC,12.2kbps	846.6	4233	22.80

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
HSDPA	Subtest1	826.4	4132	22.24
HSDPA	Subtest1	836.6	4183	22.00
HSDPA	Subtest1	846.6	4233	22.23
HSDPA	Subtest2	826.4	4132	21.88
HSDPA	Subtest2	836.6	4183	21.61
HSDPA	Subtest2	846.6	4233	21.86
HSDPA	Subtest3	826.4	4132	21.67
HSDPA	Subtest3	836.6	4183	21.35
HSDPA	Subtest3	846.6	4233	21.41
HSDPA	Subtest4	826.4	4132	21.55
HSDPA	Subtest4	836.6	4183	21.23
HSDPA	Subtest4	846.6	4233	21.35

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
HSUPA	Subtest1	826.4	4132	22.91
HSUPA	Subtest1	836.6	4183	22.66
HSUPA	Subtest1	846.6	4233	22.93
HSUPA	Subtest2	826.4	4132	22.95
HSUPA	Subtest2	836.6	4183	22.65
HSUPA	Subtest2	846.6	4233	22.84
HSUPA	Subtest3	826.4	4132	22.94
HSUPA	Subtest3	836.6	4183	22.65
HSUPA	Subtest3	846.6	4233	22.87
HSUPA	Subtest4	826.4	4132	22.95
HSUPA	Subtest4	836.6	4183	22.61
HSUPA	Subtest4	846.6	4233	22.92
HSUPA	Subtest5	826.4	4132	22.90
HSUPA	Subtest5	836.6	4183	22.62
HSUPA	Subtest5	846.6	4233	22.88

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
HSPA+	QPSK	826.4	4132	22.97
HSPA+	QPSK	836.6	4183	22.64
HSPA+	QPSK	846.6	4233	22.76
HSPA+	16QAM	826.4	4132	22.75

HSPA+	16QAM	836.6	4183	22.63
HSPA+	16QAM	846.6	4233	22.8

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
DC-HSDPA	Subtest1	826.4	4132	22.95
DC-HSDPA	Subtest1	836.6	4183	22.7
DC-HSDPA	Subtest1	846.6	4233	22.82
DC-HSDPA	Subtest2	826.4	4132	22.93
DC-HSDPA	Subtest2	836.6	4183	22.69
DC-HSDPA	Subtest2	846.6	4233	22.84
DC-HSDPA	Subtest3	826.4	4132	22.91
DC-HSDPA	Subtest3	836.6	4183	22.69
DC-HSDPA	Subtest3	846.6	4233	22.82
DC-HSDPA	Subtest4	826.4	4132	22.9
DC-HSDPA	Subtest4	836.6	4183	22.62
DC-HSDPA	Subtest4	846.6	4233	22.83

2. Occupied Bandwidth

WCDMA band V

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
Release 99	826.4	4132	4.17
Release 99	836.6	4183	4.17
Release 99	846.6	4233	4.17


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
HSDPA	826.4	4132	4.15
HSDPA	836.6	4183	4.17
HSDPA	846.6	4233	4.11

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
HSUPA	826.4	4132	4.14
HSUPA	836.6	4183	4.18
HSUPA	846.6	4233	4.12


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
HSPA+	826.4	4132	4.15
HSPA+	836.6	4183	4.17
HSPA+	846.6	4233	4.14

WCDMA band V


Test Mode: Release 99



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSUPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSPA+



Channel 4132



Channel 4183



Channel 4233

3. Emission Bandwidth

WCDMA band V

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
Release 99	826.4	4132	4.65
Release 99	836.6	4183	4.65
Release 99	846.6	4233	4.65


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSDPA	826.4	4132	4.65
HSDPA	836.6	4183	4.59
HSDPA	846.6	4233	4.63


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSUPA	826.4	4132	4.63
HSUPA	836.6	4183	4.62
HSUPA	846.6	4233	4.60

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSPA+	826.4	4132	4.63
HSPA+	836.6	4183	4.66
HSPA+	846.6	4233	4.63

WCDMA band V


Test Mode: Release 99






Channel 4233


Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSUPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSPA+



Channel 4132




Channel 4183




4. Spurious Emissions at antenna terminal

WCDMA band V

Test Mode: Release 99




Channel 4132 30MHz~1GHz(dBm)




Channel 4132 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSDPA




Channel 4132 30MHz~1GHz(dBm)




Channel 4132 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSUPA



Channel 4132 30MHz~1GHz(dBm)




Channel 4132 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.


5. Band Edges Compliance

WCDMA band V

Test Mode: Release 99




Channel 4132



Channel 4233

Test Mode: HSDPA




Channel 4132




Channel 4233

Test Mode: HSUPA




Channel 4132




Channel 4233

Test Mode: HSPA+



Channel 4132



Channel 4233

6. Frequency Stability

WCDMA band V

Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
Release 99	-30	-0.001	-0.001	0.000
Release 99	-20	-0.001	-0.001	-0.001
Release 99	-10	0.002	-0.001	0.000
Release 99	0	-0.001	-0.001	-0.001
Release 99	+10	-0.001	0.000	-0.001
Release 99	+30	0.002	-0.002	-0.001
Release 99	+40	0.000	-0.002	0.000
Release 99	+50	-0.001	0.000	0.002
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
Release 99	LV	0.001	-0.001	0.000
Release 99	HV	-0.001	-0.002	0.003

Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
HSDPA	-30	0.001	-0.001	0.000
HSDPA	-20	0.003	-0.001	0.002
HSDPA	-10	0.001	0.000	0.004
HSDPA	0	0.000	0.000	0.003
HSDPA	+10	0.004	0.001	-0.001
HSDPA	+30	0.000	0.001	-0.001
HSDPA	+40	0.002	-0.002	0.001
HSDPA	+50	0.002	-0.001	0.001
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
HSDPA	LV	0.000	-0.001	0.000
HSDPA	HV	0.001	-0.001	-0.001


Mode	Temperature(°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
HSUPA	-30	0.001	-0.002	0.002
HSUPA	-20	0.001	-0.001	0.001
HSUPA	-10	0.001	0.001	0.001
HSUPA	0	0.001	-0.002	0.001
HSUPA	+10	0.001	0.002	0.000
HSUPA	+30	0.001	-0.002	0.001
HSUPA	+40	0.000	-0.001	0.001
HSUPA	+50	0.000	0.000	0.001

Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
HSUPA	LV	0.002	-0.002	0.001
HSUPA	HV	0.002	0.000	0.000





7. Peak-Average Ratio

WCDMA band V



Test Mode: Release 99




Test Mode: HSDPA



Test Mode: HSUPA





Channel 4233

8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band V

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
Release 99	RMC,12.2kbps	826.4	4132	22.77	19.68	0.093
Release 99	RMC,12.2kbps	836.6	4183	22.76	19.67	0.093
Release 99	RMC,12.2kbps	846.6	4233	22.8	19.71	0.094

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSDPA	Subtest1	826.4	4132	22.24	19.15	0.082
HSDPA	Subtest1	836.6	4183	22	18.91	0.078
HSDPA	Subtest1	846.6	4233	22.23	19.14	0.082
HSDPA	Subtest2	826.4	4132	21.88	18.79	0.076
HSDPA	Subtest2	836.6	4183	21.61	18.52	0.071
HSDPA	Subtest2	846.6	4233	21.86	18.77	0.075
HSDPA	Subtest3	826.4	4132	21.67	18.58	0.072
HSDPA	Subtest3	836.6	4183	21.35	18.26	0.067
HSDPA	Subtest3	846.6	4233	21.41	18.32	0.068
HSDPA	Subtest4	826.4	4132	21.55	18.46	0.070
HSDPA	Subtest4	836.6	4183	21.23	18.14	0.065
HSDPA	Subtest4	846.6	4233	21.35	18.26	0.067

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSUPA	Subtest1	826.4	4132	22.91	19.82	0.096
HSUPA	Subtest1	836.6	4183	22.66	19.57	0.091
HSUPA	Subtest1	846.6	4233	22.93	19.84	0.096
HSUPA	Subtest2	826.4	4132	22.95	19.86	0.097
HSUPA	Subtest2	836.6	4183	22.65	19.56	0.090
HSUPA	Subtest2	846.6	4233	22.84	19.75	0.094
HSUPA	Subtest3	826.4	4132	22.94	19.85	0.097
HSUPA	Subtest3	836.6	4183	22.65	19.56	0.090
HSUPA	Subtest3	846.6	4233	22.87	19.78	0.095
HSUPA	Subtest4	826.4	4132	22.95	19.86	0.097

HSUPA	Subtest4	836.6	4183	22.61	19.52	0.090
HSUPA	Subtest4	846.6	4233	22.92	19.83	0.096
HSUPA	Subtest5	826.4	4132	22.9	19.81	0.096
HSUPA	Subtest5	836.6	4183	22.62	19.53	0.090
HSUPA	Subtest5	846.6	4233	22.88	19.79	0.095

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSPA+	QPSK	826.4	4132	22.97	19.88	0.097
HSPA+	QPSK	836.6	4183	22.64	19.55	0.090
HSPA+	QPSK	846.6	4233	22.76	19.67	0.093
HSPA+	16QAM	826.4	4132	22.75	19.66	0.092
HSPA+	16QAM	836.6	4183	22.63	19.54	0.090
HSPA+	16QAM	846.6	4233	22.8	19.71	0.094

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DC-HSDPA	Subtest1	826.4	4132	22.95	19.86	0.097
DC-HSDPA	Subtest1	836.6	4183	22.7	19.61	0.091
DC-HSDPA	Subtest1	846.6	4233	22.82	19.73	0.094
DC-HSDPA	Subtest2	826.4	4132	22.93	19.84	0.096
DC-HSDPA	Subtest2	836.6	4183	22.69	19.60	0.091
DC-HSDPA	Subtest2	846.6	4233	22.84	19.75	0.094
DC-HSDPA	Subtest3	826.4	4132	22.91	19.82	0.096
DC-HSDPA	Subtest3	836.6	4183	22.69	19.60	0.091
DC-HSDPA	Subtest3	846.6	4233	22.82	19.73	0.094
DC-HSDPA	Subtest4	826.4	4132	22.9	19.81	0.096
DC-HSDPA	Subtest4	836.6	4183	22.62	19.53	0.090
DC-HSDPA	Subtest4	846.6	4233	22.83	19.74	0.094

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Spurious Emissions

WCDMA band II

Test result:

WCDMA Mode:

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2458.06	-48.62	-13	Vertical
2779.80	-47.68	-13	Vertical
3725.17	-41.02	-13	Vertical
6675.99	-39.60	-13	Vertical
9960.36	-37.25	-13	Vertical
17818.98	-33.50	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2461.41	-48.58	-13	Vertical
2779.27	-47.79	-13	Vertical
3728.00	-40.42	-13	Vertical
6676.64	-39.31	-13	Vertical
9960.65	-36.94	-13	Vertical
17819.43	-34.13	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2458.91	-48.70	-13	Vertical
2781.14	-47.65	-13	Vertical
3726.17	-41.30	-13	Vertical
6675.06	-39.52	-13	Vertical
9960.23	-36.83	-13	Vertical
17818.44	-33.84	-13	Vertical

HSDPA/HSUPA Mode:

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2458.79	-48.61	-13	Vertical
2778.93	-47.28	-13	Vertical
3727.72	-40.37	-13	Vertical
6677.04	-39.46	-13	Vertical
9960.81	-37.37	-13	Vertical

17819.78	-33.54	-13	Vertical
----------	--------	-----	----------

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2458.12	-48.63	-13	Vertical
2782.00	-47.44	-13	Vertical
3727.36	-40.99	-13	Vertical
6676.40	-39.35	-13	Vertical
9960.47	-36.80	-13	Vertical
17819.85	-33.46	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2459.17	-48.61	-13	Vertical
2779.84	-46.96	-13	Vertical
3726.92	-40.51	-13	Vertical
6676.52	-39.34	-13	Vertical
9959.96	-37.68	-13	Vertical
17818.51	-33.89	-13	Vertical

WCDMA band IV

Test result:

WCDMA Mode:

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2459.05	-48.87	-13	Vertical
2780.53	-46.97	-13	Vertical
3727.05	-41.12	-13	Vertical
6676.29	-39.99	-13	Vertical
9963.02	-37.36	-13	Vertical
17820.95	-33.71	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2459.08	-49.14	-13	Vertical
2779.13	-47.78	-13	Vertical
3727.05	-41.13	-13	Vertical
6675.01	-40.03	-13	Vertical
9961.75	-36.87	-13	Vertical
17820.50	-34.16	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2458.67	-48.84	-13	Vertical
2779.99	-47.76	-13	Vertical
3724.97	-40.77	-13	Vertical
6677.81	-40.07	-13	Vertical
9960.19	-37.71	-13	Vertical
17821.63	-33.58	-13	Vertical

HSDPA/HSUPA Mode:
Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2459.50	-48.85	-13	Vertical
2781.84	-46.98	-13	Vertical
3727.16	-40.89	-13	Vertical
6675.16	-39.73	-13	Vertical
9960.80	-37.07	-13	Vertical
17820.38	-33.84	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2458.10	-49.13	-13	Vertical
2779.06	-46.92	-13	Vertical
3728.15	-41.24	-13	Vertical
6677.55	-39.79	-13	Vertical
9959.53	-37.20	-13	Vertical
17818.81	-34.05	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2459.48	-48.93	-13	Vertical
2780.69	-47.07	-13	Vertical
3724.82	-40.81	-13	Vertical
6678.54	-39.18	-13	Vertical
9960.32	-37.17	-13	Vertical
17819.19	-33.76	-13	Vertical

WCDMA band V
Test result:
WCDMA Mode:
Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
-----------------	-------------	---------------	--------------

1646.75	-53.48	-13	Vertical
1665.36	-51.65	-13	Vertical
2535.20	-44.31	-13	Vertical
2575.36	-44.15	-13	Vertical
8964.01	-39.39	-13	Vertical
9972.13	-36.15	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.11	-52.58	-13	Vertical
1665.00	-51.56	-13	Vertical
2532.96	-44.50	-13	Vertical
2579.20	-44.47	-13	Vertical
8960.77	-39.12	-13	Vertical
9970.45	-36.46	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1647.44	-52.93	-13	Vertical
1668.49	-51.01	-13	Vertical
2533.07	-44.40	-13	Vertical
2576.81	-43.66	-13	Vertical
8962.73	-40.01	-13	Vertical
9972.26	-36.55	-13	Vertical

HSDPA/HSUPA Mode:

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.36	-53.48	-13	Vertical
1664.99	-51.22	-13	Vertical
2533.26	-44.72	-13	Vertical
2578.71	-44.00	-13	Vertical
8962.83	-39.57	-13	Vertical
9973.19	-36.27	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.07	-53.21	-13	Vertical
1667.86	-51.00	-13	Vertical
2532.33	-44.68	-13	Vertical
2575.88	-44.50	-13	Vertical
8962.65	-39.59	-13	Vertical
9970.21	-36.65	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.08	-52.90	-13	Vertical
1667.23	-51.58	-13	Vertical
2533.53	-44.44	-13	Vertical
2578.27	-44.42	-13	Vertical
8962.33	-39.96	-13	Vertical
9970.97	-36.63	-13	Vertical

---The end of the test report---