

Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27



Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34



Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52



Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
7	2510	20850	20	1	0	Fig.1
7	2535	21100	20	1	0	Fig.2
7	2560	21350	20	1	0	Fig.3




Fig.1




Fig.2





Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
7	QPSK	2502.5	20775	5	1	0	Fig.1
7	QPSK	2502.5	20775	5	25	0	Fig.2
7	QPSK	2567.5	21425	5	1	24	Fig.3
7	QPSK	2567.5	21425	5	25	0	Fig.4
7	QPSK	2505	20800	10	1	0	Fig.5
7	QPSK	2505	20800	10	50	0	Fig.6
7	QPSK	2565	21400	10	1	49	Fig.7
7	QPSK	2565	21400	10	50	0	Fig.8
7	QPSK	2507.5	20825	15	1	0	Fig.9
7	QPSK	2507.5	20825	15	75	0	Fig.10
7	QPSK	2562.5	21375	15	1	74	Fig.11
7	QPSK	2562.5	21375	15	75	0	Fig.12
7	QPSK	2510	20850	20	1	0	Fig.13
7	QPSK	2510	20850	20	100	0	Fig.14
7	QPSK	2560	21350	20	1	99	Fig.15
7	QPSK	2560	21350	20	100	0	Fig.16

Test Mode: QPSK






Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 7 Low Channel QPSK			
		5M	10M	15M	20M
-30	NV	0.001	0.007	0.008	0.012
-20	NV	0.016	0.011	0.020	0.020
-10	NV	0.016	0.013	0.016	0.016
0	NV	-0.007	-0.020	-0.013	0.005
+10	NV	-0.017	-0.008	-0.020	-0.011
+30	NV	-0.015	-0.017	-0.011	-0.022
+40	NV	-0.010	-0.006	-0.017	-0.019
+50	NV	-0.021	-0.015	-0.011	-0.006
+20	LV	0.025	0.012	0.021	0.020
+20	HV	0.017	0.012	0.019	0.024

Temperature(°C)	Voltage	Test Result (ppm) Band 7 High Channel QPSK			
		5M	10M	15M	20M
-30	NV	0.008	0.016	0.003	0.006
-20	NV	0.010	0.021	0.006	0.014
-10	NV	0.014	0.006	0.018	0.009
0	NV	-0.017	-0.018	-0.008	-0.017
+10	NV	-0.017	0.002	-0.020	-0.014
+30	NV	-0.016	-0.019	-0.011	-0.004
+40	NV	-0.007	-0.023	-0.012	-0.011
+50	NV	0.004	-0.006	0.007	-0.004
+20	LV	0.017	0.013	0.017	0.017
+20	HV	0.021	0.023	0.010	0.019

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2502.5	20775	5	1	0	22.58	22.00	0.158
16QAM	2502.5	20775	5	1	12	22.52	21.94	0.156
16QAM	2502.5	20775	5	1	24	22.60	22.02	0.159
16QAM	2502.5	20775	5	12	0	21.83	21.25	0.133
16QAM	2502.5	20775	5	12	7	21.86	21.28	0.134
16QAM	2502.5	20775	5	12	13	21.87	21.29	0.135
16QAM	2502.5	20775	5	25	0	21.89	21.31	0.135
16QAM	2535	21100	5	1	0	22.86	22.28	0.169
16QAM	2535	21100	5	1	12	22.85	22.27	0.169
16QAM	2535	21100	5	1	24	22.85	22.27	0.169
16QAM	2535	21100	5	12	0	21.51	20.93	0.124
16QAM	2535	21100	5	12	7	21.59	21.01	0.126
16QAM	2535	21100	5	12	13	21.59	21.01	0.126
16QAM	2535	21100	5	25	0	21.81	21.23	0.133
16QAM	2567.5	21425	5	1	0	22.35	21.77	0.150
16QAM	2567.5	21425	5	1	12	22.30	21.72	0.149
16QAM	2567.5	21425	5	1	24	22.31	21.73	0.149
16QAM	2567.5	21425	5	12	0	21.60	21.02	0.126
16QAM	2567.5	21425	5	12	7	21.57	20.99	0.126
16QAM	2567.5	21425	5	12	13	21.63	21.05	0.127
16QAM	2567.5	21425	5	25	0	21.70	21.12	0.129
64QAM	2502.5	20775	5	1	0	21.49	20.91	0.123
64QAM	2502.5	20775	5	1	12	21.43	20.85	0.122
64QAM	2502.5	20775	5	1	24	21.41	20.83	0.121
64QAM	2502.5	20775	5	12	0	21.06	20.48	0.112
64QAM	2502.5	20775	5	12	7	21.02	20.44	0.111
64QAM	2502.5	20775	5	12	13	20.81	20.23	0.105
64QAM	2502.5	20775	5	25	0	20.99	20.41	0.110
64QAM	2535	21100	5	1	0	22.14	21.56	0.143
64QAM	2535	21100	5	1	12	22.04	21.46	0.140
64QAM	2535	21100	5	1	24	22.13	21.55	0.143
64QAM	2535	21100	5	12	0	21.08	20.50	0.112
64QAM	2535	21100	5	12	7	20.70	20.12	0.103
64QAM	2535	21100	5	12	13	20.68	20.10	0.102
64QAM	2535	21100	5	25	0	20.84	20.26	0.106
64QAM	2567.5	21425	5	1	0	21.62	21.04	0.127
64QAM	2567.5	21425	5	1	12	21.74	21.16	0.131
64QAM	2567.5	21425	5	1	24	21.67	21.09	0.129
64QAM	2567.5	21425	5	12	0	20.60	20.02	0.100
64QAM	2567.5	21425	5	12	7	20.60	20.02	0.100
64QAM	2567.5	21425	5	12	13	20.57	19.99	0.100

64QAM	2567.5	21425	5	25	0	20.73	20.15	0.104
-------	--------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2502.5	20775	5	1	0	23.12	22.54	0.179
QPSK	2502.5	20775	5	1	12	23.12	22.54	0.179
QPSK	2502.5	20775	5	1	24	23.26	22.68	0.185
QPSK	2502.5	20775	5	12	0	22.79	22.21	0.166
QPSK	2502.5	20775	5	12	7	22.86	22.28	0.169
QPSK	2502.5	20775	5	12	13	22.77	22.19	0.166
QPSK	2502.5	20775	5	25	0	22.86	22.28	0.169
QPSK	2535	21100	5	1	0	23.05	22.47	0.177
QPSK	2535	21100	5	1	12	23.03	22.45	0.176
QPSK	2535	21100	5	1	24	23.01	22.43	0.175
QPSK	2535	21100	5	12	0	22.76	22.18	0.165
QPSK	2535	21100	5	12	7	22.74	22.16	0.164
QPSK	2535	21100	5	12	13	22.72	22.14	0.164
QPSK	2535	21100	5	25	0	22.72	22.14	0.164
QPSK	2567.5	21425	5	1	0	23.33	22.75	0.188
QPSK	2567.5	21425	5	1	12	23.31	22.73	0.187
QPSK	2567.5	21425	5	1	24	23.31	22.73	0.187
QPSK	2567.5	21425	5	12	0	22.57	21.99	0.158
QPSK	2567.5	21425	5	12	7	22.56	21.98	0.158
QPSK	2567.5	21425	5	12	13	22.50	21.92	0.156
QPSK	2567.5	21425	5	25	0	22.53	21.95	0.157

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2505	20800	10	1	0	23.53	22.95	0.197
16QAM	2505	20800	10	1	25	23.57	22.99	0.199
16QAM	2505	20800	10	1	49	23.42	22.84	0.192
16QAM	2505	20800	10	25	0	21.85	21.27	0.134
16QAM	2505	20800	10	25	12	21.92	21.34	0.136
16QAM	2505	20800	10	25	25	21.72	21.14	0.130
16QAM	2505	20800	10	50	0	21.82	21.24	0.133
16QAM	2535	21100	10	1	0	23.04	22.46	0.176
16QAM	2535	21100	10	1	25	23.07	22.49	0.177
16QAM	2535	21100	10	1	49	23.06	22.48	0.177
16QAM	2535	21100	10	25	0	21.70	21.12	0.129
16QAM	2535	21100	10	25	12	21.68	21.10	0.129
16QAM	2535	21100	10	25	25	21.61	21.03	0.127
16QAM	2535	21100	10	50	0	21.68	21.10	0.129
16QAM	2565	21400	10	1	0	22.87	22.29	0.169
16QAM	2565	21400	10	1	25	22.71	22.13	0.163
16QAM	2565	21400	10	1	49	22.74	22.16	0.164
16QAM	2565	21400	10	25	0	21.69	21.11	0.129
16QAM	2565	21400	10	25	12	21.59	21.01	0.126
16QAM	2565	21400	10	25	25	21.68	21.10	0.129
16QAM	2565	21400	10	50	0	21.54	20.96	0.125
64QAM	2505	20800	10	1	0	22.31	21.73	0.149
64QAM	2505	20800	10	1	25	22.33	21.75	0.150
64QAM	2505	20800	10	1	49	22.30	21.72	0.149
64QAM	2505	20800	10	25	0	20.73	20.15	0.104
64QAM	2505	20800	10	25	12	20.81	20.23	0.105
64QAM	2505	20800	10	25	25	20.74	20.16	0.104
64QAM	2505	20800	10	50	0	20.85	20.27	0.106
64QAM	2535	21100	10	1	0	21.42	20.84	0.121
64QAM	2535	21100	10	1	25	21.39	20.81	0.121
64QAM	2535	21100	10	1	49	21.34	20.76	0.119
64QAM	2535	21100	10	25	0	21.42	20.84	0.121
64QAM	2535	21100	10	25	12	20.80	20.22	0.105
64QAM	2535	21100	10	25	25	20.74	20.16	0.104
64QAM	2535	21100	10	50	0	20.51	19.93	0.098
64QAM	2565	21400	10	1	0	21.90	21.32	0.136
64QAM	2565	21400	10	1	25	21.91	21.33	0.136
64QAM	2565	21400	10	1	49	21.91	21.33	0.136
64QAM	2565	21400	10	25	0	20.65	20.07	0.102
64QAM	2565	21400	10	25	12	20.52	19.94	0.099
64QAM	2565	21400	10	25	25	20.54	19.96	0.099

64QAM	2565	21400	10	50	0	20.62	20.04	0.101
-------	------	-------	----	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2505	20800	10	1	0	23.32	22.74	0.188
QPSK	2505	20800	10	1	25	23.34	22.76	0.189
QPSK	2505	20800	10	1	49	23.21	22.63	0.183
QPSK	2505	20800	10	25	0	22.66	22.08	0.161
QPSK	2505	20800	10	25	12	22.70	22.12	0.163
QPSK	2505	20800	10	25	25	22.64	22.06	0.161
QPSK	2505	20800	10	50	0	22.71	22.13	0.163
QPSK	2535	21100	10	1	0	23.10	22.52	0.179
QPSK	2535	21100	10	1	25	23.15	22.57	0.181
QPSK	2535	21100	10	1	49	23.27	22.69	0.186
QPSK	2535	21100	10	25	0	22.48	21.90	0.155
QPSK	2535	21100	10	25	12	22.44	21.86	0.153
QPSK	2535	21100	10	25	25	22.55	21.97	0.157
QPSK	2535	21100	10	50	0	22.56	21.98	0.158
QPSK	2565	21400	10	1	0	22.89	22.31	0.170
QPSK	2565	21400	10	1	25	22.73	22.15	0.164
QPSK	2565	21400	10	1	49	22.75	22.17	0.165
QPSK	2565	21400	10	25	0	22.50	21.92	0.156
QPSK	2565	21400	10	25	12	22.38	21.80	0.151
QPSK	2565	21400	10	25	25	22.44	21.86	0.153
QPSK	2565	21400	10	50	0	22.38	21.80	0.151

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2507.5	20825	15	1	0	23.51	22.93	0.196
16QAM	2507.5	20825	15	1	37	23.36	22.78	0.190
16QAM	2507.5	20825	15	1	74	23.34	22.76	0.189
16QAM	2507.5	20825	15	36	0	21.68	21.10	0.129
16QAM	2507.5	20825	15	36	29	21.52	20.94	0.124
16QAM	2507.5	20825	15	36	30	21.51	20.93	0.124
16QAM	2507.5	20825	15	75	0	21.69	21.11	0.129
16QAM	2535	21100	15	1	0	22.93	22.35	0.172
16QAM	2535	21100	15	1	37	23.09	22.51	0.178
16QAM	2535	21100	15	1	74	23.02	22.44	0.175
16QAM	2535	21100	15	36	0	21.57	20.99	0.126
16QAM	2535	21100	15	36	29	21.63	21.05	0.127
16QAM	2535	21100	15	36	30	21.64	21.06	0.128
16QAM	2535	21100	15	75	0	21.64	21.06	0.128
16QAM	2562.5	21375	15	1	0	22.50	21.92	0.156
16QAM	2562.5	21375	15	1	37	22.45	21.87	0.154
16QAM	2562.5	21375	15	1	74	22.42	21.84	0.153
16QAM	2562.5	21375	15	36	0	21.56	20.98	0.125
16QAM	2562.5	21375	15	36	29	21.51	20.93	0.124
16QAM	2562.5	21375	15	36	30	21.52	20.94	0.124
16QAM	2562.5	21375	15	75	0	21.59	21.01	0.126
64QAM	2507.5	20825	15	1	0	22.27	21.69	0.148
64QAM	2507.5	20825	15	1	37	22.15	21.57	0.144
64QAM	2507.5	20825	15	1	74	22.14	21.56	0.143
64QAM	2507.5	20825	15	36	0	20.72	20.14	0.103
64QAM	2507.5	20825	15	36	29	20.51	19.93	0.098
64QAM	2507.5	20825	15	36	30	20.64	20.06	0.101
64QAM	2507.5	20825	15	75	0	20.60	20.02	0.100
64QAM	2535	21100	15	1	0	21.20	20.62	0.115
64QAM	2535	21100	15	1	37	21.28	20.70	0.117
64QAM	2535	21100	15	1	74	21.34	20.76	0.119
64QAM	2535	21100	15	36	0	20.76	20.18	0.104
64QAM	2535	21100	15	36	29	20.68	20.10	0.102
64QAM	2535	21100	15	36	30	20.72	20.14	0.103
64QAM	2535	21100	15	75	0	20.64	20.06	0.101
64QAM	2562.5	21375	15	1	0	22.11	21.53	0.142
64QAM	2562.5	21375	15	1	37	22.04	21.46	0.140
64QAM	2562.5	21375	15	1	74	21.85	21.27	0.134
64QAM	2562.5	21375	15	36	0	20.60	20.02	0.100
64QAM	2562.5	21375	15	36	29	20.50	19.92	0.098
64QAM	2562.5	21375	15	36	30	20.52	19.94	0.099

64QAM	2562.5	21375	15	75	0	20.55	19.97	0.099
-------	--------	-------	----	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2507.5	20825	15	1	0	23.22	22.64	0.184
QPSK	2507.5	20825	15	1	37	23.13	22.55	0.180
QPSK	2507.5	20825	15	1	74	23.07	22.49	0.177
QPSK	2507.5	20825	15	36	0	22.63	22.05	0.160
QPSK	2507.5	20825	15	36	29	22.44	21.86	0.153
QPSK	2507.5	20825	15	36	30	22.45	21.87	0.154
QPSK	2507.5	20825	15	75	0	22.54	21.96	0.157
QPSK	2535	21100	15	1	0	22.97	22.39	0.173
QPSK	2535	21100	15	1	37	23.02	22.44	0.175
QPSK	2535	21100	15	1	74	23.05	22.47	0.177
QPSK	2535	21100	15	36	0	22.42	21.84	0.153
QPSK	2535	21100	15	36	29	22.46	21.88	0.154
QPSK	2535	21100	15	36	30	22.46	21.88	0.154
QPSK	2535	21100	15	75	0	22.42	21.84	0.153
QPSK	2562.5	21375	15	1	0	22.96	22.38	0.173
QPSK	2562.5	21375	15	1	37	22.92	22.34	0.171
QPSK	2562.5	21375	15	1	74	22.87	22.29	0.169
QPSK	2562.5	21375	15	36	0	22.38	21.80	0.151
QPSK	2562.5	21375	15	36	29	22.27	21.69	0.148
QPSK	2562.5	21375	15	36	30	22.26	21.68	0.147
QPSK	2562.5	21375	15	75	0	22.36	21.78	0.151

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2510	20850	20	1	0	23.16	22.58	0.181
16QAM	2510	20850	20	1	49	22.98	22.40	0.174
16QAM	2510	20850	20	1	99	23.09	22.51	0.178
16QAM	2510	20850	20	50	0	21.70	21.12	0.129
16QAM	2510	20850	20	50	24	21.63	21.05	0.127
16QAM	2510	20850	20	50	50	21.51	20.93	0.124
16QAM	2510	20850	20	100	0	21.60	21.02	0.126
16QAM	2535	21100	20	1	0	22.84	22.26	0.168
16QAM	2535	21100	20	1	49	22.78	22.20	0.166
16QAM	2535	21100	20	1	99	22.92	22.34	0.171
16QAM	2535	21100	20	50	0	21.67	21.09	0.129
16QAM	2535	21100	20	50	24	21.58	21.00	0.126
16QAM	2535	21100	20	50	50	21.63	21.05	0.127
16QAM	2535	21100	20	100	0	21.57	20.99	0.126
16QAM	2560	21350	20	1	0	22.83	22.25	0.168
16QAM	2560	21350	20	1	49	22.80	22.22	0.167
16QAM	2560	21350	20	1	99	22.76	22.18	0.165
16QAM	2560	21350	20	50	0	21.67	21.09	0.129
16QAM	2560	21350	20	50	24	21.51	20.93	0.124
16QAM	2560	21350	20	50	50	21.47	20.89	0.123
16QAM	2560	21350	20	100	0	21.53	20.95	0.124
64QAM	2510	20850	20	1	0	22.47	21.89	0.155
64QAM	2510	20850	20	1	49	22.47	21.89	0.155
64QAM	2510	20850	20	1	99	22.39	21.81	0.152
64QAM	2510	20850	20	50	0	20.77	20.19	0.104
64QAM	2510	20850	20	50	24	20.72	20.14	0.103
64QAM	2510	20850	20	50	50	20.70	20.12	0.103
64QAM	2510	20850	20	100	0	20.61	20.03	0.101
64QAM	2535	21100	20	1	0	22.15	21.57	0.144
64QAM	2535	21100	20	1	49	22.30	21.72	0.149
64QAM	2535	21100	20	1	99	22.22	21.64	0.146
64QAM	2535	21100	20	50	0	20.56	19.98	0.100
64QAM	2535	21100	20	50	24	20.48	19.90	0.098
64QAM	2535	21100	20	50	50	20.53	19.95	0.099
64QAM	2535	21100	20	100	0	20.63	20.05	0.101
64QAM	2560	21350	20	1	0	22.87	22.29	0.169
64QAM	2560	21350	20	1	49	22.71	22.13	0.163
64QAM	2560	21350	20	1	99	22.64	22.06	0.161
64QAM	2560	21350	20	50	0	20.66	20.08	0.102
64QAM	2560	21350	20	50	24	20.65	20.07	0.102
64QAM	2560	21350	20	50	50	20.52	19.94	0.099

64QAM	2560	21350	20	100	0	20.61	20.03	0.101
-------	------	-------	----	-----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2510	20850	20	1	0	22.98	22.40	0.174
QPSK	2510	20850	20	1	49	22.94	22.36	0.172
QPSK	2510	20850	20	1	99	23.01	22.43	0.175
QPSK	2510	20850	20	50	0	22.54	21.96	0.157
QPSK	2510	20850	20	50	24	22.41	21.83	0.152
QPSK	2510	20850	20	50	50	22.46	21.88	0.154
QPSK	2510	20850	20	100	0	22.36	21.78	0.151
QPSK	2535	21100	20	1	0	23.00	22.42	0.175
QPSK	2535	21100	20	1	49	23.01	22.43	0.175
QPSK	2535	21100	20	1	99	23.06	22.48	0.177
QPSK	2535	21100	20	50	0	22.47	21.89	0.155
QPSK	2535	21100	20	50	24	22.50	21.92	0.156
QPSK	2535	21100	20	50	50	22.42	21.84	0.153
QPSK	2535	21100	20	100	0	22.48	21.90	0.155
QPSK	2560	21350	20	1	0	22.80	22.22	0.167
QPSK	2560	21350	20	1	49	22.88	22.30	0.170
QPSK	2560	21350	20	1	99	22.74	22.16	0.164
QPSK	2560	21350	20	50	0	22.53	21.95	0.157
QPSK	2560	21350	20	50	24	22.42	21.84	0.153
QPSK	2560	21350	20	50	50	22.31	21.73	0.149
QPSK	2560	21350	20	100	0	22.45	21.87	0.154