

Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51



Fig.52




Fig.53




Fig.54




Fig.55



Fig.56




Fig.57




Fig.58




Fig.59




Fig.60






Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

### 5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	819	26740	10	1	0	Fig.1
26	819	26740	10	1	0	Fig.2
26	819	26740	10	1	0	Fig.3




Fig.1




Fig.2




Fig.3

## 6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	814.7	26697	1.4	1	0	Fig.1
26	QPSK	814.7	26697	1.4	1	5	Fig.2
26	QPSK	814.7	26697	1.4	6	0	Fig.3
26	QPSK	814.7	26697	1.4	6	0	Fig.4
26	QPSK	823.3	26783	1.4	1	0	Fig.5
26	QPSK	823.3	26783	1.4	1	5	Fig.6
26	QPSK	823.3	26783	1.4	6	0	Fig.7
26	QPSK	823.3	26783	1.4	6	0	Fig.8
26	QPSK	815.5	26705	3	1	0	Fig.9
26	QPSK	815.5	26705	3	1	14	Fig.10
26	QPSK	815.5	26705	3	15	0	Fig.11
26	QPSK	815.5	26705	3	15	0	Fig.12
26	QPSK	822.5	26775	3	1	0	Fig.13
26	QPSK	822.5	26775	3	1	14	Fig.14
26	QPSK	822.5	26775	3	15	0	Fig.15
26	QPSK	822.5	26775	3	15	0	Fig.16
26	QPSK	816.5	26715	5	1	0	Fig.17
26	QPSK	816.5	26715	5	1	24	Fig.18
26	QPSK	816.5	26715	5	25	0	Fig.19
26	QPSK	816.5	26715	5	25	0	Fig.20
26	QPSK	821.5	26765	5	1	0	Fig.21
26	QPSK	821.5	26765	5	1	24	Fig.22
26	QPSK	821.5	26765	5	25	0	Fig.23
26	QPSK	821.5	26765	5	25	0	Fig.24
26	QPSK	819	26740	10	1	0	Fig.25
26	QPSK	819	26740	10	1	49	Fig.26
26	QPSK	819	26740	10	50	0	Fig.27
26	QPSK	819	26740	10	50	0	Fig.28
26	QPSK	819	26740	10	1	0	Fig.29
26	QPSK	819	26740	10	1	49	Fig.30
26	QPSK	819	26740	10	50	0	Fig.31
26	QPSK	819	26740	10	50	0	Fig.32

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24






Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32

## 7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26(814-824) Low Channel QPSK			
		1.4M	3M	5M	10M
-30	NV	0.012	0.027	0.027	0.052
-20	NV	0.040	0.050	0.051	0.038
-10	NV	0.029	0.008	0.041	0.004
0	NV	-0.055	-0.045	-0.022	-0.046
+10	NV	-0.034	-0.018	-0.011	-0.054
+30	NV	-0.054	-0.052	-0.047	-0.049
+40	NV	-0.030	-0.040	-0.050	-0.012
+50	NV	-0.049	-0.030	-0.004	0.011
+20	LV	-1.226	0.021	0.046	0.028
+20	HV	0.056	0.042	0.013	0.038

Temperature(°C)	Voltage	Test Result (ppm) Band 26(814-824) High Channel QPSK			
		1.4M	3M	5M	10M
-30	NV	0.046	0.042	0.052	0.033
-20	NV	-1.213	0.035	0.032	0.037
-10	NV	0.029	0.035	0.005	0.027
0	NV	-0.053	-0.050	-0.036	-0.030
+10	NV	-0.033	-0.042	-0.054	-0.052
+30	NV	-0.049	-0.020	-0.051	0.040
+40	NV	-0.046	-0.054	-0.023	0.016
+50	NV	-0.012	-0.022	-0.006	-0.004
+20	LV	-0.049	-0.049	-0.027	-0.005
+20	HV	0.059	0.042	0.028	-0.040

## 8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	814.7	26697	1.4	1	0	21.74	19.59	0.091
16QAM	814.7	26697	1.4	1	3	21.77	19.62	0.092
16QAM	814.7	26697	1.4	1	5	21.82	19.67	0.093
16QAM	814.7	26697	1.4	3	0	21.79	19.64	0.092
16QAM	814.7	26697	1.4	3	1	21.85	19.70	0.093
16QAM	814.7	26697	1.4	3	3	21.77	19.62	0.092
16QAM	814.7	26697	1.4	6	0	21.00	18.85	0.077
16QAM	819	26740	1.4	1	0	21.79	19.64	0.092
16QAM	819	26740	1.4	1	3	21.85	19.70	0.093
16QAM	819	26740	1.4	1	5	21.84	19.69	0.093
16QAM	819	26740	1.4	3	0	21.86	19.71	0.094
16QAM	819	26740	1.4	3	1	21.79	19.64	0.092
16QAM	819	26740	1.4	3	3	21.73	19.58	0.091
16QAM	819	26740	1.4	6	0	20.79	18.64	0.073
16QAM	823.3	26783	1.4	1	0	22.11	19.96	0.099
16QAM	823.3	26783	1.4	1	3	22.05	19.90	0.098
16QAM	823.3	26783	1.4	1	5	22.05	19.90	0.098
16QAM	823.3	26783	1.4	3	0	21.69	19.54	0.090
16QAM	823.3	26783	1.4	3	1	21.76	19.61	0.091
16QAM	823.3	26783	1.4	3	3	21.72	19.57	0.091
16QAM	823.3	26783	1.4	6	0	20.91	18.76	0.075
64QAM	814.7	26697	1.4	1	0	20.65	18.50	0.071
64QAM	814.7	26697	1.4	1	3	20.66	18.51	0.071
64QAM	814.7	26697	1.4	1	5	20.78	18.63	0.073
64QAM	814.7	26697	1.4	3	0	20.72	18.57	0.072
64QAM	814.7	26697	1.4	3	1	20.67	18.52	0.071
64QAM	814.7	26697	1.4	3	3	20.65	18.50	0.071
64QAM	814.7	26697	1.4	6	0	19.61	17.46	0.056
64QAM	819	26740	1.4	1	0	20.73	18.58	0.072
64QAM	819	26740	1.4	1	3	20.78	18.63	0.073
64QAM	819	26740	1.4	1	5	20.79	18.64	0.073
64QAM	819	26740	1.4	3	0	20.65	18.50	0.071
64QAM	819	26740	1.4	3	1	20.61	18.46	0.070
64QAM	819	26740	1.4	3	3	20.67	18.52	0.071
64QAM	819	26740	1.4	6	0	20.15	18.00	0.063
64QAM	823.3	26783	1.4	1	0	20.35	18.20	0.066
64QAM	823.3	26783	1.4	1	3	20.38	18.23	0.067
64QAM	823.3	26783	1.4	1	5	20.38	18.23	0.067
64QAM	823.3	26783	1.4	3	0	20.32	18.17	0.066
64QAM	823.3	26783	1.4	3	1	20.32	18.17	0.066
64QAM	823.3	26783	1.4	3	3	20.35	18.20	0.066

64QAM	823.3	26783	1.4	6	0	19.51	17.36	0.054
-------	-------	-------	-----	---	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	814.7	26697	1.4	1	0	22.19	20.04	0.101
QPSK	814.7	26697	1.4	1	3	22.25	20.10	0.102
QPSK	814.7	26697	1.4	1	5	22.29	20.14	0.103
QPSK	814.7	26697	1.4	3	0	22.15	20.00	0.100
QPSK	814.7	26697	1.4	3	1	22.18	20.03	0.101
QPSK	814.7	26697	1.4	3	3	22.20	20.05	0.101
QPSK	814.7	26697	1.4	6	0	21.72	19.57	0.091
QPSK	819	26740	1.4	1	0	22.19	20.04	0.101
QPSK	819	26740	1.4	1	3	22.16	20.01	0.100
QPSK	819	26740	1.4	1	5	22.09	19.94	0.099
QPSK	819	26740	1.4	3	0	22.19	20.04	0.101
QPSK	819	26740	1.4	3	1	22.09	19.94	0.099
QPSK	819	26740	1.4	3	3	22.16	20.01	0.100
QPSK	819	26740	1.4	6	0	21.66	19.51	0.089
QPSK	823.3	26783	1.4	1	0	22.41	20.26	0.106
QPSK	823.3	26783	1.4	1	3	22.32	20.17	0.104
QPSK	823.3	26783	1.4	1	5	22.26	20.11	0.103
QPSK	823.3	26783	1.4	3	0	22.22	20.07	0.102
QPSK	823.3	26783	1.4	3	1	22.13	19.98	0.100
QPSK	823.3	26783	1.4	3	3	22.08	19.93	0.098
QPSK	823.3	26783	1.4	6	0	21.63	19.48	0.089

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	815.5	26705	3	1	0	21.55	19.40	0.087
16QAM	815.5	26705	3	1	8	21.45	19.30	0.085
16QAM	815.5	26705	3	1	14	21.41	19.26	0.084
16QAM	815.5	26705	3	8	0	20.75	18.60	0.072
16QAM	815.5	26705	3	8	4	20.76	18.61	0.073
16QAM	815.5	26705	3	8	7	20.54	18.39	0.069
16QAM	815.5	26705	3	15	0	20.74	18.59	0.072
16QAM	819	26740	3	1	0	22.41	20.26	0.106
16QAM	819	26740	3	1	8	22.59	20.44	0.111
16QAM	819	26740	3	1	14	22.52	20.37	0.109
16QAM	819	26740	3	8	0	21.02	18.87	0.077
16QAM	819	26740	3	8	4	21.01	18.86	0.077
16QAM	819	26740	3	8	7	20.96	18.81	0.076
16QAM	819	26740	3	15	0	20.94	18.79	0.076
16QAM	822.5	26775	3	1	0	21.51	19.36	0.086
16QAM	822.5	26775	3	1	8	21.41	19.26	0.084
16QAM	822.5	26775	3	1	14	21.46	19.31	0.085
16QAM	822.5	26775	3	8	0	20.67	18.52	0.071
16QAM	822.5	26775	3	8	4	20.64	18.49	0.071
16QAM	822.5	26775	3	8	7	20.64	18.49	0.071
16QAM	822.5	26775	3	15	0	20.61	18.46	0.070
64QAM	815.5	26705	3	1	0	21.51	19.36	0.086
64QAM	815.5	26705	3	1	8	21.55	19.40	0.087
64QAM	815.5	26705	3	1	14	21.52	19.37	0.086
64QAM	815.5	26705	3	8	0	19.64	17.49	0.056
64QAM	815.5	26705	3	8	4	19.66	17.51	0.056
64QAM	815.5	26705	3	8	7	20.32	18.17	0.066
64QAM	815.5	26705	3	15	0	19.72	17.57	0.057
64QAM	819	26740	3	1	0	21.05	18.90	0.078
64QAM	819	26740	3	1	8	21.34	19.19	0.083
64QAM	819	26740	3	1	14	21.27	19.12	0.082
64QAM	819	26740	3	8	0	20.14	17.99	0.063
64QAM	819	26740	3	8	4	20.09	17.94	0.062
64QAM	819	26740	3	8	7	20.09	17.94	0.062
64QAM	819	26740	3	15	0	20.15	18.00	0.063
64QAM	822.5	26775	3	1	0	21.52	19.37	0.086
64QAM	822.5	26775	3	1	8	21.47	19.32	0.086
64QAM	822.5	26775	3	1	14	21.39	19.24	0.084
64QAM	822.5	26775	3	8	0	19.81	17.66	0.058
64QAM	822.5	26775	3	8	4	19.59	17.44	0.055
64QAM	822.5	26775	3	8	7	19.58	17.43	0.055

64QAM	822.5	26775	3	15	0	19.53	17.38	0.055
-------	-------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	815.5	26705	3	1	0	22.31	20.16	0.104
QPSK	815.5	26705	3	1	8	22.43	20.28	0.107
QPSK	815.5	26705	3	1	14	22.33	20.18	0.104
QPSK	815.5	26705	3	8	0	21.88	19.73	0.094
QPSK	815.5	26705	3	8	4	21.87	19.72	0.094
QPSK	815.5	26705	3	8	7	21.83	19.68	0.093
QPSK	815.5	26705	3	15	0	21.71	19.56	0.090
QPSK	819	26740	3	1	0	22.19	20.04	0.101
QPSK	819	26740	3	1	8	22.34	20.19	0.104
QPSK	819	26740	3	1	14	22.26	20.11	0.103
QPSK	819	26740	3	8	0	21.83	19.68	0.093
QPSK	819	26740	3	8	4	21.76	19.61	0.091
QPSK	819	26740	3	8	7	21.74	19.59	0.091
QPSK	819	26740	3	15	0	21.85	19.70	0.093
QPSK	822.5	26775	3	1	0	22.19	20.04	0.101
QPSK	822.5	26775	3	1	8	22.29	20.14	0.103
QPSK	822.5	26775	3	1	14	22.18	20.03	0.101
QPSK	822.5	26775	3	8	0	21.71	19.56	0.090
QPSK	822.5	26775	3	8	4	21.75	19.60	0.091
QPSK	822.5	26775	3	8	7	21.74	19.59	0.091
QPSK	822.5	26775	3	15	0	21.70	19.55	0.090

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	816.5	26715	5	1	0	21.51	19.36	0.086
16QAM	816.5	26715	5	1	12	21.32	19.17	0.083
16QAM	816.5	26715	5	1	24	21.44	19.29	0.085
16QAM	816.5	26715	5	12	0	20.69	18.54	0.071
16QAM	816.5	26715	5	12	7	20.65	18.50	0.071
16QAM	816.5	26715	5	12	13	20.52	18.37	0.069
16QAM	816.5	26715	5	25	0	20.59	18.44	0.070
16QAM	819	26740	5	1	0	21.39	19.24	0.084
16QAM	819	26740	5	1	12	21.48	19.33	0.086
16QAM	819	26740	5	1	24	21.42	19.27	0.085
16QAM	819	26740	5	12	0	20.53	18.38	0.069
16QAM	819	26740	5	12	7	20.72	18.57	0.072
16QAM	819	26740	5	12	13	20.79	18.64	0.073
16QAM	819	26740	5	25	0	20.79	18.64	0.073
16QAM	821.5	26765	5	1	0	21.31	19.16	0.082
16QAM	821.5	26765	5	1	12	21.39	19.24	0.084
16QAM	821.5	26765	5	1	24	21.31	19.16	0.082
16QAM	821.5	26765	5	12	0	20.82	18.67	0.074
16QAM	821.5	26765	5	12	7	20.90	18.75	0.075
16QAM	821.5	26765	5	12	13	20.64	18.49	0.071
16QAM	821.5	26765	5	25	0	20.91	18.76	0.075
64QAM	816.5	26715	5	1	0	20.92	18.77	0.075
64QAM	816.5	26715	5	1	12	20.71	18.56	0.072
64QAM	816.5	26715	5	1	24	20.87	18.72	0.074
64QAM	816.5	26715	5	12	0	19.69	17.54	0.057
64QAM	816.5	26715	5	12	7	20.10	17.95	0.062
64QAM	816.5	26715	5	12	13	20.13	17.98	0.063
64QAM	816.5	26715	5	25	0	20.27	18.12	0.065
64QAM	819	26740	5	1	0	20.69	18.54	0.071
64QAM	819	26740	5	1	12	20.75	18.60	0.072
64QAM	819	26740	5	1	24	20.74	18.59	0.072
64QAM	819	26740	5	12	0	20.17	18.02	0.063
64QAM	819	26740	5	12	7	20.09	17.94	0.062
64QAM	819	26740	5	12	13	19.59	17.44	0.055
64QAM	819	26740	5	25	0	20.32	18.17	0.066
64QAM	821.5	26765	5	1	0	20.31	18.16	0.065
64QAM	821.5	26765	5	1	12	20.26	18.11	0.065
64QAM	821.5	26765	5	1	24	20.28	18.13	0.065
64QAM	821.5	26765	5	12	0	19.82	17.67	0.058
64QAM	821.5	26765	5	12	7	19.88	17.73	0.059
64QAM	821.5	26765	5	12	13	19.68	17.53	0.057



64QAM	821.5	26765	5	25	0	19.83	17.68	0.059
-------	-------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	816.5	26715	5	1	0	22.33	20.18	0.104
QPSK	816.5	26715	5	1	12	22.51	20.36	0.109
QPSK	816.5	26715	5	1	24	22.50	20.35	0.108
QPSK	816.5	26715	5	12	0	21.81	19.66	0.092
QPSK	816.5	26715	5	12	7	21.74	19.59	0.091
QPSK	816.5	26715	5	12	13	21.72	19.57	0.091
QPSK	816.5	26715	5	25	0	21.86	19.71	0.094
QPSK	819	26740	5	1	0	22.07	19.92	0.098
QPSK	819	26740	5	1	12	22.40	20.25	0.106
QPSK	819	26740	5	1	24	22.30	20.15	0.104
QPSK	819	26740	5	12	0	21.73	19.58	0.091
QPSK	819	26740	5	12	7	21.73	19.58	0.091
QPSK	819	26740	5	12	13	21.82	19.67	0.093
QPSK	819	26740	5	25	0	21.72	19.57	0.091
QPSK	821.5	26765	5	1	0	22.07	19.92	0.098
QPSK	821.5	26765	5	1	12	22.15	20.00	0.100
QPSK	821.5	26765	5	1	24	22.20	20.05	0.101
QPSK	821.5	26765	5	12	0	21.89	19.74	0.094
QPSK	821.5	26765	5	12	7	21.70	19.55	0.090
QPSK	821.5	26765	5	12	13	21.74	19.59	0.091
QPSK	821.5	26765	5	25	0	21.80	19.65	0.092

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	819	26740	10	1	0	21.52	19.37	0.086
16QAM	819	26740	10	1	25	21.40	19.25	0.084
16QAM	819	26740	10	1	49	21.53	19.38	0.087
16QAM	819	26740	10	25	0	20.83	18.68	0.074
16QAM	819	26740	10	25	12	20.82	18.67	0.074
16QAM	819	26740	10	25	25	20.74	18.59	0.072
16QAM	819	26740	10	50	0	20.85	18.70	0.074
16QAM	819	26740	10	1	0	21.44	19.29	0.085
16QAM	819	26740	10	1	25	21.44	19.29	0.085
16QAM	819	26740	10	1	49	21.37	19.22	0.084
16QAM	819	26740	10	25	0	20.81	18.66	0.073
16QAM	819	26740	10	25	12	20.90	18.75	0.075
16QAM	819	26740	10	25	25	20.89	18.74	0.075
16QAM	819	26740	10	50	0	20.85	18.70	0.074
16QAM	819	26740	10	1	0	21.51	19.36	0.086
16QAM	819	26740	10	1	25	21.46	19.31	0.085
16QAM	819	26740	10	1	49	21.44	19.29	0.085
16QAM	819	26740	10	25	0	20.78	18.63	0.073
16QAM	819	26740	10	25	12	20.89	18.74	0.075
16QAM	819	26740	10	25	25	20.86	18.71	0.074
16QAM	819	26740	10	50	0	20.82	18.67	0.074
64QAM	819	26740	10	1	0	21.40	19.25	0.084
64QAM	819	26740	10	1	25	21.53	19.38	0.087
64QAM	819	26740	10	1	49	21.32	19.17	0.083
64QAM	819	26740	10	25	0	20.32	18.17	0.066
64QAM	819	26740	10	25	12	20.27	18.12	0.065
64QAM	819	26740	10	25	25	19.87	17.72	0.059
64QAM	819	26740	10	50	0	20.16	18.01	0.063
64QAM	819	26740	10	1	0	21.51	19.36	0.086
64QAM	819	26740	10	1	25	21.49	19.34	0.086
64QAM	819	26740	10	1	49	21.43	19.28	0.085
64QAM	819	26740	10	25	0	20.32	18.17	0.066
64QAM	819	26740	10	25	12	20.28	18.13	0.065
64QAM	819	26740	10	25	25	19.83	17.68	0.059
64QAM	819	26740	10	50	0	20.11	17.96	0.063
64QAM	819	26740	10	1	0	21.38	19.23	0.084
64QAM	819	26740	10	1	25	21.43	19.28	0.085
64QAM	819	26740	10	1	49	21.42	19.27	0.085
64QAM	819	26740	10	25	0	20.30	18.15	0.065
64QAM	819	26740	10	25	12	20.27	18.12	0.065
64QAM	819	26740	10	25	25	19.81	17.66	0.058

64QAM	819	26740	10	50	0	20.26	18.11	0.065
-------	-----	-------	----	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	819	26740	10	1	0	22.21	20.06	0.101
QPSK	819	26740	10	1	25	22.27	20.12	0.103
QPSK	819	26740	10	1	49	22.26	20.11	0.103
QPSK	819	26740	10	25	0	21.69	19.54	0.090
QPSK	819	26740	10	25	12	21.76	19.61	0.091
QPSK	819	26740	10	25	25	21.74	19.59	0.091
QPSK	819	26740	10	50	0	21.78	19.63	0.092
QPSK	819	26740	10	1	0	22.25	20.10	0.102
QPSK	819	26740	10	1	25	22.21	20.06	0.101
QPSK	819	26740	10	1	49	22.25	20.10	0.102
QPSK	819	26740	10	25	0	21.78	19.63	0.092
QPSK	819	26740	10	25	12	21.79	19.64	0.092
QPSK	819	26740	10	25	25	21.78	19.63	0.092
QPSK	819	26740	10	50	0	21.85	19.70	0.093
QPSK	819	26740	10	1	0	22.22	20.07	0.102
QPSK	819	26740	10	1	25	22.18	20.03	0.101
QPSK	819	26740	10	1	49	22.21	20.06	0.101
QPSK	819	26740	10	25	0	21.61	19.46	0.088
QPSK	819	26740	10	25	12	21.75	19.60	0.091
QPSK	819	26740	10	25	25	21.75	19.60	0.091
QPSK	819	26740	10	50	0	21.82	19.67	0.093