

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

Duty Cycle

Test Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor(dB)
802.11a	5720	98.70%	0
802.11n HT20	5720	98.60%	0
802.11ac VHT20	5720	98.62%	0
802.11n HT40	5710	97.29%	0.12
802.11ac VHT40	5710	97.35%	0.12
802.11ac VHT80	5690	95.00%	0.22

Note: Correction Factor=10*log (1/Duty Cycle)

Output Power

NII2C

Title	Test Mode	Tones/ RUIndex	Freq (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
NII2C	802.11a	NA	5720	Chain0	13.61	12.11
NII2C	802.11n HT20	NA	5720	Chain0	12.68	11.18
NII2C	802.11ac VHT20	NA	5720	Chain0	13.29	11.79
NII2C	802.11n HT40	NA	5710	Chain0	13.64	12.14
NII2C	802.11ac VHT40	NA	5710	Chain0	13.64	12.14
NII2C	802.11ac VHT80	NA	5690	Chain0	13.83	12.33

NII3

Title	Test Mode	Tones/ RUIndex	Freq (MHz)	Antenna	Conducted average power output(dBm)	EIRP (dBm)
NII3	802.11a	NA	5720	Chain0	5.80	4.30
NII3	802.11n HT20	NA	5720	Chain0	5.51	4.01
NII3	802.11ac VHT20	NA	5720	Chain0	6.30	4.80
NII3	802.11n HT40	NA	5710	Chain0	1.29	-0.21
NII3	802.11ac VHT40	NA	5710	Chain0	1.25	-0.25
NII3	802.11ac VHT80	NA	5690	Chain0	-2.22	-3.72

Emission Bandwidth

NII2C

Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

26dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.662
			5720MHz
NII2C	802.11a	Chain0	14.90
NII2C	802.11n HT20	Chain0	15.02
NII2C	802.11ac VHT20	Chain0	15.20

26dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.660
			5710MHz
NII2C	802.11n HT40	Chain0	34.92
NII2C	802.11ac VHT40	Chain0	34.92

26dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.656
			5690MHz
NII2C	802.11ac VHT80	Chain0	74.60

NII3

Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

26dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.662
			5720MHz
NII3	802.11a	Chain0	4.90
NII3	802.11n HT20	Chain0	5.02
NII3	802.11ac VHT20	Chain0	5.02

26dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.660
			5710MHz
NII3	802.11n HT40	Chain0	5.16
NII3	802.11ac VHT40	Chain0	5.28

26dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.656
			5690MHz
NII3	802.11ac VHT80	Chain0	4.84

Test Mode: 802.11a




Test Mode:802.11a 5720MHz Chain0

Test Mode: 802.11n HT20




Test Mode:802.11n HT20 5720MHz Chain0

Test Mode: 802.11ac VHT20




Test Mode:802.11ac VHT20 5720MHz Chain0

Test Mode: 802.11n HT40




Test Mode:802.11n HT40 5710MHz Chain0

Test Mode: 802.11ac VHT40



Test Mode:802.11ac VHT40 5710MHz Chain0

Test Mode: 802.11ac VHT80



Test Mode:802.11ac VHT80 5690MHz Chain0

Occupied Bandwidth

NII2C

Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

Occupied Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.662
			5720MHz
NII2C	802.11a	Chain0	13.83
NII2C	802.11n HT20	Chain0	13.79
NII2C	802.11ac VHT20	Chain0	13.85

Occupied Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.660
			5710MHz
NII2C	802.11n HT40	Chain0	33.15
NII2C	802.11ac VHT40	Chain0	33.03

Occupied Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.656
			5690MHz
NII2C	802.11ac VHT80	Chain0	73.20

NII3


Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

Occupied Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.662
			5720MHz
NII3	802.11a	Chain0	3.83
NII3	802.11n HT20	Chain0	3.89
NII3	802.11ac VHT20	Chain0	3.82

Occupied Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.660
			5710MHz
NII3	802.11n HT40	Chain0	3.09
NII3	802.11ac VHT40	Chain0	3.11


Occupied Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.656
			5690MHz
NII3	802.11ac VHT80	Chain0	2.86

Test Mode: 802.11a




Test Mode:802.11a 5720MHz Chain0

Test Mode: 802.11n HT20




Test Mode:802.11n HT20 5720MHz Chain0

Test Mode: 802.11ac VHT20




Test Mode:802.11ac VHT20 5720MHz Chain0

Test Mode: 802.11n HT40




Test Mode:802.11n HT40 5710MHz Chain0

Test Mode: 802.11ac VHT40



Test Mode:802.11ac VHT40 5710MHz Chain0

Test Mode: 802.11ac VHT80



Test Mode:802.11ac VHT80 5690MHz Chain0

6dB Bandwidth

NII2C

Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.662
			5720MHz
NII2C	802.11a	Chain0	12.88
NII2C	802.11n HT20	Chain0	13.38
NII2C	802.11ac VHT20	Chain0	12.57

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.660
			5710MHz
NII2C	802.11n HT40	Chain0	32.50
NII2C	802.11ac VHT40	Chain0	32.52

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.656
			5690MHz
NII2C	802.11ac VHT80	Chain0	72.56

NII3


Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.662
			5720MHz
NII3	802.11a	Chain0	2.76
NII3	802.11n HT20	Chain0	3.36
NII3	802.11ac VHT20	Chain0	2.54

6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.660
			5710MHz
NII3	802.11n HT40	Chain0	2.54
NII3	802.11ac VHT40	Chain0	2.47


6dB Bandwidth (MHz)			
Title	Test Mode	Antenna	Channel No.656
			5690MHz
NII3	802.11ac VHT80	Chain0	2.54

Test Mode: 802.11a




Test Mode:802.11a 5720MHz Chain0

Test Mode: 802.11n HT20




Test Mode:802.11n HT20 5720MHz Chain0

Test Mode: 802.11ac VHT20




Test Mode:802.11ac VHT20 5720MHz Chain0

Test Mode: 802.11n HT40




Test Mode:802.11n HT40 5710MHz Chain0

Test Mode: 802.11ac VHT40



Test Mode:802.11ac VHT40 5710MHz Chain0

Test Mode: 802.11ac VHT80



Test Mode:802.11ac VHT80 5690MHz Chain0

Transmitter Power Spectral Density

NII2C


Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

Title	Test Mode	Antenna	5720MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)
NII2C	802.11a	Chain0	0	3.736
NII2C	802.11n HT20	Chain0	0	2.914
NII2C	802.11ac VHT20	Chain0	0	3.620


Title	Test Mode	Antenna	5710MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)
NII2C	802.11n HT40	Chain0	0.12	0.603
NII2C	802.11ac VHT40	Chain0	0.12	0.543

Title	Test Mode	Antenna	5690MHz	
			Correction Factor(dB)	Power Density (dBm/MHz)
NII2C	802.11ac VHT80	Chain0	0.22	-2.543

Test Mode: 802.11a




Test Mode: 802.11n HT20




Test Mode:802.11n HT20 5720MHz Chain0 NII2C

Test Mode: 802.11ac VHT20




Test Mode:802.11ac VHT20 5720MHz Chain0 NII2C

Test Mode: 802.11n HT40




Test Mode:802.11n HT40 5710MHz Chain0 NII2C

Test Mode: 802.11ac VHT40



Test Mode:802.11ac VHT40 5710MHz Chain0 NII2C

Test Mode: 802.11ac VHT80



Test Mode:802.11ac VHT80 5690MHz Chain0 NII2C

NII3

Offset 11.16dB = Attenuator + Temporary antenna connector loss + Cable loss

Title	Test Mode	Antenna	5720MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11a	Chain0	0	0.101
NII3	802.11n HT20	Chain0	0	-0.678
NII3	802.11ac VHT20	Chain0	0	0.106

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.


Title	Test Mode	Antenna	5710MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11n HT40	Chain0	0.12	-5.612
NII3	802.11ac VHT40	Chain0	0.12	-4.979

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.

Title	Test Mode	Antenna	5690MHz	
			Correction Factor(dB)	Power Density (dBm/500KHz)
NII3	802.11ac VHT80	Chain0	0.22	-9.326


Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.

Test Mode: 802.11a




Test Mode:802.11a 5720MHz Chain0 NII3

Test Mode: 802.11n HT20




Test Mode:802.11n HT20 5720MHz Chain0 NII3

Test Mode: 802.11ac VHT20




Test Mode:802.11ac VHT20 5720MHz Chain0 NII3

Test Mode: 802.11n HT40



Test Mode: 802.11ac VHT40



Test Mode: 802.11ac VHT80

