



Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67



Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	831.5	26865	15	1	0	Fig.1
26	836.5	26915	15	1	0	Fig.2
26	841.5	26965	15	1	0	Fig.3




Fig.1




Fig.2



















Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
26	824.7	26797	1.4	1	0	Fig.1
26	824.7	26797	1.4	6	0	Fig.2
26	848.3	27033	1.4	1	5	Fig.3
26	848.3	27033	1.4	6	0	Fig.4
26	825.5	26805	3	1	0	Fig.5
26	825.5	26805	3	15	0	Fig.6
26	847.5	27025	3	1	14	Fig.7
26	847.5	27025	3	15	0	Fig.8
26	826.5	26815	5	1	0	Fig.9
26	826.5	26815	5	25	0	Fig.10
26	846.5	27015	5	1	24	Fig.11
26	846.5	27015	5	25	0	Fig.12
26	829	26840	10	1	0	Fig.13
26	829	26840	10	50	0	Fig.14
26	844	26990	10	1	49	Fig.15
26	844	26990	10	50	0	Fig.16
26	831.5	26865	15	1	0	Fig.17
26	831.5	26865	15	75	0	Fig.18
26	841.5	26965	15	1	74	Fig.19
26	841.5	26965	15	75	0	Fig.20










Fig.19




Fig.20

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) Low Channel QPSK				
		1.4M	3M	5M	10M	15M
-30	NV	1.171	-0.021	0.016	0.004	-0.004
-20	NV	0.012	0.004	0.003	0.021	-0.046
-10	NV	-0.028	-0.026	0.006	-0.011	-0.013
0	NV	-0.003	0.006	0.000	0.035	-0.006
+10	NV	-0.021	-0.017	-0.008	0.004	-0.033
+30	NV	0.019	0.007	0.007	0.008	-0.039
+40	NV	-0.001	-0.003	-0.004	-0.001	-0.045
+50	NV	0.017	0.010	0.004	-0.003	-0.013
+20	LV	0.016	0.020	0.011	-0.004	-0.022
+20	HV	-0.011	0.014	0.025	-0.011	0.000

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) High Channel QPSK				
		1.4M	3M	5M	10M	15M
-30	NV	-0.017	0.032	-0.044	-0.033	0.028
-20	NV	-0.020	0.027	-0.041	-0.023	0.044
-10	NV	-0.039	0.019	-0.034	-0.013	0.019
0	NV	-0.044	-0.011	-0.044	-0.027	0.026
+10	NV	-0.003	0.030	-0.027	-0.025	0.044
+30	NV	-0.008	0.008	0.002	-0.017	0.036
+40	NV	-0.021	0.032	-0.012	-0.030	0.007
+50	NV	-0.011	0.007	-0.010	-0.041	-0.001
+20	LV	-0.015	0.012	-0.003	-0.018	0.040
+20	HV	-0.050	0.027	-0.025	-0.019	0.042

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	824.7	26797	1.4	1	0	21.53	18.53	0.071
16QAM	824.7	26797	1.4	1	3	21.54	18.54	0.071
16QAM	824.7	26797	1.4	1	5	21.65	18.65	0.073
16QAM	824.7	26797	1.4	3	0	21.24	18.24	0.067
16QAM	824.7	26797	1.4	3	1	21.16	18.16	0.065
16QAM	824.7	26797	1.4	3	3	21.22	18.22	0.066
16QAM	824.7	26797	1.4	6	0	20.13	17.13	0.052
16QAM	836.5	26915	1.4	1	0	22.13	19.13	0.082
16QAM	836.5	26915	1.4	1	3	22.19	19.19	0.083
16QAM	836.5	26915	1.4	1	5	22.24	19.24	0.084
16QAM	836.5	26915	1.4	3	0	21.47	18.47	0.070
16QAM	836.5	26915	1.4	3	1	21.43	18.43	0.070
16QAM	836.5	26915	1.4	3	3	21.45	18.45	0.070
16QAM	836.5	26915	1.4	6	0	20.63	17.63	0.058
16QAM	848.3	27033	1.4	1	0	21.78	18.78	0.076
16QAM	848.3	27033	1.4	1	3	21.92	18.92	0.078
16QAM	848.3	27033	1.4	1	5	21.97	18.97	0.079
16QAM	848.3	27033	1.4	3	0	20.86	17.86	0.061
16QAM	848.3	27033	1.4	3	1	20.99	17.99	0.063
16QAM	848.3	27033	1.4	3	3	21.18	18.18	0.066
16QAM	848.3	27033	1.4	6	0	20.53	17.53	0.057
64QAM	824.7	26797	1.4	1	0	21.72	18.72	0.074
64QAM	824.7	26797	1.4	1	3	21.76	18.76	0.075
64QAM	824.7	26797	1.4	1	5	21.80	18.80	0.076
64QAM	824.7	26797	1.4	3	0	20.97	17.97	0.063
64QAM	824.7	26797	1.4	3	1	21.10	18.10	0.065
64QAM	824.7	26797	1.4	3	3	20.97	17.97	0.063
64QAM	824.7	26797	1.4	6	0	20.14	17.14	0.052
64QAM	836.5	26915	1.4	1	0	21.86	18.86	0.077
64QAM	836.5	26915	1.4	1	3	21.93	18.93	0.078
64QAM	836.5	26915	1.4	1	5	21.93	18.93	0.078
64QAM	836.5	26915	1.4	3	0	21.28	18.28	0.067
64QAM	836.5	26915	1.4	3	1	21.31	18.31	0.068
64QAM	836.5	26915	1.4	3	3	21.32	18.32	0.068
64QAM	836.5	26915	1.4	6	0	20.55	17.55	0.057
64QAM	848.3	27033	1.4	1	0	21.37	18.37	0.069
64QAM	848.3	27033	1.4	1	3	21.37	18.37	0.069
64QAM	848.3	27033	1.4	1	5	21.43	18.43	0.070
64QAM	848.3	27033	1.4	3	0	21.04	18.04	0.064
64QAM	848.3	27033	1.4	3	1	21.31	18.31	0.068
64QAM	848.3	27033	1.4	3	3	21.06	18.06	0.064

64QAM	848.3	27033	1.4	6	0	20.80	17.80	0.060
-------	-------	-------	-----	---	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	824.7	26797	1.4	1	0	22.64	19.64	0.092
QPSK	824.7	26797	1.4	1	3	22.66	19.66	0.092
QPSK	824.7	26797	1.4	1	5	22.52	19.52	0.090
QPSK	824.7	26797	1.4	3	0	22.05	19.05	0.080
QPSK	824.7	26797	1.4	3	1	22.10	19.10	0.081
QPSK	824.7	26797	1.4	3	3	22.07	19.07	0.081
QPSK	824.7	26797	1.4	6	0	22.43	19.43	0.088
QPSK	836.5	26915	1.4	1	0	22.73	19.73	0.094
QPSK	836.5	26915	1.4	1	3	22.80	19.80	0.095
QPSK	836.5	26915	1.4	1	5	22.78	19.78	0.095
QPSK	836.5	26915	1.4	3	0	22.20	19.20	0.083
QPSK	836.5	26915	1.4	3	1	22.20	19.20	0.083
QPSK	836.5	26915	1.4	3	3	22.04	19.04	0.080
QPSK	836.5	26915	1.4	6	0	21.98	18.98	0.079
QPSK	848.3	27033	1.4	1	0	22.81	19.81	0.096
QPSK	848.3	27033	1.4	1	3	22.81	19.81	0.096
QPSK	848.3	27033	1.4	1	5	22.97	19.97	0.099
QPSK	848.3	27033	1.4	3	0	22.17	19.17	0.083
QPSK	848.3	27033	1.4	3	1	22.33	19.33	0.086
QPSK	848.3	27033	1.4	3	3	22.24	19.24	0.084
QPSK	848.3	27033	1.4	6	0	22.37	19.37	0.086

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	825.5	26805	3	1	0	21.47	18.47	0.070
16QAM	825.5	26805	3	1	8	21.40	18.40	0.069
16QAM	825.5	26805	3	1	14	21.40	18.40	0.069
16QAM	825.5	26805	3	8	0	20.32	17.32	0.054
16QAM	825.5	26805	3	8	4	20.22	17.22	0.053
16QAM	825.5	26805	3	8	7	20.16	17.16	0.052
16QAM	825.5	26805	3	15	0	20.15	17.15	0.052
16QAM	836.5	26915	3	1	0	22.13	19.13	0.082
16QAM	836.5	26915	3	1	8	22.15	19.15	0.082
16QAM	836.5	26915	3	1	14	22.27	19.27	0.085
16QAM	836.5	26915	3	8	0	20.33	17.33	0.054
16QAM	836.5	26915	3	8	4	20.44	17.44	0.055
16QAM	836.5	26915	3	8	7	20.44	17.44	0.055
16QAM	836.5	26915	3	15	0	20.52	17.52	0.056
16QAM	847.5	27025	3	1	0	21.71	18.71	0.074
16QAM	847.5	27025	3	1	8	21.80	18.80	0.076
16QAM	847.5	27025	3	1	14	22.02	19.02	0.080
16QAM	847.5	27025	3	8	0	20.54	17.54	0.057
16QAM	847.5	27025	3	8	4	20.58	17.58	0.057
16QAM	847.5	27025	3	8	7	20.53	17.53	0.057
16QAM	847.5	27025	3	15	0	20.41	17.41	0.055
64QAM	825.5	26805	3	1	0	21.64	18.64	0.073
64QAM	825.5	26805	3	1	8	21.69	18.69	0.074
64QAM	825.5	26805	3	1	14	21.70	18.70	0.074
64QAM	825.5	26805	3	8	0	20.54	17.54	0.057
64QAM	825.5	26805	3	8	4	20.47	17.47	0.056
64QAM	825.5	26805	3	8	7	20.57	17.57	0.057
64QAM	825.5	26805	3	15	0	20.22	17.22	0.053
64QAM	836.5	26915	3	1	0	21.88	18.88	0.077
64QAM	836.5	26915	3	1	8	21.95	18.95	0.079
64QAM	836.5	26915	3	1	14	22.06	19.06	0.081
64QAM	836.5	26915	3	8	0	20.37	17.37	0.055
64QAM	836.5	26915	3	8	4	20.46	17.46	0.056
64QAM	836.5	26915	3	8	7	20.44	17.44	0.055
64QAM	836.5	26915	3	15	0	20.51	17.51	0.056
64QAM	847.5	27025	3	1	0	21.45	18.45	0.070
64QAM	847.5	27025	3	1	8	21.15	18.15	0.065
64QAM	847.5	27025	3	1	14	21.51	18.51	0.071
64QAM	847.5	27025	3	8	0	20.61	17.61	0.058
64QAM	847.5	27025	3	8	4	20.56	17.56	0.057
64QAM	847.5	27025	3	8	7	20.73	17.73	0.059
64QAM	847.5	27025	3	15	0	20.39	17.39	0.055

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	825.5	26805	3	1	0	22.72	19.72	0.094
QPSK	825.5	26805	3	1	8	22.69	19.69	0.093
QPSK	825.5	26805	3	1	14	22.41	19.41	0.087
QPSK	825.5	26805	3	8	0	22.17	19.17	0.083
QPSK	825.5	26805	3	8	4	22.03	19.03	0.080
QPSK	825.5	26805	3	8	7	21.96	18.96	0.079
QPSK	825.5	26805	3	15	0	22.47	19.47	0.089
QPSK	836.5	26915	3	1	0	22.67	19.67	0.093
QPSK	836.5	26915	3	1	8	22.58	19.58	0.091
QPSK	836.5	26915	3	1	14	22.78	19.78	0.095
QPSK	836.5	26915	3	8	0	22.04	19.04	0.080
QPSK	836.5	26915	3	8	4	22.08	19.08	0.081
QPSK	836.5	26915	3	8	7	21.79	18.79	0.076
QPSK	836.5	26915	3	15	0	22.27	19.27	0.085
QPSK	847.5	27025	3	1	0	22.61	19.61	0.091
QPSK	847.5	27025	3	1	8	22.55	19.55	0.090
QPSK	847.5	27025	3	1	14	22.74	19.74	0.094
QPSK	847.5	27025	3	8	0	22.13	19.13	0.082
QPSK	847.5	27025	3	8	4	22.10	19.10	0.081
QPSK	847.5	27025	3	8	7	22.51	19.51	0.089
QPSK	847.5	27025	3	15	0	22.19	19.19	0.083

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	826.5	26815	5	1	0	21.03	18.03	0.064
16QAM	826.5	26815	5	1	12	21.12	18.12	0.065
16QAM	826.5	26815	5	1	24	21.07	18.07	0.064
16QAM	826.5	26815	5	12	0	20.24	17.24	0.053
16QAM	826.5	26815	5	12	7	20.13	17.13	0.052
16QAM	826.5	26815	5	12	13	20.13	17.13	0.052
16QAM	826.5	26815	5	25	0	19.90	16.90	0.049
16QAM	836.5	26915	5	1	0	22.20	19.20	0.083
16QAM	836.5	26915	5	1	12	22.27	19.27	0.085
16QAM	836.5	26915	5	1	24	22.18	19.18	0.083
16QAM	836.5	26915	5	12	0	20.19	17.19	0.052
16QAM	836.5	26915	5	12	7	19.94	16.94	0.049
16QAM	836.5	26915	5	12	13	20.14	17.14	0.052
16QAM	836.5	26915	5	25	0	20.32	17.32	0.054
16QAM	846.5	27015	5	1	0	21.62	18.62	0.073
16QAM	846.5	27015	5	1	12	21.41	18.41	0.069
16QAM	846.5	27015	5	1	24	21.59	18.59	0.072
16QAM	846.5	27015	5	12	0	20.33	17.33	0.054
16QAM	846.5	27015	5	12	7	20.35	17.35	0.054
16QAM	846.5	27015	5	12	13	20.38	17.38	0.055
16QAM	846.5	27015	5	25	0	20.49	17.49	0.056
64QAM	826.5	26815	5	1	0	20.70	17.70	0.059
64QAM	826.5	26815	5	1	12	20.83	17.83	0.061
64QAM	826.5	26815	5	1	24	20.71	17.71	0.059
64QAM	826.5	26815	5	12	0	20.16	17.16	0.052
64QAM	826.5	26815	5	12	7	20.44	17.44	0.055
64QAM	826.5	26815	5	12	13	20.02	17.02	0.050
64QAM	826.5	26815	5	25	0	20.24	17.24	0.053
64QAM	836.5	26915	5	1	0	21.74	18.74	0.075
64QAM	836.5	26915	5	1	12	21.73	18.73	0.075
64QAM	836.5	26915	5	1	24	21.73	18.73	0.075
64QAM	836.5	26915	5	12	0	20.35	17.35	0.054
64QAM	836.5	26915	5	12	7	20.36	17.36	0.054
64QAM	836.5	26915	5	12	13	20.31	17.31	0.054
64QAM	836.5	26915	5	25	0	20.21	17.21	0.053
64QAM	846.5	27015	5	1	0	21.80	18.80	0.076
64QAM	846.5	27015	5	1	12	21.67	18.67	0.074
64QAM	846.5	27015	5	1	24	21.76	18.76	0.075
64QAM	846.5	27015	5	12	0	20.34	17.34	0.054
64QAM	846.5	27015	5	12	7	20.46	17.46	0.056
64QAM	846.5	27015	5	12	13	20.50	17.50	0.056
64QAM	846.5	27015	5	25	0	20.56	17.56	0.057

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	826.5	26815	5	1	0	22.72	19.72	0.094
QPSK	826.5	26815	5	1	12	22.65	19.65	0.092
QPSK	826.5	26815	5	1	24	22.75	19.75	0.094
QPSK	826.5	26815	5	12	0	22.37	19.37	0.086
QPSK	826.5	26815	5	12	7	22.03	19.03	0.080
QPSK	826.5	26815	5	12	13	21.94	18.94	0.078
QPSK	826.5	26815	5	25	0	21.82	18.82	0.076
QPSK	836.5	26915	5	1	0	22.37	19.37	0.086
QPSK	836.5	26915	5	1	12	22.26	19.26	0.084
QPSK	836.5	26915	5	1	24	22.55	19.55	0.090
QPSK	836.5	26915	5	12	0	22.08	19.08	0.081
QPSK	836.5	26915	5	12	7	22.10	19.10	0.081
QPSK	836.5	26915	5	12	13	21.89	18.89	0.077
QPSK	836.5	26915	5	25	0	21.91	18.91	0.078
QPSK	846.5	27015	5	1	0	22.92	19.92	0.098
QPSK	846.5	27015	5	1	12	22.87	19.87	0.097
QPSK	846.5	27015	5	1	24	22.89	19.89	0.097
QPSK	846.5	27015	5	12	0	22.04	19.04	0.080
QPSK	846.5	27015	5	12	7	22.18	19.18	0.083
QPSK	846.5	27015	5	12	13	22.16	19.16	0.082
QPSK	846.5	27015	5	25	0	22.12	19.12	0.082

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	829	26840	10	1	0	21.59	18.59	0.072
16QAM	829	26840	10	1	25	21.55	18.55	0.072
16QAM	829	26840	10	1	49	22.49	19.49	0.089
16QAM	829	26840	10	25	0	20.70	17.70	0.059
16QAM	829	26840	10	25	12	20.40	17.40	0.055
16QAM	829	26840	10	25	25	20.48	17.48	0.056
16QAM	829	26840	10	50	0	20.23	17.23	0.053
16QAM	836.5	26915	10	1	0	22.07	19.07	0.081
16QAM	836.5	26915	10	1	25	22.15	19.15	0.082
16QAM	836.5	26915	10	1	49	22.12	19.12	0.082
16QAM	836.5	26915	10	25	0	20.77	17.77	0.060
16QAM	836.5	26915	10	25	12	20.84	17.84	0.061
16QAM	836.5	26915	10	25	25	20.77	17.77	0.060
16QAM	836.5	26915	10	50	0	20.93	17.93	0.062
16QAM	844	26990	10	1	0	21.80	18.80	0.076
16QAM	844	26990	10	1	25	21.85	18.85	0.077
16QAM	844	26990	10	1	49	21.87	18.87	0.077
16QAM	844	26990	10	25	0	20.98	17.98	0.063
16QAM	844	26990	10	25	12	20.93	17.93	0.062
16QAM	844	26990	10	25	25	21.11	18.11	0.065
16QAM	844	26990	10	50	0	20.93	17.93	0.062
64QAM	829	26840	10	1	0	21.61	18.61	0.073
64QAM	829	26840	10	1	25	21.59	18.59	0.072
64QAM	829	26840	10	1	49	21.89	18.89	0.077
64QAM	829	26840	10	25	0	20.72	17.72	0.059
64QAM	829	26840	10	25	12	20.79	17.79	0.060
64QAM	829	26840	10	25	25	20.42	17.42	0.055
64QAM	829	26840	10	50	0	20.48	17.48	0.056
64QAM	836.5	26915	10	1	0	22.25	19.25	0.084
64QAM	836.5	26915	10	1	25	22.32	19.32	0.086
64QAM	836.5	26915	10	1	49	22.54	19.54	0.090
64QAM	836.5	26915	10	25	0	20.68	17.68	0.059
64QAM	836.5	26915	10	25	12	20.77	17.77	0.060
64QAM	836.5	26915	10	25	25	20.82	17.82	0.061
64QAM	836.5	26915	10	50	0	20.80	17.80	0.060
64QAM	844	26990	10	1	0	21.23	18.23	0.067
64QAM	844	26990	10	1	25	21.32	18.32	0.068
64QAM	844	26990	10	1	49	21.35	18.35	0.068
64QAM	844	26990	10	25	0	20.78	17.78	0.060
64QAM	844	26990	10	25	12	20.98	17.98	0.063
64QAM	844	26990	10	25	25	20.95	17.95	0.062
64QAM	844	26990	10	50	0	20.87	17.87	0.061

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	829	26840	10	1	0	22.77	19.77	0.095
QPSK	829	26840	10	1	25	22.53	19.53	0.090
QPSK	829	26840	10	1	49	22.54	19.54	0.090
QPSK	829	26840	10	25	0	22.39	19.39	0.087
QPSK	829	26840	10	25	12	22.55	19.55	0.090
QPSK	829	26840	10	25	25	22.61	19.61	0.091
QPSK	829	26840	10	50	0	22.70	19.70	0.093
QPSK	836.5	26915	10	1	0	22.60	19.60	0.091
QPSK	836.5	26915	10	1	25	22.63	19.63	0.092
QPSK	836.5	26915	10	1	49	22.92	19.92	0.098
QPSK	836.5	26915	10	25	0	22.54	19.54	0.090
QPSK	836.5	26915	10	25	12	22.34	19.34	0.086
QPSK	836.5	26915	10	25	25	22.29	19.29	0.085
QPSK	836.5	26915	10	50	0	22.53	19.53	0.090
QPSK	844	26990	10	1	0	22.68	19.68	0.093
QPSK	844	26990	10	1	25	22.75	19.75	0.094
QPSK	844	26990	10	1	49	22.73	19.73	0.094
QPSK	844	26990	10	25	0	22.62	19.62	0.092
QPSK	844	26990	10	25	12	22.66	19.66	0.092
QPSK	844	26990	10	25	25	22.54	19.54	0.090
QPSK	844	26990	10	50	0	22.76	19.76	0.095

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	831.5	26865	15	1	0	21.63	18.63	0.073
16QAM	831.5	26865	15	1	37	22.35	19.35	0.086
16QAM	831.5	26865	15	1	74	22.43	19.43	0.088
16QAM	831.5	26865	15	36	0	20.83	17.83	0.061
16QAM	831.5	26865	15	36	29	20.74	17.74	0.059
16QAM	831.5	26865	15	36	30	20.70	17.70	0.059
16QAM	831.5	26865	15	75	0	20.73	17.73	0.059
16QAM	836.5	26915	15	1	0	22.06	19.06	0.081
16QAM	836.5	26915	15	1	37	22.37	19.37	0.086
16QAM	836.5	26915	15	1	74	22.33	19.33	0.086
16QAM	836.5	26915	15	36	0	20.54	17.54	0.057
16QAM	836.5	26915	15	36	29	20.86	17.86	0.061
16QAM	836.5	26915	15	36	30	20.85	17.85	0.061
16QAM	836.5	26915	15	75	0	20.72	17.72	0.059
16QAM	841.5	26965	15	1	0	21.93	18.93	0.078
16QAM	841.5	26965	15	1	37	21.74	18.74	0.075
16QAM	841.5	26965	15	1	74	21.77	18.77	0.075
16QAM	841.5	26965	15	36	0	20.81	17.81	0.060
16QAM	841.5	26965	15	36	29	20.79	17.79	0.060
16QAM	841.5	26965	15	36	30	20.81	17.81	0.060
16QAM	841.5	26965	15	75	0	20.83	17.83	0.061
64QAM	831.5	26865	15	1	0	22.22	19.22	0.084
64QAM	831.5	26865	15	1	37	22.01	19.01	0.080
64QAM	831.5	26865	15	1	74	22.20	19.20	0.083
64QAM	831.5	26865	15	36	0	20.49	17.49	0.056
64QAM	831.5	26865	15	36	29	20.61	17.61	0.058
64QAM	831.5	26865	15	36	30	20.79	17.79	0.060
64QAM	831.5	26865	15	75	0	20.72	17.72	0.059
64QAM	836.5	26915	15	1	0	21.62	18.62	0.073
64QAM	836.5	26915	15	1	37	21.86	18.86	0.077
64QAM	836.5	26915	15	1	74	21.94	18.94	0.078
64QAM	836.5	26915	15	36	0	20.44	17.44	0.055
64QAM	836.5	26915	15	36	29	20.77	17.77	0.060
64QAM	836.5	26915	15	36	30	20.75	17.75	0.060
64QAM	836.5	26915	15	75	0	20.73	17.73	0.059
64QAM	841.5	26965	15	1	0	22.01	19.01	0.080
64QAM	841.5	26965	15	1	37	22.07	19.07	0.081
64QAM	841.5	26965	15	1	74	22.09	19.09	0.081
64QAM	841.5	26965	15	36	0	20.78	17.78	0.060
64QAM	841.5	26965	15	36	29	20.86	17.86	0.061
64QAM	841.5	26965	15	36	30	20.77	17.77	0.060
64QAM	841.5	26965	15	75	0	20.85	17.85	0.061

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	831.5	26865	15	1	0	22.67	19.67	0.093
QPSK	831.5	26865	15	1	37	22.70	19.70	0.093
QPSK	831.5	26865	15	1	74	22.56	19.56	0.090
QPSK	831.5	26865	15	36	0	22.52	19.52	0.090
QPSK	831.5	26865	15	36	29	22.55	19.55	0.090
QPSK	831.5	26865	15	36	30	22.19	19.19	0.083
QPSK	831.5	26865	15	75	0	22.59	19.59	0.091
QPSK	836.5	26915	15	1	0	22.49	19.49	0.089
QPSK	836.5	26915	15	1	37	22.40	19.40	0.087
QPSK	836.5	26915	15	1	74	23.09	20.09	0.102
QPSK	836.5	26915	15	36	0	22.36	19.36	0.086
QPSK	836.5	26915	15	36	29	22.13	19.13	0.082
QPSK	836.5	26915	15	36	30	22.57	19.57	0.091
QPSK	836.5	26915	15	75	0	22.61	19.61	0.091
QPSK	841.5	26965	15	1	0	22.22	19.22	0.084
QPSK	841.5	26965	15	1	37	22.24	19.24	0.084
QPSK	841.5	26965	15	1	74	22.66	19.66	0.092
QPSK	841.5	26965	15	36	0	22.48	19.48	0.089
QPSK	841.5	26965	15	36	29	22.97	19.97	0.099
QPSK	841.5	26965	15	36	30	22.72	19.72	0.094
QPSK	841.5	26965	15	75	0	22.62	19.62	0.092