UNII Declaration Letter

We have declared below	v featured for FCC ed	quipment authorizatio	n, device FCC ID:2A	DOBHLTE315E
(1) DFS Device		ent with Radar detecti dar detection capabilit		
(2) Active / Passive Sca	nning , adhoc mode :	access point capabilit	ry	
Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz	Yes, No	Yes, No	Yes, No	Yes, No
2422 – 2452 MHz	Yes, No	Yes, ☐ No	Yes, No	Yes, No
5745 – 5825 MHz	Yes, No	Yes, No	Yes, No	Yes, No
5755 – 5795 MHz	Yes, No	Yes, No	Yes, No	Yes, No
5180 – 5240 MHz	Yes, No	Yes, No	Yes, No	Yes, No
5190 – 5230 MHz	Yes, No	Yes, No	Yes, No	Yes, No
5260 – 5320 MHz	☐Yes, No	Yes, No	☐Yes, No	Yes, No
5270 – 5310 MHz	☐Yes, No	Yes, No	☐Yes, No	☐Yes, No
5500 – 5700 MHz 5510 – 5670 MHz	Yes, No	Yes, ☐ No Yes, ☐ No	☐Yes, No☐Yes, No	Yes, No
If no, pls explain how was (4) Meet 15.202 required pls check below: A master device is detransmit without receiving network by sending ena A client device is detransmit without receiving network by sending ena Compared to the device is detransmit without receiving network by sending ena A client device is detransmit of the devices that scanning in some and proclasses or those that open of operations through so how the software and / compared to the modified by end user Apply, No Apply (If apply, pls help to provide end in the plansmit of the provide end in the plansmit of the	refined as a device of a an enabling signal bling signals to other fined as a device operate. A device in contact have software contact as a device on assive scanning in other areas on non-DFS free of tware, the application of hardware is implement or an installer.	No , perating in a mode in . In this mode it is able devices erating in a mode in wellent mode is not able figuration control to opthers) in different banequencies) or modula on must provide softwarented to ensure that	which it has the capa e to select a channel which the transmission e to initiate a network perate in different mo ds (devices with mult r devices which confi rare and operations of	and initiate a ans of the device codes (active tiple equipment igure the modes description on hodes can not
Applicant: Hisense Interr Address: Floor 22, Hisen Signature: 2019/4/29		nai Xi Road, Qingdao	, 266071, China	

Name:Geng Ruifeng Job Title: Certification Manager

00.00.00 Ersteller: D. Brandhorst Erstelldatum: 20.06.2011 Revision: Datum: Seite 1 von 1