

## Evaluation Sheet – The Data of Measurement Re-using

July.25, 2018

Federal Communication Commission

Office of Engineering and Technology Laboratory Division

7435 Oakland Mill Rd.

Columbia MD 21046

Subject of Request: Permission and evaluation to re-use FCC ID 2ADOBU965 test data of model Hisense U965.

Dear Sirs,

Following is the Product Change Description:

### SOFTWARE MODIFICATIONS:

Item	Change information	Note
Protocol Stack changes	No	NA
MMS/STK changes	No	NA
JAVA changes	No	NA
Other changes detailed	Yes	YES, the version is changed from Hisense_U965_10_S03_20180602 to Hisense_T965_40_S01_20180529 (the change of SW version has no effects on the RF performance)

### HARDWARE MODIFICATION:

Item	Change information	Note
Band changes	No	NA
Change the duplexer	No	NA
Antenna changes	No	NA
Components on PCB changes	No	NA
Power Amplifier changes	No	NA
PCB Layout changes	No	YES, T965 removes the fingerprint connector on U965
LCD changes	Yes	YES, add another supplier
Speaker changes	No	NA
Camera changes	Yes	NA
Vibrator changes	No	NA
Bluetooth changes	No	NA
FM changes	No	NA
Other changes	No	YES, TP add another supplier

### MECHANICAL MODIFICATIONS:

Item	Change	Note
------	--------	------

	<b>information</b>	
Use new metal front/back cover or keypad	No	NA
Mechanical shell changes	Yes	NA
Other changes detailed	No	NA

#### ACCESSORY MODIFICATIONS:

<b>Item</b>	<b>Change information</b>	<b>Note</b>
Battery changes	No	NA
AC Adapter changes	No	NA
USB Cable changes	No	NA
Earphone changes	No	NA

For the difference between two ID, we have made the following test plan:

Reports from SRTC:

Please refer to the follow tabulate:

<b>Test report type</b>	<b>update</b>	<b>Add new measurement</b>
Part 15B Test Report (SDOC)	1.Software Version change to: Hisense_T965_40_S01_20180529 2.LCD and TP add another supplier	Part 15B retest The original test data derive from the report: SRTC2018-9003(F)-0010, add the second supplier test data
GSM RF Test Report	1.Software Version change to: Hisense_T965_40_S01_20180529 2.LCD and TP add another supplier	RSE retest The original test data derive from the report: SRTC2018-9004(F)-18042301(A), add the second supplier test data
WCDMA RF Test Report	1.Software Version change to: Hisense_T965_40_S01_20180529 2.LCD and TP add another supplier	RSE retest The original test data derive from the report: SRTC2018-9004(F)-18042301(B), add the second supplier test data
BT RF Test Report	1.Software Version change to: Hisense_T965_40_S01_20180529 2.LCD and TP add another supplier	RSE retest The original test data derive from the report: SRTC2018-9004(F)-18042301(D), add the second supplier test data
WLAN RF Test Report	1.Software Version change to: Hisense_T965_40_S01_20180529 2.LCD and TP add another	RSE retest The original test data derive from the report: SRTC2018-9004(F)-18042301(F),

	supplier	add the second supplier test data
SARTest Report	1.Software Version change to: L1402.6.01.00.MX05 2.LCD changes the supplier 3.Camera update to Camera changes	SAR spot check the worst case for every frequency band do not degrade the test date then derive the original test date from SRTC2018-9004(F)-18042301(H), add the second supplier test data

Sincerely,

APPROVED BY: Project manager

Signature:

*Liu Jia*

Date: July.25, 2018