






Band66 16QAM BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133297 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133297 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133297 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133297 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133297 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133297 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.12	-28.16	7.00	12.93	-34.09	-13.00	-21.09	H
5580.24	-24.59	8.40	17.11	-33.30	-13.00	-20.30	H
7439.73	-23.43	8.10	22.20	-37.53	-13.00	-24.53	H
3720.12	-25.14	7.00	12.93	-31.07	-13.00	-18.07	V
5580.24	-27.25	8.40	17.11	-35.96	-13.00	-22.96	V
7439.73	-25.80	8.10	22.20	-39.90	-13.00	-26.90	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.00	-25.63	7.00	12.93	-31.56	-13.00	-18.56	H
5640.07	-28.03	8.40	17.11	-36.74	-13.00	-23.74	H
7519.92	-26.03	8.10	22.20	-40.13	-13.00	-27.13	H
3760.00	-29.21	7.00	12.93	-35.14	-13.00	-22.14	V
5640.07	-26.97	8.40	17.11	-35.68	-13.00	-22.68	V
7519.92	-25.73	8.10	22.20	-39.83	-13.00	-26.83	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.81	-28.33	7.00	12.93	-34.26	-13.00	-21.26	H
5699.94	-25.66	8.40	17.11	-34.37	-13.00	-21.37	H
7600.18	-27.19	8.10	22.20	-41.29	-13.00	-28.29	H
3799.81	-25.24	7.00	12.93	-31.17	-13.00	-18.17	V
5699.94	-24.70	8.40	17.11	-33.41	-13.00	-20.41	V
7600.18	-25.39	8.10	22.20	-39.49	-13.00	-26.49	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.03	-27.71	7.20	12.56	-33.07	-13.00	-20.07	H
5160.07	-28.64	8.10	16.32	-36.86	-13.00	-23.86	H
6880.57	-24.79	8.30	21.13	-37.62	-13.00	-24.62	H
3440.03	-29.70	7.20	12.56	-35.06	-13.00	-22.06	V
5160.07	-24.45	8.10	16.32	-32.67	-13.00	-19.67	V
6880.57	-27.82	8.30	21.13	-40.65	-13.00	-27.65	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.04	-24.98	7.20	12.56	-30.34	-13.00	-17.34	H
5196.53	-24.89	8.10	16.32	-33.11	-13.00	-20.11	H
6929.58	-25.01	8.30	21.13	-37.84	-13.00	-24.84	H
3465.04	-29.23	7.20	12.56	-34.59	-13.00	-21.59	V
5196.53	-27.77	8.10	16.32	-35.99	-13.00	-22.99	V
6929.58	-24.90	8.30	21.13	-37.73	-13.00	-24.73	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.44	-25.54	7.20	12.56	-30.90	-13.00	-17.90	H
5235.08	-26.76	8.10	16.32	-34.98	-13.00	-21.98	H
6979.49	-24.87	8.30	21.13	-37.70	-13.00	-24.70	H
3490.44	-28.95	7.20	12.56	-34.31	-13.00	-21.31	V
5235.08	-28.45	8.10	16.32	-36.67	-13.00	-23.67	V
6979.49	-26.27	8.30	21.13	-39.10	-13.00	-26.10	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.56	-26.58	7.40	9.72	-28.90	-13.00	-15.90	H
2486.50	-26.27	8.30	10.86	-28.83	-13.00	-15.83	H
3315.33	-28.03	7.20	11.57	-32.40	-13.00	-19.40	H
1657.56	-27.90	7.40	9.72	-30.22	-13.00	-17.22	V
2486.50	-27.54	8.30	10.86	-30.10	-13.00	-17.10	V
3315.33	-26.93	7.20	11.57	-31.30	-13.00	-18.30	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.46	-25.73	7.40	9.72	-28.05	-13.00	-15.05	H
2508.95	-29.76	8.30	10.86	-32.32	-13.00	-19.32	H
3345.42	-25.93	7.20	11.57	-30.30	-13.00	-17.30	H
1672.46	-27.54	7.40	9.72	-29.86	-13.00	-16.86	V
2508.95	-28.37	8.30	10.86	-30.93	-13.00	-17.93	V
3345.42	-25.19	7.20	11.57	-29.56	-13.00	-16.56	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.44	-29.85	7.40	9.72	-32.17	-13.00	-19.17	H
2531.19	-26.87	8.30	10.86	-29.43	-13.00	-16.43	H
3375.69	-25.90	7.20	11.57	-30.27	-13.00	-17.27	H
1687.44	-30.53	7.40	9.72	-32.85	-13.00	-19.85	V
2531.19	-29.65	8.30	10.86	-32.21	-13.00	-19.21	V
3375.69	-24.41	7.20	11.57	-28.78	-13.00	-15.78	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.21	-30.77	8.00	15.86	-38.63	-25.00	-13.63	H
7531.07	-30.22	8.30	19.28	-41.20	-25.00	-16.20	H
10258.66	-26.51	8.10	23.19	-41.60	-25.00	-16.60	H
5021.21	-29.79	8.00	15.86	-37.65	-25.00	-12.65	V
7531.07	-29.95	8.30	19.28	-40.93	-25.00	-15.93	V
10258.66	-27.84	8.10	23.19	-42.93	-25.00	-17.93	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.72	-28.74	8.00	15.86	-36.60	-25.00	-11.60	H
7604.98	-29.82	8.30	19.28	-40.80	-25.00	-15.80	H
10139.67	-24.28	8.10	23.19	-39.37	-25.00	-14.37	H
5069.72	-30.42	8.00	15.86	-38.28	-25.00	-13.28	V
7604.98	-26.17	8.30	19.28	-37.15	-25.00	-12.15	V
10139.67	-24.39	8.10	23.19	-39.48	-25.00	-14.48	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.96	-27.61	8.00	15.86	-35.47	-25.00	-10.47	H
7678.25	-29.58	8.30	19.28	-40.56	-25.00	-15.56	H
10237.86	-27.79	8.10	23.19	-42.88	-25.00	-17.88	H
5118.96	-30.92	8.00	15.86	-38.78	-25.00	-13.78	V
7678.25	-25.65	8.30	19.28	-36.63	-25.00	-11.63	V
10237.86	-27.05	8.10	23.19	-42.14	-25.00	-17.14	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.82	-27.99	6.70	9.34	-30.63	-13.00	-17.63	H
2111.84	-27.43	7.80	10.42	-30.05	-13.00	-17.05	H
2815.52	-26.02	8.00	11.12	-29.14	-13.00	-16.14	H
1407.82	-28.40	6.70	9.34	-31.04	-13.00	-18.04	V
2111.84	-25.90	7.80	10.42	-28.52	-13.00	-15.52	V
2815.52	-26.35	8.00	11.12	-29.47	-13.00	-16.47	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.68	-26.97	6.70	9.34	-29.61	-13.00	-16.61	H
2122.05	-26.09	7.80	10.42	-28.71	-13.00	-15.71	H
2829.86	-26.64	8.00	11.12	-29.76	-13.00	-16.76	H
1414.68	-27.86	6.70	9.34	-30.50	-13.00	-17.50	V
2122.05	-28.46	7.80	10.42	-31.08	-13.00	-18.08	V
2829.86	-25.63	8.00	11.12	-28.75	-13.00	-15.75	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.63	-27.19	6.70	9.34	-29.83	-13.00	-16.83	H
2132.82	-29.12	7.80	10.42	-31.74	-13.00	-18.74	H
2843.73	-23.75	8.00	11.12	-26.87	-13.00	-13.87	H
1421.63	-26.42	6.70	9.34	-29.06	-13.00	-16.06	V
2132.82	-29.59	7.80	10.42	-32.21	-13.00	-19.21	V
2843.73	-24.58	8.00	11.12	-27.70	-13.00	-14.70	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.07	-44.59	7.40	9.72	-46.91	-40.00	-6.91	H
2346.16	-38.58	8.30	10.86	-41.14	-13.00	-28.14	H
3127.68	-39.49	7.70	11.57	-43.36	-13.00	-30.36	H
1564.07	-44.56	7.40	9.72	-46.88	-40.00	-6.88	V
2346.16	-39.61	8.30	10.86	-42.17	-13.00	-29.17	V
3127.68	-38.39	7.70	11.57	-42.26	-13.00	-29.26	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.32	-29.18	6.90	9.34	-31.62	-13.00	-18.62	H
2127.60	-28.80	8.00	10.42	-31.22	-13.00	-18.22	H
2836.44	-24.31	8.00	11.12	-27.43	-13.00	-14.43	H
1418.32	-29.91	6.90	9.34	-32.35	-13.00	-19.35	V
2127.60	-28.10	8.00	10.42	-30.52	-13.00	-17.52	V
2836.44	-25.87	8.00	11.12	-28.99	-13.00	-15.99	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.02	-29.11	6.90	9.34	-31.55	-13.00	-18.55	H
2130.17	-27.08	8.00	10.42	-29.50	-13.00	-16.50	H
2839.89	-24.85	8.00	11.12	-27.97	-13.00	-14.97	H
1420.02	-28.10	6.90	9.34	-30.54	-13.00	-17.54	V
2130.17	-26.98	8.00	10.42	-29.40	-13.00	-16.40	V
2839.89	-25.19	8.00	11.12	-28.31	-13.00	-15.31	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.37	-25.90	6.90	9.34	-28.34	-13.00	-15.34	H
2131.78	-28.96	8.00	10.42	-31.38	-13.00	-18.38	H
2842.73	-25.13	8.00	11.12	-28.25	-13.00	-15.25	H
1421.37	-26.13	6.90	9.34	-28.57	-13.00	-15.57	V
2131.78	-25.59	8.00	10.42	-28.01	-13.00	-15.01	V
2842.73	-25.68	8.00	11.12	-28.80	-13.00	-15.80	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.00	-26.89	7.00	12.93	-32.82	-13.00	-19.82	H
5580.56	-26.78	8.40	17.11	-35.49	-13.00	-22.49	H
7439.81	-25.99	8.10	22.20	-40.09	-13.00	-27.09	H
3720.00	-26.93	7.00	12.93	-32.86	-13.00	-19.86	V
5580.56	-24.53	8.40	17.11	-33.24	-13.00	-20.24	V
7439.81	-24.95	8.10	22.20	-39.05	-13.00	-26.05	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.12	-24.83	7.00	12.93	-30.76	-13.00	-17.76	H
5639.90	-25.77	8.40	17.11	-34.48	-13.00	-21.48	H
7519.80	-27.05	8.10	22.20	-41.15	-13.00	-28.15	H
3760.12	-26.92	7.00	12.93	-32.85	-13.00	-19.85	V
5639.90	-27.45	8.40	17.11	-36.16	-13.00	-23.16	V
7519.80	-26.96	8.10	22.20	-41.06	-13.00	-28.06	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.75	-25.35	7.00	12.93	-31.28	-13.00	-18.28	H
5700.20	-29.35	8.40	17.11	-38.06	-13.00	-25.06	H
7599.83	-24.13	8.10	22.20	-38.23	-13.00	-25.23	H
3799.75	-28.34	7.00	12.93	-34.27	-13.00	-21.27	V
5700.20	-28.73	8.40	17.11	-37.44	-13.00	-24.44	V
7599.83	-23.54	8.10	22.20	-37.64	-13.00	-24.64	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.05	-27.15	7.40	9.72	-29.47	-13.00	-16.47	H
2494.30	-27.64	8.30	10.86	-30.20	-13.00	-17.20	H
3325.81	-28.43	7.20	11.57	-32.80	-13.00	-19.80	H
1663.05	-29.65	7.40	9.72	-31.97	-13.00	-18.97	V
2494.30	-27.40	8.30	10.86	-29.96	-13.00	-16.96	V
3325.81	-28.77	7.20	11.57	-33.14	-13.00	-20.14	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.12	-28.69	7.40	9.72	-31.01	-13.00	-18.01	H
2509.09	-30.02	8.30	10.86	-32.58	-13.00	-19.58	H
3346.27	-28.27	7.20	11.57	-32.64	-13.00	-19.64	H
1673.12	-30.92	7.40	9.72	-33.24	-13.00	-20.24	V
2509.09	-28.46	8.30	10.86	-31.02	-13.00	-18.02	V
3346.27	-29.98	7.20	11.57	-34.35	-13.00	-21.35	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.68	-27.55	7.40	9.72	-29.87	-13.00	-16.87	H
2524.13	-29.55	8.30	10.86	-32.11	-13.00	-19.11	H
3366.67	-28.66	7.20	11.57	-33.03	-13.00	-20.03	H
1683.68	-27.44	7.40	9.72	-29.76	-13.00	-16.76	V
2524.13	-31.03	8.30	10.86	-33.59	-13.00	-20.59	V
3366.67	-29.62	7.20	11.57	-33.99	-13.00	-20.99	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.92	-30.52	7.40	9.72	-32.84	-13.00	-19.84	H
2509.14	-31.38	8.30	10.86	-33.94	-13.00	-20.94	H
3345.83	-26.68	7.20	11.57	-31.05	-13.00	-18.05	H
1672.92	-27.41	7.40	9.72	-29.73	-13.00	-16.73	V
2509.14	-28.71	8.30	10.86	-31.27	-13.00	-18.27	V
3345.83	-30.08	7.20	11.57	-34.45	-13.00	-21.45	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.08	-34.78	8.10	15.86	-42.54	-25.00	-17.54	H
7694.83	-35.30	9.00	19.28	-45.58	-25.00	-20.58	H
10259.83	-32.13	8.70	23.19	-46.62	-25.00	-21.62	H
5130.08	-32.78	8.10	15.86	-40.54	-25.00	-15.54	V
7694.83	-32.94	9.00	19.28	-43.22	-25.00	-18.22	V
10259.83	-30.04	8.70	23.19	-44.53	-25.00	-19.53	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.13	-30.07	8.10	15.86	-37.83	-25.00	-12.83	H
7815.24	-30.51	9.00	19.28	-40.79	-25.00	-15.79	H
10419.98	-29.30	8.70	23.19	-43.79	-25.00	-18.79	H
5210.13	-34.14	8.10	15.86	-41.90	-25.00	-16.90	V
7815.24	-31.45	9.00	19.28	-41.73	-25.00	-16.73	V
10419.98	-28.91	8.70	23.19	-43.40	-25.00	-18.40	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.10	-33.66	8.10	15.86	-41.42	-25.00	-16.42	H
7934.88	-31.79	9.00	19.28	-42.07	-25.00	-17.07	H
10580.12	-28.87	8.70	23.19	-43.36	-25.00	-18.36	H
5290.10	-32.68	8.10	15.86	-40.44	-25.00	-15.44	V
7934.88	-35.00	9.00	19.28	-45.28	-25.00	-20.28	V
10580.12	-31.56	8.70	23.19	-46.05	-25.00	-21.05	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5089.64	-33.89	7.90	15.86	-41.85	-25.00	-16.85	H
7634.80	-33.64	9.00	19.28	-43.92	-25.00	-18.92	H
10179.95	-30.49	8.70	23.19	-44.98	-25.00	-19.98	H
5089.64	-35.09	7.90	15.86	-43.05	-25.00	-18.05	V
7634.80	-34.61	9.00	19.28	-44.89	-25.00	-19.89	V
10179.95	-29.20	8.70	23.19	-43.69	-25.00	-18.69	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5189.98	-31.51	7.90	15.86	-39.47	-25.00	-14.47	H
7784.69	-32.91	9.00	19.28	-43.19	-25.00	-18.19	H
10379.92	-31.82	8.70	23.19	-46.31	-25.00	-21.31	H
5189.98	-34.51	7.90	15.86	-42.47	-25.00	-17.47	V
7784.69	-34.25	9.00	19.28	-44.53	-25.00	-19.53	V
10379.92	-31.11	8.70	23.19	-45.60	-25.00	-20.60	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.26	-31.06	7.90	15.86	-39.02	-25.00	-14.02	H
7934.89	-34.72	9.00	19.28	-45.00	-25.00	-20.00	H
10579.85	-29.39	8.70	23.19	-43.88	-25.00	-18.88	H
5290.26	-33.04	7.90	15.86	-41.00	-25.00	-16.00	V
7934.89	-35.11	9.00	19.28	-45.39	-25.00	-20.39	V
10579.85	-29.78	8.70	23.19	-44.27	-25.00	-19.27	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.87	-25.29	7.20	12.56	-30.65	-13.00	-17.65	H
5159.94	-27.18	8.10	16.32	-35.40	-13.00	-22.40	H
6879.85	-26.32	8.30	21.13	-39.15	-13.00	-26.15	H
3439.87	-25.30	7.20	12.56	-30.66	-13.00	-17.66	V
5159.94	-25.87	8.10	16.32	-34.09	-13.00	-21.09	V
6879.85	-25.86	8.30	21.13	-38.69	-13.00	-25.69	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.78	-25.25	7.20	12.56	-30.61	-13.00	-17.61	H
5234.87	-24.73	8.10	16.32	-32.95	-13.00	-19.95	H
6979.81	-24.37	8.30	21.13	-37.20	-13.00	-24.20	H
3489.78	-26.35	7.20	12.56	-31.71	-13.00	-18.71	V
5234.87	-28.41	8.10	16.32	-36.63	-13.00	-23.63	V
6979.81	-26.56	8.30	21.13	-39.39	-13.00	-26.39	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.85	-25.29	7.20	12.56	-30.65	-13.00	-17.65	H
5310.24	-27.23	8.10	16.32	-35.45	-13.00	-22.45	H
7080.47	-24.74	8.30	21.13	-37.57	-13.00	-24.57	H
3539.85	-26.30	7.20	12.56	-31.66	-13.00	-18.66	V
5310.24	-24.40	8.10	16.32	-32.62	-13.00	-19.62	V
7080.47	-23.49	8.30	21.13	-36.32	-13.00	-23.32	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1346.01	-27.25	6.50	9.34	-30.09	-13.00	-17.09	H
2019.04	-30.24	7.70	10.42	-32.96	-13.00	-19.96	H
2691.96	-26.30	7.90	11.12	-29.52	-13.00	-16.52	H
1346.01	-30.88	6.50	9.34	-33.72	-13.00	-20.72	V
2019.04	-26.32	7.70	10.42	-29.04	-13.00	-16.04	V
2691.96	-25.71	7.90	11.12	-28.93	-13.00	-15.93	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.08	-26.59	6.50	9.34	-29.43	-13.00	-16.43	H
2041.31	-27.53	7.70	10.42	-30.25	-13.00	-17.25	H
2722.19	-25.55	7.90	11.12	-28.77	-13.00	-15.77	H
1361.08	-29.68	6.50	9.34	-32.52	-13.00	-19.52	V
2041.31	-28.42	7.70	10.42	-31.14	-13.00	-18.14	V
2722.19	-27.69	7.90	11.12	-30.91	-13.00	-17.91	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1375.99	-28.59	6.50	9.34	-31.43	-13.00	-18.43	H
2063.84	-29.41	7.70	10.42	-32.13	-13.00	-19.13	H
2751.82	-25.02	7.90	11.12	-28.24	-13.00	-15.24	H
1375.99	-28.08	6.50	9.34	-30.92	-13.00	-17.92	V
2063.84	-28.18	7.70	10.42	-30.90	-13.00	-17.90	V
2751.82	-26.39	7.90	11.12	-29.61	-13.00	-16.61	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see the attached Bolt 20_EUT Photos.

※※※※※END OF THE REPORT※※※※※