

## Prediction of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

$$S = \frac{PG}{4\pi R^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Maximum peak output power at device output terminal: \_\_\_\_\_\_ dBm

Cable and Jumper loss: 0.0 dB

Maximum peak output power at antenna input terminal: 12.99 dBm

19.90673339 mW

Single Antenna gain (typical): 4.9 dBi

Number of Antennae: 1
al Antenna gain (typical): 4.9 dBi

Total Antenna gain (typical): 4.9 dBi 3.090295433 (numeric)

Prediction distance: 20 cm
Prediction frequency: 2402 MHz

MPE limit for uncontrolled exposure at prediction frequency:

1 mW/cm<sup>2</sup>

Power density at prediction frequency: 0.012239 mW/cm<sup>2</sup>

0.122386 W/m<sup>2</sup>

Tx On time: 1.000000 ms
Tx period time: 1.000000 ms

Average Factor: 100.000000 %

Average Power density at prediction frequency: 0.122386 W/m<sup>2</sup>

Maximum allowable antenna gain: 24.02269855 dBi

Margin of Compliance: 19.12269855 dB