

# 1 Cover Page

## RF Exposure Evaluation Report

**Application No.:** KSCR2201000030AT  
**FCC ID:** 2ADTD-DS-D5B65  
**IC:** 20199-DSD5B65  
**Applicant:** Hangzhou Hikvision Digital Technology Co., Ltd.  
**Address of Applicant:** No.555 Qianmo Road,Binjiang District Hangzhou 310052,China  
**Manufacturer:** Hangzhou Hikvision Digital Technology Co., Ltd.  
**Address of Manufacturer:** No.555 Qianmo Road,Binjiang District Hangzhou 310052,China  
**Factory:** 1.Hangzhou Hikvision Technology Co., Ltd.  
 2.Hangzhou Hikvision Electronics Co., Ltd.  
 3.Hangzhou Hikvision Digital Technology Co., Ltd.  
 4.Chongqing Hikvision technology Co.,LTD  
 1.No.700,Dongliu Road, Binjiang District, Hangzhou Ctiy, Zhejiang, 310052, China;  
 2.No.299,Qiushi Road, Tonglu Economic Development Zone, Tonglu County, Hangzhou,Zhejiang,310052,China  
**Address of Factory:** 3.No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China  
 4.NO.118.Haikang Road,Area C,Jianqiao Industrial Park,Dadukou District,Chongqing,401325,China.

### Equipment Under Test (EUT):

**EUT Name:** Interactive Tablets  
**Model No.:** DS-D5B65RB/A  
**Add Model No.:** Refer to Page 2~3  
**Trade mark:** HIKVISION  
**Standard(s) :** FCC Rules 47 CFR §2.1091  
 KDB447498 D01 General RF Exposure Guidance v06  
 RSS-102 Issue 5 Amendment 1 (February 2, 2021)  
**Date of Receipt:** 2022-01-05  
**Date of Test:** 2022-02-23 to 2022-03-08  
**Date of Issue:** 2022-03-09

<b>Test Result:</b>	<b>Pass*</b>
---------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above.

Eric Lin  
EMC Lab Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300      t(86-512)57355888    f(86-512)57370818    www.sgsgroup.com.cn  
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300      t(86-512)57355888    f(86-512)57370818    sgs.china@sgs.com

Model No:

DS-D5B65RB/A;DS-D5B65RB/B;DS-D5B65RB/C;DS-D5B65RD/A;DS-D5B65RD/B;DS-D5B65RD/C;DS-D5B65RO/A;DS-D5B65RO/B;DS-D5B65RO/C;DS-D5B65RG/A;DS-D5B65RG/B;DS-D5B65RG/C;DS-D5B65RM/A;DS-D5B65RM/B;DS-D5B65RM/C;DS-D5B65JRX;DS-D5B65JRY;DS-D5B65JRZ;DS-D5B65NYX;DS-D5B65NYY;DS-D5B65NYZ;DS-D5B65ZFX;DS-D5B65ZFY;DS-D5B65ZTZ;DS-D5B65GAX;DS-D5B65GAY;DS-D5B65GAZ;DS-D5B65DCX;DS-D5B65DCY;DS-D5B65DCZ;DS-D5B65RB/ZC;DS-D5B65RD/ZC;DS-D5B65XX/ZC;DS-D5B65RD/AO;DS-D5B65RD/AP;DS-D5B65RB/AO;DS-D5B65RB/AP;DS-D5B65RD/BO;DS-D5B65RD/BP;DS-D5B65RB/BO;DS-D5B65RB/BP;DS-D5B65MD/AO;DS-D5B65MD/AP;DS-D5B65MB/AO;DS-D5B65MB/AP;DS-D5B65MD/BO;DS-D5B65MD/BP;DS-D5B65MB/BO;DS-D5B65MB/BP;DS-D5B65CD/AO;DS-D5B65CD/AP;DS-D5B65CB/AO;DS-D5B65CB/AP;DS-D5B65CD/BO;DS-D5B65CD/BP;DS-D5B65CB/BO;DS-D5B65CB/BP;DS-D5B65FD/AO;DS-D5B65FD/AP;DS-D5B65FB/AO;DS-D5B65FB/AP;DS-D5B65FD/A;DS-D5B65FB/A;DS-D5B65FD/BO;DS-D5B65FD/BP;DS-D5B65FB/BO;DS-D5B65FB/BP;DS-D5B65FD/B;DS-D5B65FB/B;DS-D5C65RB/A;DS-D5C65RB/B;DS-D5C65RB/C;DS-D5C65RD/A;DS-D5C65RD/B;DS-D5C65RD/C;DS-D5C65RO/A;DS-D5C65RO/B;DS-D5C65RO/C;DS-D5C65RG/A;DS-D5C65RG/B;DS-D5C65RG/C;DS-D5C65RM/A;DS-D5C65RM/B;DS-D5C65RM/C;DS-D5C65JRX;DS-D5C65JRY;DS-D5C65JRZ;DS-D5C65NYX;DS-D5C65NYY;DS-D5C65NYZ;DS-D5C65ZFX;DS-D5C65ZFY;DS-D5C65ZTZ;DS-D5C65GAX;DS-D5C65GAY;DS-D5C65GAZ;DS-D5C65DCX;DS-D5C65DCY;DS-D5C65DCZ;DS-D5C65RB/ZC;DS-D5C65RD/ZC;DS-D5C65XX/ZC;DS-D5C65RD/AO;DS-D5C65RD/AP;DS-D5C65RB/AO;DS-D5C65RB/AP;DS-D5C65RD/BO;DS-D5C65RD/BP;DS-D5C65RB/BO;DS-D5C65RB/BP;DS-D5C65MD/AO;DS-D5C65MD/AP;DS-D5C65MB/AO;DS-D5C65MB/AP;DS-D5C65MD/BO;DS-D5C65MD/BP;DS-D5C65MB/BO;DS-D5C65MB/BP;DS-D5C65CD/AO;DS-D5C65CD/AP;DS-D5C65CB/AO;DS-D5C65CB/AP;DS-D5C65CD/BO;DS-D5C65CD/BP;DS-D5C65CB/BO;DS-D5C65CB/BP;DS-D5C65FD/AO;DS-D5C65FD/AP;DS-D5C65FB/AO;DS-D5C65FB/AP;DS-D5C65FD/A;DS-D5C65FB/A;DS-D5C65FD/BO;DS-D5C65FD/BP;DS-D5C65FB/BO;DS-D5C65FB/BP;DS-D5D65RB/A;DS-D5D65RB/B;DS-D5D65RB/C;DS-D5D65RD/A;DS-D5D65RD/B;DS-D5D65RD/C;DS-D5D65RO/A;DS-D5D65RO/B;DS-D5D65RO/C;DS-D5D65RG/A;DS-D5D65RG/B;DS-D5D65RG/C;DS-D5D65RM/A;DS-D5D65RM/B;DS-D5D65RM/C;DS-D5D65JRX;DS-D5D65JRY;DS-D5D65JRZ;DS-D5D65NYX;DS-D5D65NYY;DS-D5D65NYZ;DS-D5D65ZFX;DS-D5D65ZFY;DS-D5D65ZTZ;DS-D5D65GAX;DS-D5D65GAY;DS-D5D65GAZ;DS-D5D65DCX;DS-D5D65DCY;DS-D5D65DCZ;DS-D5D65RB/ZC;DS-D5D65RD/ZC;DS-D5D65XX/ZC;DS-D5D65RD/AO;DS-D5D65RD/AP;DS-D5D65RB/AO;DS-D5D65RB/AP;DS-D5D65RD/BO;DS-D5D65RD/BP;DS-D5D65RB/BO;DS-D5D65RB/BP;DS-D5D65MD/AO;DS-D5D65MD/AP;DS-D5D65MB/AO;DS-D5D65MB/AP;DS-D5D65MD/BO;DS-D5D65MD/BP;DS-D5D65MB/BO;DS-D5D65MB/BP;DS-D5D65CD/AO;DS-D5D65CD/AP;DS-D5D65CB/AO;DS-D5D65CB/AP;DS-D5D65CD/BO;DS-D5D65CD/BP;DS-D5D65CB/BO;DS-D5D65CB/BP;DS-D5D65FD/AO;DS-D5D65FD/AP;DS-D5D65FB/AO;DS-D5D65FB/AP;DS-D5D65FD/A;DS-D5D65FB/A;DS-D5D65FD/BO;DS-D5D65FD/BP;DS-D5D65FB/BO;DS-D5D65FB/BP;DS-D5F65RB/A;DS-D5F65RB/B;DS-D5F65RB/C;DS-D5F65RD/A;DS-D5F65RD/B;DS-D5F65RD/C;DS-D5F65RO/A;DS-D5F65RO/B;DS-D5F65RO/C;DS-D5F65RG/A;DS-D5F65RG/B;DS-D5F65RG/C;DS-D5F65RM/A;DS-D5F65RM/B;DS-D5F65RM/C;DS-D5F65JRX;DS-D5F65JRY;DS-D5F65JRZ;DS-D5F65NYX;DS-D5F65NYY;DS-D5F65NYZ;DS-D5F65ZFX;DS-D5F65ZFY;DS-D5F65ZTZ;DS-D5F65GAX;DS-D5F65GAY;DS-D5F65GAZ;DS-D5F65DCX;DS-D5F65DCY;DS-D5F65DCZ;DS-D5F65RB/ZC;DS-D5F65RD/ZC;DS-D5F65XX/ZC;DS-D5F65RD/AO;DS-D5F65RD/AP;DS-D5F65RB/AO;DS-D5F65RB/AP;DS-D5F65RD/BO;DS-D5F65RD/BP;DS-D5F65RB/BO;DS-D5F65RB/BP;DS-D5F65MD/AO;DS-D5F65MD/AP;DS-D5F65MB/AO;DS-D5F65MB/AP;DS-D5F65MD/BO;DS-D5F65MD/BP;DS-D5F65MB/BO;DS-D5F65MB/BP;DS-D5F65CD/AO;DS-D5F65CD/AP;DS-D5F65CB/AO;DS-D5F65CB/AP;DS-D5F65CD/BO;DS-D5F65CD/BP;DS-D5F65CB/BO;DS-D5F65CB/BP;DS-D5F65FD/AO;DS-D5F65FD/AP;DS-D5F65FB/AO;DS-D5F65FB/AP;DS-D5F65FD/A;DS-D5F65FB/A;DS-D5F65FD/BO;DS-D5F65FD/BP;DS-D5F65FB/BO;DS-D5F65FB/BP;DS-D5F65FD/B;DS-D5F65FB/B;DS-D5A65RB/A;DS-D5A65RB/B;DS-D5A65RB/C;DS-D5A65RD/A;DS-D5A65RD/B;DS-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

D5A65RD/C;DS-D5A65RO/A;DS-D5A65RO/B;DS-D5A65RO/C;DS-D5A65RG/A;DS-D5A65RG/B;DS-D5A65RG/C;DS-D5A65RM/A;DS-D5A65RM/B;DS-D5A65RM/C;DS-D5A65JRX;DS-D5A65JRY;DS-D5A65JRZ;DS-D5A65NYX;DS-D5A65NYY;DS-D5A65NYZ;DS-D5A65ZFX;DS-D5A65ZFY;DS-D5A65ZFZ;DS-D5A65GAX;DS-D5A65GAY;DS-D5A65GAZ;DS-D5A65DCX;DS-D5A65DCY;DS-D5A65DCZ;DS-D5A65RB/ZC;DS-D5A65RD/ZC;DS-D5A65XX/ZC;DS-D5A65RD/AO;DS-D5A65RD/AP;DS-D5A65RB/AO;DS-D5A65RB/AP;DS-D5A65RD/BO;DS-D5A65RD/BP;DS-D5A65RB/BO;DS-D5A65RB/BP;DS-D5A65MD/AO;DS-D5A65MD/AP;DS-D5A65MB/AO;DS-D5A65MB/AP;DS-D5A65MD/BO;DS-D5A65MD/BP;DS-D5A65MB/BO;DS-D5A65MB/BP;DS-D5A65CD/AO;DS-D5A65CD/AP;DS-D5A65CB/AO;DS-D5A65CB/AP;DS-D5A65CD/BO;DS-D5A65CD/BP;DS-D5A65CB/BO;DS-D5A65CB/BP;DS-D5A65FD/AO;DS-D5A65FD/AP;DS-D5A65FB/AO;DS-D5A65FB/AP;DS-D5A65FD/A;DS-D5A65FB/A;DS-D5A65FD/BO;DS-D5A65FD/BP;DS-D5A65FB/BO;DS-D5A65FB/BP;DS-D5A65FD/B;DS-D5A65FB/B;DS-D5X65XX/X;DS-D5X65XX/XX;DS-D5XXXXX/XXX;DS-D5XXXXX/XXXX("X" stands for A-Z, 0-9 or blank)

**For IC Model No.:**

DS-D5B65RB/A, DS-D5B65RB/B



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)**  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300      t(86-512)57355888      f(86-512)57370818      www.sgs.com.cn  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300      t(86-512)57355888      f(86-512)57370818      sgs.china@sgs.com

Revision Record			
Version	Description	Date	Remark
00	Original	2022-03-09	/

<b>Authorized for issue by:</b>			
		<i>Damon Zhou</i>	
		_____	
		<b>Damon Zhou / Project Engineer</b>	
		<i>Eric Lin</i>	
		_____	
		<b>Eric Lin / Reviewer</b>	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)**

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

t(86-512)57355888 f(86-512)57370818 www.sgs.com.cn

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

## 2 Contents

	Page
<b>1 COVER PAGE.....</b>	<b>1</b>
<b>2 CONTENTS .....</b>	<b>5</b>
<b>3 GENERAL INFORMATION.....</b>	<b>6</b>
3.1 GENERAL DESCRIPTION OF E.U.T. ....	6
3.2 TECHNICAL SPECIFICATIONS .....	6
3.3 TEST LOCATION .....	8
3.4 TEST FACILITY.....	8
<b>4 TEST STANDARDS AND LIMITS .....</b>	<b>9</b>
4.1 FCC RADIOFREQUENCY RADIATION EXPOSURE LIMITS: .....	9
4.2 IC RADIOFREQUENCY RADIATION EXPOSURE LIMITS: .....	9
<b>5 MEASUREMENT AND CALCULATION .....</b>	<b>10</b>
5.1 MAXIMUM TRANSMIT POWER .....	10
5.2 MPE CALCULATION .....	14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Compliance Certification Services (Kunshan) Inc.  
EMC Laboratory

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

### 3 General Information

#### 3.1 General Description of E.U.T.

Power supply:	AC100-240V 50/60Hz,3.5A
Serial Number:	G91601218
Firmware Version:	V2.1.0 build210528

#### 3.2 Technical Specifications

##### BT

Antenna Gain:	5.19dBi (Provided by the manufacturer)
Antenna Type:	PCB Antenna
Bluetooth Version:	V5.0 Dual mode
Channel Spacing:	1MHz
Modulation Type:	GFSK, $\pi$ /4DQPSK, 8DPSK
Number of Channels:	79
Operation Frequency:	2402MHz to 2480MHz
Spectrum Spread Technology:	Frequency Hopping Spread Spectrum(FHSS)

##### BLE

Antenna Gain:	5.19dBi (Provided by the manufacturer)
Antenna Type:	PCB Antenna
Bluetooth Version:	V5.0 Dual mode
Channel Spacing:	2MHz
Modulation Type:	GFSK
Number of Channels:	40
Operation Frequency:	2402MHz to 2480MHz

##### 2.4G

Antenna Gain:	For Module MT7668 Ant1: -3.82dBi; (Provided by the manufacturer) Ant2: 0.97dBi (Provided by the manufacturer) Directional gain: 1.91dBi For Module RTL8812cu Ant1: 3.82dBi (Provided by the manufacturer) Ant2: -5.95dBi (Provided by the manufacturer) Directional Gain: 3.25dBi
Antenna Type:	PCB Antenna
Channel Spacing:	5MHz
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK) 802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
Number of Channels:	802.11b/g/n(HT20):11 802.11n(HT40):7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
☎(86-512)57355888 ☎(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz 802.11n(HT40): 2422MHz to 2452MHz
----------------------	--

**5G**

Operation Frequency:	Band	Mode	Frequency Range(MHz)	Number of channels
	UNII Band I	802.11a/n(HT20)/ac(VHT20)	5180-5240	4
		802.11n(HT40)/ac(VHT40)	5190-5230	2
		802.11ac(VHT80)	5210	1
	UNII Band III	802.11a/n(HT20)/ac(VHT20)	5745-5825	5
		802.11n(HT40)/ac(VHT40)	5755-5795	2
802.11ac(VHT80)		5775	1	
Modulation Type:	802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK) 802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM) 802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)			
Date Rate:	802.11a:6/9/12/18/24/36/48/54Mbps 802.11n:MCS0-MCS7 802.11ac:VHT MCS0-MCS7			
Channel Spacing:	802.11a/n(HT20)/ac(VHT20): 20MHz 802.11n(HT40)/ac(VHT40): 40MHz 802.11ac(VHT80): 80MHz			
Antenna Gain:	For Module MT7668 Ant1: 2.30dBi (Provided by the manufacturer) Ant2: 0.78dBi (Provided by the manufacturer) Directional gain:4.62dBi For Module RTL8812cu Ant1: 3.06dBi (Provided by the manufacturer) Ant2: 3.60dBi (Provided by the manufacturer) Directional gain:6.35dBi			
Antenna Type:	PCB Antenna			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300      ☎(86-512)57355888      ☎(86-512)57370818      [www.sgs.com](http://www.sgs.com)  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300      ☎(86-512)57355888      ☎(86-512)57370818      [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

### 3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

### 3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **CNAS (No. CNAS L4354)**

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

- **A2LA (Certificate No. 2541.01)**

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

- **FCC (Designation Number: CN1172)**

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

- **ISED (CAB identifier: CN0072)**

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

CAB Identifier: CN0072.

- **VCCI (Member No.: 1938)**

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600,C-11707, T-11499, G-10216 respectively.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 [www.sgs.com.cn](http://www.sgs.com.cn)  
☎(86-512)57355888 ☎(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## 4 Test Standards and Limits

### 4.1 FCC Radiofrequency radiation exposure limits:

According to §1.1310, the limit for general population/uncontrolled exposures

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

### 4.2 IC Radiofrequency radiation exposure limits:

According to RSS-102 section 2.5.2, RF exposure evaluation is required if the separation distance between the user and/or bystander and the device's radiating element is greater than 20 cm, except when the device operates as follows:

below 20 MHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than 1 W (adjusted for tune-up tolerance);

- at or above 20 MHz and below 48 MHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than  $4.49/f^{0.5}$  W (adjusted for tune-up tolerance), where  $f$  is in MHz;
- at or above 48 MHz and below 300 MHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than 0.6 W (adjusted for tune-up tolerance);
- at or above 300 MHz and below 6 GHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than  $1.31 \times 10^{-2} f^{0.6834}$  W (adjusted for tune-up tolerance), where  $f$  is in MHz;
- at or above 6 GHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than 5 W (adjusted for tune-up tolerance).

For 2.4G device, the limit of worse case is 2.68 W

For 5G device, the limit of worse case is 4.53W



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (86-512)57355888 (86-512)57370818 www.sgs.com.cn  
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300 (86-512)57355888 (86-512)57370818 sgs.china@sgs.com

## 5 Measurement and Calculation

### 5.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR220100003001-2.4GHz

MT7668

Test Mode	Channel	Antenna 1 Power[dBm]	Antenna 2 Power[dBm]	MIMO Power[dBm]	Antenna 1 Power[mW]	Antenna 2 Power[mW]	MIMO Power[mW]
11B	2412	12.43	11.67	NA	17.50	14.69	N/A
11B	2437	12.56	11.71	NA	18.03	14.83	N/A
11B	2462	12.79	11.77	NA	<b>19.01</b>	<b>15.03</b>	N/A
11G	2412	10.62	9.58	NA	11.53	9.08	N/A
11G	2437	10.55	9.56	NA	11.35	9.04	N/A
11G	2462	10.88	9.73	NA	12.25	9.40	N/A
HT20	2412	9.37	8.06	11.77	8.65	6.40	15.03
HT20	2437	9.46	7.98	11.79	8.83	6.28	15.10
HT20	2462	9.31	8.24	11.82	8.53	6.67	<b>15.21</b>
HT40	2422	8.62	7.75	11.22	7.28	5.96	13.24
HT40	2437	8.67	7.88	11.30	7.36	6.14	13.49
HT40	2452	8.74	7.85	11.33	7.48	6.10	13.58

RTL8812cu

Test Mode	Channel	Antenna 1 Power[dBm]	Antenna 2 Power[dBm]	MIMO Power[dBm]	Antenna 1 Power[mW]	Antenna 2 Power[mW]	MIMO Power[mW]
11B	2412	13.65	13.68	NA	<b>23.17</b>	<b>23.33</b>	N/A
11B	2437	13.09	13.03	NA	20.37	20.09	N/A
11B	2462	13.01	12.72	NA	20.00	18.71	N/A
11G	2412	11.97	10.05	NA	15.74	10.12	N/A
11G	2437	11.62	10.41	NA	14.52	10.99	N/A
11G	2462	11.44	10.25	NA	13.93	10.59	N/A
HT20	2412	11.29	9.95	13.68	13.46	9.89	23.33
HT20	2437	11.48	10.31	13.94	14.06	10.74	24.77
HT20	2462	10.37	9.07	12.78	10.89	8.07	18.97
HT40	2422	11.87	10.02	14.05	15.38	10.05	25.41
HT40	2437	11.71	10.57	14.19	14.83	11.40	<b>26.24</b>
HT40	2452	10.68	9.41	13.10	11.69	8.73	20.42



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiyue Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgs.com.cn  
 (86-512)57355888 (86-512)57370818 sgs.china@sgs.com

The Power Data is based on the RF Test Report KSCR220100003002-5GHz

MT7668

Test Mode	Test Channel	Antenna 1 Power[dBm]	Antenna 2 Power[dBm]	MIMO Power[dBm]	Antenna 1 Power[mW]	Antenna 2 Power[mW]	MIMO Power[mW]
11A	5180	10.09	7.78	/	10.21	6.00	/
	5200	10.11	7.87	/	10.26	6.12	/
	5240	10.01	7.23	/	10.02	5.28	/
	5745	8.89	8.06	/	7.74	<b>6.40</b>	/
	5785	8.18	7.48	/	6.58	5.60	/
	5825	7.89	7.19	/	6.15	5.24	/
HT20	5180	8.97	6.75	11.01	7.89	4.73	12.62
	5200	8.90	6.64	10.93	7.76	4.61	12.39
	5240	8.91	6.26	10.79	7.78	4.23	11.99
	5745	7.81	6.99	10.43	6.04	5.00	11.04
	5785	7.11	6.36	9.76	5.14	4.33	9.46
	5825	6.94	6.13	9.56	4.94	4.10	9.04
HT40	5190	10.14	6.65	11.75	10.33	4.62	14.96
	5230	10.02	6.40	11.59	10.05	4.37	14.42
	5755	8.26	7.36	10.84	6.70	5.45	12.13
	5795	7.50	6.60	10.08	5.62	4.57	10.19
VHT20	5180	8.89	6.65	10.92	7.74	4.62	12.36
	5200	8.84	6.74	10.93	7.66	4.72	12.39
	5240	8.81	6.21	10.71	7.60	4.18	11.78
	5745	7.85	7.05	10.48	6.10	5.07	11.17
	5785	7.28	6.31	9.83	5.35	4.28	9.62
	5825	6.97	6.04	9.54	4.98	4.02	8.99
VHT40	5190	10.07	6.97	11.80	10.16	4.98	15.14
	5230	9.94	6.70	11.63	9.86	4.68	14.55
	5755	8.35	7.69	11.04	6.84	5.87	12.71
	5795	7.50	6.94	10.24	5.62	4.94	10.57
VHT80	5210	10.26	6.77	11.87	<b>10.62</b>	4.75	<b>15.38</b>
	5775	8.16	7.30	10.76	6.55	5.37	11.91



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn  
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300 (86-512)57355888 (86-512)57370818 sgs.china@sgs.com

**RTL8812cu**

Test Mode	Test Channel	Antenna 1 Power[dBm]	Antenna 2 Power[dBm]	MIMO Power[dBm]	Antenna 1 Power[mW]	Antenna 2 Power[mW]	MIMO Power[mW]
11A	5180	7.45	8.15	/	5.56	6.53	/
	5200	7.81	8.31	/	6.04	6.78	/
	5240	8.61	8.22	/	7.26	6.64	/
	5745	8.67	8.83	/	7.36	<b>7.64</b>	/
	5785	8.71	8.60	/	7.43	7.24	/
	5825	9.31	8.31	/	<b>8.53</b>	6.78	/
HT20	5180	7.28	7.60	10.45	5.35	5.75	11.09
	5200	7.87	7.48	10.69	6.12	5.60	11.72
	5240	8.50	7.36	10.98	7.08	5.45	12.53
	5745	8.30	7.96	11.14	6.76	6.25	13.00
	5785	8.40	7.75	11.10	6.92	5.96	12.88
	5825	8.70	7.64	11.21	7.41	5.81	13.21
HT40	5190	6.23	6.40	9.33	4.20	4.37	8.57
	5230	7.69	7.43	10.57	5.87	5.53	11.40
	5755	8.16	8.01	11.10	6.55	6.32	12.88
	5795	8.14	7.65	10.91	6.52	5.82	12.33
VHT20	5180	6.63	7.70	10.21	4.60	5.89	10.50
	5200	6.95	7.82	10.42	4.95	6.05	11.02
	5240	7.94	7.73	10.85	6.22	5.93	12.16
	5745	8.26	8.32	11.30	6.70	6.79	13.49
	5785	8.33	8.14	11.25	6.81	6.52	13.34
	5825	8.91	7.82	11.41	7.78	6.05	<b>13.84</b>
VHT40	5190	5.84	6.10	8.98	3.84	4.07	7.91
	5230	7.11	7.22	10.18	5.14	5.27	10.42
	5755	7.78	7.75	10.78	6.00	5.96	11.97
	5795	7.78	7.32	10.57	6.00	5.40	11.40
VHT80	5210	4.39	4.67	7.54	2.75	2.93	5.68
	5775	7.10	7.24	10.18	5.13	5.30	10.42

**The Power Data is based on the RF Test Report KSCR220100003003-BT**

Test Mode	Test Frequency (MHz)	Output Power (dBm)	Reading Power (mW)
GFSK	2402	3.56	2.27
	2441	3.98	2.50
	2480	3.70	2.34
π/4DQPSK	2402	6.10	4.07
	2441	6.44	4.41
	2480	6.11	4.08
8DPSK	2402	6.39	4.36
	2441	6.66	<b>4.63</b>
	2480	6.36	4.33



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300      ☎(86-512)57355888      ☎(86-512)57370818      www.sgs.com.cn  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300      ☎(86-512)57355888      ☎(86-512)57370818      sgs.china@sgs.com

The Power Data is based on the RF Test Report KSCR220100003004-BLE

Test Mode	Test Frequency (MHz)	Output Power (dBm)	Output Power (mW)
1M	2402	3.33	2.15
	2442	3.66	<b>2.32</b>
	2480	3.36	2.17



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Compliance Certification Services (Kunshan) Inc.  
EMC Laboratory

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 [www.sgs.com.cn](http://www.sgs.com.cn)  
☎(86-512)57355888 ☎(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 5.2 MPE Calculation

According to the formula  $S=P/4\pi R^2$ , we can calculate S which is MPE.

Note:

- 1) P (mW)
- 2) R = distance to the center of radiation of antenna (in meter) = 20cm
- 3) MPE limit = 1mW/cm<sup>2</sup>

For FCC

MT7668

For 2.4G WiFi - Antenna1:

The max. antenna gain is		-3.82	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
19.01	0.415	20	0.00157	1	Pass

For 2.4G WiFi - Antenna2:

The max. antenna gain is		0.97	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
15.03	1.250	20	0.00374	1	Pass

In MIMO mode:

Two antennas can transmit simultaneously and they are correlated.

The max. antenna gain is		1.91	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
15.21	1.552	20	0.00470	1	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300      ☎(86-512)57355888      ☎(86-512)57370818      www.sgsgroup.com.cn  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300      ☎(86-512)57355888      ☎(86-512)57370818      sgs.china@sgs.com

For BT :

The max. antenna gain is		5.19	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
4.63	3.304	20	0.00304	1	Pass

For BLE :

The max. antenna gain is		5.19	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
2.32	3.304	20	0.00152	1	Pass

For 5G WiFi - Antenna1:

The max. antenna gain is		2.3	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
10.62	1.698	20	0.00359	1	Pass

For 5G WiFi - Antenna2:

The max. antenna gain is		0.78	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
6.4	1.197	20	0.00152	1	Pass

In MIMO mode:

Two antennas can transmit simultaneously and they are correlated.

The max. antenna gain is		4.62	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
15.38	2.897	20	0.00887	1	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn  
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300 (86-512)57355888 (86-512)57370818 sgs.china@sgs.com

RTL8812cu

For 2.4G WiFi - Antenna1:

The max. antenna gain is		3.82	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
23.17	2.410	20	0.01111	1	Pass

For 2.4G WiFi - Antenna2:

The max. antenna gain is		-5.95	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
23.33	0.254	20	0.00118	1	Pass

In MIMO mode:

Two antennas can transmit simultaneously and they are correlated.

The max. antenna gain is		3.25	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
26.24	2.113	20	0.01103	1	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300      ☎(86-512)57355888      ☎(86-512)57370818      www.sgs.com.cn  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300      ☎(86-512)57355888      ☎(86-512)57370818      sgs.china@sgs.com



For 5G WiFi - Antenna1:

The max. antenna gain is		3.06	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
8.53	2.023	20	0.00343	1	Pass

For 5G WiFi - Antenna2:

The max. antenna gain is		3.6	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
7.64	2.291	20	0.00348	1	Pass

In MIMO mode:

Two antennas can transmit simultaneously and they are correlated.

The max. antenna gain is		6.35	dBi		
Max. Conducted Power P(mW)	Gain in Linear Scale G	Operation Distance R(cm)	Power Density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
13.84	4.315	20	0.01188	1	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300      ☎(86-512)57355888      ☎(86-512)57370818      www.sgs.com.cn  
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300      ☎(86-512)57355888      ☎(86-512)57370818      sgs.china@sgs.com

The 2.4GHz WiFi,5GHz WiFi,BT of MT7668 and 2.4GHz WiFi,5GHz WiFi of RTL8812CU can transmit simultaneously, but the maximum rate of MPE is  $0.0047/1+0.0089/1+0.0030/1+0.011/1+0.012/1=0.0396\leq 1$ . According to the KDB447498 section 7.2 determine the device is exclusion from SAR test

For IC:

For MT7668

For 2.4GHz WiFi SISO mode:

Antenna 1:E.I.R.P.=  $P\cdot G= 0.01901<2.68W$

Antenna 2:E.I.R.P.=  $P\cdot G= 0.01503\times 1.250=0.019W<2.68W$

For 2.4GHz WiFi MIMO mode: E.I.R.P.=  $P\cdot G= 0.01521\times 1.552=0.024W<2.68W$

For BT mode: E.I.R.P.=  $P\cdot G= 0.00463\times 3.304=0.0153W<2.68W$

For BLE mode: E.I.R.P.=  $P\cdot G= 0.00232\times 3.304=0.0077W<2.68W$

For 5GHz WiFi SISO mode:

Antenna 1:E.I.R.P.=  $P\cdot G= 0.01062\times 1.698=0.018W<4.53W$

Antenna 2:E.I.R.P.=  $P\cdot G= 0.0064\times 1.197=0.0077W<4.53W$

For 5GHz WiFi MIMO mode: E.I.R.P.=  $P\cdot G= 0.01538\times 2.897=0.045W<4.53W$

For RTL8812CU

For 2.4GHz WiFi SISO mode:

Antenna 1:E.I.R.P.=  $P\cdot G= 0.02317\times 2.41=0.056W<2.68W$

Antenna 2:E.I.R.P.=  $P\cdot G= 0.02333<2.68W$

For 2.4GHz WiFi MIMO mode: E.I.R.P.=  $P\cdot G= 0.02624\times 2.113=0.055W<2.68W$

For 5GHz WiFi SISO mode:

Antenna 1:E.I.R.P.=  $P\cdot G= 0.00853\times 2.023=0.017W<4.53W$

Antenna 2:E.I.R.P.=  $P\cdot G= 0.00764\times 2.291=0.018W<4.53W$

For 5GHz WiFi MIMO mode: E.I.R.P.=  $P\cdot G= 0.01384\times 4.315=0.06W<4.53W$

The 2.4GHz WiFi,5GHz WiFi,BT of MT7668 and 2.4GHz WiFi,5GHz WiFi of RTL8812CU can transmit simultaneously, but the maximum rate of MPE is

$0.024/2.68+0.045/4.53+0.0153/2.68+0.056/2.68+0.06/4.53=0.058\leq 1$ .

So the device is exclusion from SAR test.

**--End of the Report--**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
☎(86-512)57355888 ☎(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)