

Report No.: KSEM210400064101 Page: 1 of 73

# TEST REPORT

Application No.: FCC ID: IC: Applicant: Address of Applicant: Manufacturer: Address of Manufacturer: Factory: Address of Factory:	KSEM2104000641CR 2ADTD-I0R2002 20199- I0R2002 Hangzhou Hikvision Digital Technology Co., Ltd. No.555 Qianmo Road,Binjiang District Hangzhou 310052,China Hangzhou Hikvision Digital Technology Co., Ltd. No.555 Qianmo Road,Binjiang District Hangzhou 310052,China 1.Hangzhou Hikvision Technology Co., Ltd. 2.Hangzhou Hikvision Technology Co., Ltd. 3.Chongqing Hikvision Electronics Co.,Ltd. 1.No.700, Dongliu Road, Binjiang District, Hangzhou Ctiy, Zhejiang, 310052, China/ 2.No.299, Qiushi Road, Tonglu Economic Development Zone, Tonglu County, Hangzhou, Zhejiang, 310052, China. 3.No. 118, Haikang Road, Area C, Jianqiao Industrial Park, Dadukou
Equipment Under Test (EU	District, Chongqing, 401325, China
EUT Name:	NETWORK CAMERA
Model No.:	DS-2CV2026G0-IDW E, DS-2CV2046G0-IDW E, IPC-B126H-D/W E, HWI-B126H-D/W E <sup>a</sup>
¤	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Trade mark:	HIKVIŠION
Standard(s) :	47 CFR Part 15, Subpart C 15.247 RSS-247 Issue 2 December 2017 RSS-102 Issue 5 Amendment 1 (February 2, 2021)
Date of Receipt:	2021-04-30
Date of Test:	2021-05-21 to 2021-06-12
Date of Issue:	2021-06-14
Test Result:	Pass*

\* In the configuration tested, the EUT complied with the standards specified above.

Ina fri

Fric I in Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients" is old responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@osos.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

f(86-512)57370818 sgs.china@sgs.com Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888



Report No.: KSEM210400064101 Page: 2 of 73

Revision Record								
Version Description Date Remark								
00	Original	2021-06-14	/					

Authorized for issue by:		
	Damon zhou	
	Damon Zhou / Project Engineer	
	Eni fri	
	Eric Lin / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300





Report No.: KSEM210400064101 Page: 3 of 73

## 2 Test Summary

Radio Spectrum Tech Item	FCC Requirement	IC Requirement	Method	Result
Antenna Requirement	47 CFR Part 15, Subpart C 15.203 & 15.247(c)	RSS-Gen Clause 6.8	N/A	Customer Declaration
N/A: Not applicable				
Radio Spectrum Matt	er Part			
Item	FCC Requirement	IC Requirement	Method	Result
Conducted Emissions at AC Power Line (150kHz-30MHz)	47 CFR Part 15, Subpart C 15.207	RSS-Gen Clause 8.8	ANSI C63.10 (2013) Section 6	.2 Pass
Minimum 6dB Bandwidth	47 CFR Part 15, Subpart C 15.247a(2)	RSS-247 Clause 5.2(a)	ANSI C63.10 (2013) Section 11.8.1	Pass
Conducted Peak Output Power	47 CFR Part 15, Subpart C 15.247(b)(3)	RSS-247 Clause 5.4(d)	ANSI C63.10 (2013) Section 11.9.1	Pass
Power Spectrum Density	47 CFR Part 15, Subpart C 15.247(e)	RSS-247 Clause 5.2(b)	ANSI C63.10 (2013) Section 11.10.2	Pass
Conducted Band Edges Measurement	47 CFR Part 15, Subpart C 15.247(d)	RSS-247 Clause 5.5	ANSI C63.10 (2013) Section 11.13.3.2	Pass
Conducted Spurious Emissions	47 CFR Part 15, Subpart C 15.247(d)	RSS-247 Clause 5.5	ANSI C63.10 (2013) Section 11.11	Pass
Radiated Emissions which fall in the restricted bands	47 CFR Part 15, Subpart C 15.209 & 15.247(d)	RSS-247 Section 3.3 & RSS-Gen Section 8.9	ANSI C63.10 (2013) Section 6.10.5	Pass
Radiated Spurious Emissions	47 CFR Part 15, Subpart C 15.209 & 15.247(d)	RSS-247 Section 3.3 & RSS-Gen Section 8.9	ANSI C63.10 (2013) Section 6.4,6.5,6.6	Pass
99% Bandwidth	-	RSS-Gen Section 6.7	ANSI C63.10 Section 6.9.3	Pass

### **Declaration of EUT Family Grouping:**

There are series models mentioned in this report, and they are the similar in electrical and electronic characters. Only the model DS-2CV2026G0-IDW E was tested since their differences were the model number, trade name, Color and appearance.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 4 of 73

Dage

## 3 Contents

			i age
1	CO	VER PAGE	1
2	TES	ST SUMMARY	3
3	со	NTENTS	4
4	GE	NERAL INFORMATION	5
	4.1	DETAILS OF E.U.T	5
	4.2	Power level setting using in test	
	4.3	DESCRIPTION OF SUPPORT UNITS.	-
	4.4	Measurement Uncertainty	7
	4.5	TEST LOCATION	8
	4.6	TEST FACILITY	_
	4.7	DEVIATION FROM STANDARDS	
	4.8	ABNORMALITIES FROM STANDARD CONDITIONS	8
5	EQ	UIPMENT LIST	
6	RA	DIO SPECTRUM TECHNICAL REQUIREMENT	11
	6.1	ANTENNA REQUIREMENT	11
7	RA	DIO SPECTRUM MATTER TEST RESULTS	12
	7.1	CONDUCTED EMISSIONS AT AC POWER LINE (150KHz-30MHz)	12
	7.2	MINIMUM 6DB BANDWIDTH	16
	7.3	CONDUCTED PEAK OUTPUT POWER	17
	7.4	Power Spectrum Density	-
	7.5	CONDUCTED BAND EDGES MEASUREMENT	
	7.6	CONDUCTED SPURIOUS EMISSIONS	
	7.7	RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
	7.8	RADIATED SPURIOUS EMISSIONS	
8	TES	ST SETUP PHOTOGRAPHS	73
9	EU.	CONSTRUCTIONAL DETAILS	73



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300





Report No.: KSEM210400064101 Page: 5 of 73

## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	DC 12V by Adapter
Test voltage:	AC 120V/60Hz
Antenna Gain:	Ant 1:1.9dBi (Provided by the manufacturer)
	Ant 2:1.9dBi (Provided by the manufacturer)
	Directional gain:4.91dBi
Antenna Type:	Dipole Antenna
Channel Spacing:	5MHz
Data Rate:	802.11b:1/2/5.5./11Mbps
	802.11g:6/9/12/18/24/36/48/54Mbps
	802.11n:MCS0-MCS7
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK)
	802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
Number of Channels:	802.11b/g/n(HT20):11
	802.11n(HT40):7
Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz
	802.11n(HT40): 2422MHz to 2452MHz
Serial Number:	F81225796
Firmware Version:	V5.6.5_200316

### 4.2 Power level setting using in test

Channel	802.11b		802.11g		802.11n(HT20)	
	Ant 1	Ant 2	Ant 1	Ant 2	Ant 1	Ant 2
1	32	36	26	32	20	22
6	32	36	26	30	20	22
11	32	34	26	30	20	22
Channel	802.11	n(HT40)				
	Ant 1	Ant 2				
3	20	22	]			
6	20	22	]			
9	20	22				

### 4.3 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Adapter	ΗΟΝΟΤΟ	ADS-12AM-12 12012EPCU	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: <u>CN.poccheck@sgs.com</u> No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 ((86-512)s730818 www.sgsgroup.com.cn mail: <u>CN.poccheck@sgs.com</u> mail: <u>CN.poccheck@sgs.com</u> mail: <u>CN.poccheck@sgs.com</u> (86-512)s730818 sys.china@sgs.com



Report No.: KSEM210400064101 Page: 6 of 73

Note Book	Acer	ZQT	NXM0QCN01031403EE876
-----------	------	-----	----------------------



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is of the Company's sole responsibility is to its Client's intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 7 of 73

No.	Item	Measurement Uncertainty		
1	Radio Frequency	8.4 x 10 <sup>-8</sup>		
2	Timeout	2s		
3	Duty cycle	0.37%		
4	Occupied Bandwidth	3%		
5	RF conducted power	0.6dB		
6	RF power density	2.9dB		
7	Conducted Spurious emissions	0.75dB		
8	PE Dedicted newer	4.2dB (Below 1GHz)		
0	RF Radiated power	4.1dB (Above 1GHz)		
		4.2dB (Below 30MHz)		
	Dedicted Cruvieus emission test	4.6dB (30MHz-1GHz)		
9	Radiated Spurious emission test	4.8dB (1GHz-18GHz)		
		5.5dB (Above 18GHz)		
10	Temperature test	1°C		
11	Humidity test	3%		
12	Supply voltages	1.5%		
13	Time	3%		

### 4.4 Measurement Uncertainty

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 8 of 73

### 4.5 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

### 4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

### • FCC (Designation Number: CN1172)

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

### • ISED (CAB Identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development (ISED) Canada as an accredited testing laboratory.

CAB Identifier: CN0072.

### • VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-11600, C-11707, T-11499, G-10216 respectively.

### 4.7 Deviation from Standards

None

# 4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-a-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN\_Doccheck@sgs.com"/http://www.sgs.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 9 of 73

## 5 Equipment List

Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
Con	ducted Emission at Mains Terminals (150					
1	EMI Test Receive	R&S	ESCI	100781	02/01/2021	01/31/2022
2	LISN	R&S	ENV216	101604	10/19/2020	10/18/2021
3	LISN	Schwarzbeck	NNLK 8129	8129-143	10/19/2020	10/18/2021
4	Pulse Limiter	R&S	ESH3-Z2	100609	02/01/2021	01/31/2022
5	CE test Cable	Thermax	/	14	10/17/2020	10/16/2021
6	Test Software	Farad	EZ-EMC	CCS-03A1	N.C.R	N.C.R
RF	Conducted Test			•		
1	Spectrum Analyzer	Agilent	E4446A	MY44020154	04/16/2021	04/15/2022
2	Spectrum Analyzer	Keysight	N9020A	MY55370209	12/02/2020	12/01/2021
3	Spectrum Analyzer	Keysight	N9010A	MY56480443	02/01/2021	01/31/2022
4	Signal Generator	Agilent	N5182A	MY50142015	09/25/2020	09/24/2021
5	Radio Communication Test Station	Anritsu	MT8000A	6262012849	N/A	N/A
6	Radio Communication Analyzer	Anritsu	MT8821C	6201692222	N/A	N/A
7	Universal Radio Communication Tester	R&S	CMW500	159275	10/19/2020	10/18/2021
8	Universal Radio Communication Tester	R&S	CMW500	167239	04/16/2021	04/15/2022
9	Power Meter	Anritsu	ML2495A	1445010	04/15/2021	04/14/2022
10	Switcher	CCSRF	FY562	KUS2001M001 -3	10/19/2020	10/18/2021
11	AC Power Source	EXTECH	6605	1570106	N.C.R	N.C.R
12	DC Power Supply	Aglient	E3632A	MY50340053	N.C.R	N.C.R
13	6dB Attenuator	Mini-Circuits	NAT-6-2W	15542-1	N.C.R	N.C.R
14	Power Divider	AISI	IOWOPE2068	PE2068	N.C.R	N.C.R
15	Filter	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
16	Conducted test cable	/	RF01-RF04	/	04/15/2021	04/14/2022
17	Software	BST	TST-PASS	N/A	N/A	N/A
18	Temp. / Humidity Chamber	TERCHY	MHK-120AK	X30109	04/15/2021	04/14/2022
19	Thermometer	Anymetre	TH603	CCS007	10/16/2020	10/15/2021
RF R	adiated Test					
1	Spectrum Analyzer	R&S	FSV40	101493	10/19/2020	10/18/2021
2	Signal Generator	Agilent	E8257C	MY43321570	10/19/2020	10/18/2021
3	Loop Antenna	Schwarzbeck	HXYZ9170	9170-108	02/22/2021	02/21/2022
4	Bilog Antenna	TESEQ	CBL 6112D	35403	06/22/2019	06/21/2021
5	Bilog Antenna	SCHWARZBECK	VULB9160	9160-3342	04/13/2021	04/12/2023
6	Horn-antenna(1-18GHz)	Schwarzbeck	BBHA9120D	267	10/26/2020	10/25/2022
7	Horn-antenna(1-18GHz)	ETS-LINDGREN	3117	00143290	02/22/2021	02/21/2023
8	Horn Antenna(18-40GHz)	Schwarzbeck	BBHA9170	BBHA9170171	02/22/2021	02/21/2022
9	Horn-antenna(40-60GHz)	REBES	SAZ-2410-19-S1	06299-01	N/A	N/A
10	Horn-antenna(50-75GHz)	REBES	SAZ-2410-15-S1	01731-01	N/A	N/A
11	Horn-antenna(75-110GHz)	REBES	SAZ-2410-10-S1	01773-09	N/A	N/A
12	Horn-antenna(110-170GHz)	REBES	SAZ-2410-06-S1	01776-05	N/A	N/A
13	Horn-antenna(140-220GHz)	REBES	SAZ-2410-05-S1	01759-04	N/A	N/A
14	Horn-antenna(220-325GHz)	REBES	SAR-2309-03-S2	06300-01	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 10 of 73

15	Extended waveguide(40-60GHz)	REBES	SWG-19025-FB	06303-01	N/A	N/A
16	Extended waveguide(50-75GHz)	REBES	SWG-15025-FB	01525-09	N/A	N/A
17	Extended waveguide(75-110GHz)	REBES	SWG-10025-FB	01509-01	N/A	N/A
18	Extended waveguide(110-170GHz)	REBES	SWG-06025-FB	06302-01	N/A	N/A
19	Extended waveguide(140-220GHz)	REBES	SWG-05025-FB	06304-01	N/A	N/A
20	Extended waveguide(220-325GHz)	REBES	SWG-03025-FB	06301-01	N/A	N/A
21	Harmonic mixer(110-170GHz)	REBES	STH-06SF-S1	06110-01	N/A	N/A
22	Harmonic mixer(40-60GHz)	REBES	STH-19SF-S1	06937-01	N/A	N/A
23	Waveguide Harmonic Mixer(50-75GHz)	KEYSIGHT	M1970V	MY51390966	N/A	N/A
24	Naveguide Harmonic Mixer(50-75GHz) cable	Silverline	SLU18-SMSM -01.00M	99612	N/A	N/A
25	Waveguide Harmonic Mixer(75-110GHz)	KEYSIGHT	M1970W	MY51430883	N/A	N/A
26	Vaveguide Harmonic Mixer(75-110GHz) cabl	Silverline	SLU18-SMSM -01.00M	94202	N/A	N/A
27	Pre-Amplifier(30MHz~18GHz)	LNA	/	/	04/15/2021	04/14/2022
28	Amplifier(18~40GHz)	COM-POWER	PAM-840A	461332	10/23/2020	10/22/2021
29	Low Pass Filter	MICRO-TRONICS	VLFX-950	RV142900829	N.C.R	N.C.R
30	High Pass Filter	Mini-Circuits	VHF-1200	15542	N.C.R	N.C.R
31	Filter (5450MHz~5770 MHz)	MICRO-TRONICS	BRC50704-01	2	N.C.R	N.C.R
32	Filter (5690 MHz $\sim$ 5930 MHz $)$	MICRO-TRONICS	BRC50705-01	4	N.C.R	N.C.R
33	Filter (5150 MHz~5350 MHz)	MICRO-TRONICS	BRC50703-01	2	N.C.R	N.C.R
34	Filter (885 MHz~915 MHz)	MICRO-TRONICS	BRM14698	1	N.C.R	N.C.R
35	Filter (815 MHz~860 MHz)	MICRO-TRONICS	BRM14697	1	N.C.R	N.C.R
36	Filter (1745 MHz $\sim$ 1910 MHz)	MICRO-TRONICS	BRM14700	1	N.C.R	N.C.R
37	Filter (1922 MHz $\sim$ 1977 MHz)	MICRO-TRONICS	BRM50715	1	N.C.R	N.C.R
38	Filter (2550 MHz)	MICRO-TRONICS	HPM13362	5	N.C.R	N.C.R
39	Filter (1532 MHz $\sim$ 1845 MHz)	MICRO-TRONICS	BRM50713	1	N.C.R	N.C.R
40	Filter (2.4GHz)	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
41	RE test cable	/	RE01-RE04	/	04/15/2021	04/14/2022
42	Software	Farad	EZ-EMC	CCS-03A1	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 11 of 73

## 6 Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

### 6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

#### 15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### EUT Antenna:

The antenna 1 and antenna 2 is a Dipole Antenna, and all on the main PCB and no consideration of replacement. The best case gain of the antenna 1 is 1.9dBi and antenna 2 is 1.9dBi.

Antenna location: Refer to Appendix (Internal Photos)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@esp.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300





Report No.: KSEM210400064101 Page: 12 of 73

## 7 Radio Spectrum Matter Test Results

### 7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement	47 CFR Part 15, Subpart C 15.207
Test Method:	ANSI C63.10 (2013) Section 6.2
Limit:	


	Conducted limit(dBµV)								
Frequency of emission(MHz)	Quasi-peak	Average							
0.15-0.5	66 to 56*	56 to 46*							
0.5-5	56	46							
5-30	60	50							
*Decreases with the logarithm of the	ne frequency.								

7.1.1 E.U.T. Operation

Operating Environment:

Temperature:24 °CHumidity:48 % RHAtmospheric Pressure:1010 mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

### 7.1.2 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document on exercising all their rights and obligations under the transaction documents. This document cannot be reproduced exceept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com</a>

No.10,Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 13 of 73

### 7.1.3 Measurement Procedure and Data

1) The mains terminal disturbance voltage test was conducted in a shielded room.

2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50 $\mu$ H + 50hm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.

3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,

4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.

5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: LISN=Read Level+ Cable Loss+ LISN Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-and-Conditions/ferms-endocument.sgs">http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs">http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs</a>, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is drawn to the Company's sole responsibility is to its Cilent's and this document on exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 14 of 73




No.	Frequency	QuasiPeak reading	Average reading	Correction factor	QuasiPeak result	Average result	QuasiPeak limit	Average limit	QuasiPeak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1	0.1555	18.02	4.36	10.05	28.07	14.41	65.70	55.70	-37.63	-41.29	Pass
2	0.1758	17.04	3.82	10.05	27.09	13.87	64.68	54.68	-37.59	-40.81	Pass
3*	0.4764	16.59	12.62	10.13	26.72	22.75	56.40	46.40	-29.68	-23.65	Pass
4	17.7046	9.89	6.01	11.25	21.14	17.26	60.00	50.00	-38.86	-32.74	Pass
5	19.7197	11.11	7.00	11.42	22.53	18.42	60.00	50.00	-37.47	-31.58	Pass
6	23.1393	16.49	13.05	11.65	28.14	24.70	60.00	50.00	-31.86	-25.30	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300





Report No.: KSEM210400064101 Page: 15 of 73



No.	Frequency	QuasiPeak reading	Average reading	Correction factor	QuasiPeak result	Average result	QuasiPeak limit	Average limit	QuasiPeak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1	0.1619	17.62	3.47	10.05	27.67	13.52	65.36	55.37	-37.69	-41.85	Pass
2*	0.4841	16.52	11.12	10.13	26.65	21.25	56.27	46.27	-29.62	-25.02	Pass
3	16.2388	10.61	7.12	11.13	21.74	18.25	60.00	50.00	-38.26	-31.75	Pass
4	21.6738	12.13	8.15	11.55	23.68	19.70	60.00	50.00	-36.32	-30.30	Pass
5	23.1396	14.54	10.20	11.65	26.19	21.85	60.00	50.00	-33.81	-28.15	Pass
6	24.3607	10.69	6.47	11.74	22.43	18.21	60.00	50.00	-37.57	-31.79	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@esps.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 16 of 73

### 7.2 Minimum 6dB Bandwidth


Test Requirement	47 CFR Part 15, Subpart C 15.247a(2)
Test Method:	ANSI C63.10 (2013) Section 11.8.1
Limit:	≥500 kHz

#### 7.2.1 E.U.T. Operation

**Operating Environment:** 

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1009 mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

#### 7.2.2 Test Setup Diagram



### **Ground Reference Plane**

#### 7.2.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210400064101



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210400064101 Page: 17 of 73

### 7.3 Conducted Peak Output Power

Test Requirement47 CFR Part 15, Subpart C 15.247(b)(3)Test Method:ANSI C63.10 (2013) Section 11.9.1Limit:Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSEM210400064101 Page: 18 of 73

### 7.3.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C Humidity: 49 % RH Atmospheric Pressure: 1009 mbar a:TX mode\_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40). Only the data of worst case is recorded in the report.

#### 7.3.2 Test Setup Diagram



### **Ground Reference Plane**

### 7.3.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210400064101



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-enDocument.systeps">http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.systeps</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is drawn to the semple(s) sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) leave contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210400064101 Page: 19 of 73

### 7.4 Power Spectrum Density


Test Requirement	47 CFR Part 15, Subpart C 15.247(e)
Test Method:	ANSI C63.10 (2013) Section 11.10.2
Limit:	$\leq$ 8dBm in any 3 kHz band during any time interval of continuous
	transmission

#### 7.4.1 E.U.T. Operation

**Operating Environment:** 

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1009 mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

#### 7.4.2 Test Setup Diagram



### **Ground Reference Plane**

#### 7.4.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210400064101



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-512)5730818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 20 of 73

### 7.5 Conducted Band Edges Measurement

Test Requirement Test Method: Limit: 47 CFR Part 15, Subpart C 15.247(d) ANSI C63.10 (2013) Section 11.13.3.2

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-and-Conditions/ferms-endocument.sgs">http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs">http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs</a>, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is drawn to the Company's sole responsibility is to its Cilent's and this document on exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSEM210400064101 Page: 21 of 73

### 7.5.1 E.U.T. Operation

### Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1009 mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

#### 7.5.2 Test Setup Diagram



### **Ground Reference Plane**

### 7.5.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210400064101



No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 22 of 73

### 7.6 Conducted Spurious Emissions

**Test Requirement** 47 CFR Part 15, Subpart C 15,247(d) Test Method: ANSI C63.10 (2013) Section 11.11 Limit: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoente parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSEM210400064101 Page: 23 of 73

### 7.6.1 E.U.T. Operation

### Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1009 mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

#### 7.6.2 Test Setup Diagram



### **Ground Reference Plane**


#### 7.6.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210400064101



t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com





Report No.: KSEM210400064101 Page: 24 of 73

### 7.7 Radiated Emissions which fall in the restricted bands

 Test Requirement
 47 CFR Part 15, Subpart C 15.209 & 15.247(d)

 Test Method:
 ANSI C63.10 (2013) Section 6.10.5

 Limit:
 Ansi C63.10 (2013) Section 6.10.5

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is drawn to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSEM210400064101 Page: 25 of 73


### 7.7.1 E.U.T. Operation

Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1009 mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

#### 7.7.2 Test Setup Diagram







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 26 of 73

### 7.7.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.

Remark: This test item was investigated while operating in SISO and MIMO mode, however, it was de termined that SISO antenna 1 operation for b/g modulation and MIMO antenna operation for n modul ation produced the worst emissions. So the emissions produced from other operation are not recorde d in report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Test Report Form Version: Rev01



Report No.: KSEM210400064101 Page: 27 of 73

										Γ			mitl: — mit2: —
	60								Ň			1	
		www.wpod.on							1			177	ner al far fall fall an
													1 1
	0.0	10.000.000		0.00 22		2356.0	0 33	10.00				2.00	
		10.0002324	1.00 233	8.00 23	52.00	2356.0	0 23E	10.00 23:	31.00 21	08.00	0 242	2.00	2150.00 M
D.	23	requency (MHz)	1.00 233 Reading ()	g Corre	52.00 ection or()	2356.0 Res ()		10.00 23: Limit ()	34.00 24 Margin (dB)		) 212		2150.00 M
	23 Fi	requency		g Corre	ction	-	ult		Margin		0 212	Rer	
	23 Fi	requency (MHz)	Reading ()	g Corre fact	ction or()	Res ()	ult 69	Limit ()	Margin (dB)		0 242	Rer	nark

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 28 of 73

1	120.0							
							*	Limit1: — Limit2: —
	60 	minin	a waran walaan da waa wara	Caranta de C	Caller was the series	<i>V</i>		for the second second
	0.0							
	2310.000232	4.00 2338.	.00 2352.00	2356.00	2380.00 239	14.00 2408.	00 2422.0	0 2150.00 MHz
No.	Frequency (MHz)	Reading ()	Correction factor()	Result ()	Limit ()	Margin (dB)		Remark
1	2332.120	58.79	-7.47	51.32	74.00	-22.68		peak
2	2390.000	56.92	-7.34	49.58	74.00	-24.42		peak
3	2412.060	112.60	-7.27	105.33	74.00	31.33		peak

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSEM210400064101

 Page:
 29 of 73

1	20.0									
		ĩ								mitl: mit2:
			Υ							
	60 <sup>4</sup>		1							
					Manager and State	Langer and any ange	and a start and the start and a start a		an a	
	-									
	0.0 2150.00	0 2 1 6 !	5.00 2480	).00	2195.00	2510.00	2525.00 254	0.00 2555.	.00 2570.00	2500.00 MHz
No.	Freque (MHz	ncy z)	Reading ()		orrection actor()	Result	Limit	Margin (dB)	Rem	nark
1	2462.0		108.35		-7.12	101.23	74.00	27.23	pea	ak
2	2483.5		54.95		-7.06	47.89	74.00	-26.11	pea	ak
3	2489.9		57.27		-7.04	50.23	74.00	-23.77	pea	
4	2500.0	000	53.94		-7.00	46.94	74.00	-27.06	pea	ak

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 30 of 73

	120.	D															
		į	,													mitl: — mit2: —	
		$\neg$															
		1		$\rightarrow$													
		/															4
	60	[		<u> </u>													
					2 5											N. A. marco and	
					in the second	U.L. Mary	San Safel	parapeter	ter bee	a new reduced.	****	- Maria Maria	ala ayu	an the an	nan - Ashiradan	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1
	0.0																
	2'	<b>50.0</b> 002	169	5.00 2480	.00 24	95.00	251	0.00	252	5.00	254	0.00 25	55.00	257	0.00	2500.00	MHz
No.	F		y	Reading		ction	R	esult		Limit		Margin			Rem	nark	
1		(MHz) () factor() 2462.150 110.61 -7.12			1(	03.49	+	74.00		(dB) 29.49			pea	ak			
2		2483.500		54.75		06		7.69	+	74.00		-26.31			pea		
3	1	2493.050	)	57.15	-7.	02	5	0.13		74.00		-23.87			pea	ak	
4	1	2500.000	)	55.34	-7.	00	4	8.34		74.00		-25.66			pea	ak	

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 31 of 73

1	20.0	I																
																Lim Lim		
	ļ											pa	man and	ĥ				
	╞											ŕ		1				-
											]				5			7
	60							1		•	j							$\exists$
	þ	analon de altres	and and an other states	anger in any to a sea	****	l'an marca	back on the h	×	· · 40 K 40 B 40 J	<u>.</u>	<i>.</i>					Verymod	terrent Aus	~~**
	╞							$\vdash$										-
	ł																	1
	0.0																	
	23	10.0002324	1.00 233	8.00 235	i2.00	235	6.00	238	0.00	239	1.00	2408	3.00	212	2.00		2450.0	00 MHz
No.	Fr	equency (MHz)	Reading	g Corre fact		R	esult ()		Lim 0	it	Ma (d	argin IB)				Rema	ırk	
1		375.660	55.11	-7.		4	7.75		74.0	0	-26.25				peak			
2	2	390.000	53.18	-7.	-7.34		45.84		74.00		-28.16			peak				
3	2417.380 104		104.56	6 -7.26		97.30			74.00		23.30			peak				

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210400064101 Page: 32 of 73

1	120.	0																		
																3		Limi Limi		
														1	and the second	<b>۲</b>				1
														[						
																	\			
	60															-	~			_
		and a second			han 1	and mar th		La Ma	a		un u	z	d l				-1	2		-
																-		1. Jan 1997	Serve Contra	4
																$\vdash$				$\neg$
	0.0																			
	23	310.0002324	1.00	233	8.00	235	2.00	236	6.00	238	0.00	239	1.00	2408	8.0 <b>0</b>	242	2.00		2450.0	DO MHz
No.	F	requency	Rea	ading	,	Correc		R	esult	Τ	Lim	iit	Ma	argin			F	Rema	rk	
1		(MHz) 2332.120 5		() 56.46		factor() -7.47		48.99			74.0	00	(dB) -25.01		+			peak	(	
2		2390.000	53	3.61	+	-7.34		46.27			74.00		-27.73			peak				
3	:	2417.380	10	9.10		-7.2	26	1	01.84		74.(	)0	27	7.84				peak	(	

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSEM210400064101

 Page:
 33 of 73

1	120.	0						_					_
												mit1: — mit2: —	
		- free on the second se	*										
		[											
			<u> </u>										4
	60		1										1
			100 No.	<u>م بار</u>									•
			r L	÷.	-	****	يەلىمەلىياللەندىمىي	a barata anto anto para fitan		and the second states and the	and a second	abole densities and Antonia i	
													1
													1
													1
	0.0												1
		150.000 2465	5.00 2480	0.00 249	5.00	2510.	.00 253	15.00 254	0.00 255	5.00 25	70.00	2500.00	MHz
No.	F	requency (MHz)	Reading	g Correction		Re	sult	Limit	Margin (dB)		Ren	nark	
1	1	2467.400	105.33			98	.23	74.00	24.23		pe	ak	
2	1	2483.500	54.21	-7.0	-7.06		.15	74.00	-26.85	1		ak	
3	1	2488.400	56.70	-7.(	-7.04		.66	74.00	-24.34		peak		
4	1	2500.000	52.58	-7.0	)0	45	.58	74.00	-28.42		pe	ak	

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 34 of 73

1	20.	0															
			1.													nitl: — nit2: —	
			<b>~</b> ~~														
		<i>i</i> –		_ i													
		<u>/</u>		<u> </u>													
	60																
				- hy		2											
				, ,	n,Z		n - shu	مرماهموه	an shares	yherde	and and the second second	Manda	ومعاد البرم	والبهداست	an a	. want Ingend-attrice	
	0.0																l
	27	150.000	2469	5.00 248	0.00	) 249	5.00	251	0.00	252	5.00 254	10.00 25	55.00	257	0.00	2500.00	MHz
No.	F	requen (MHz)	icy )	Reading	g	Correct facto		R	esult		Limit	Margin (dB)			Rema	ark	
1	1			107.69		-7.1		1(	00.57	+	74.00	26.57			pea	k	
2	1	2483.5	00	52.37		-7.0	6	4	5.31		74.00	-28.69			pea	k	
3	1	(MHz)         ()           2459.900         107           2483.500         52.3           2485.100         55.3		55.60		-7.0	)5	4	8.55		74.00	-25.45		peak			
4	1	2500.0	00	53.42		-7.0	0	4	6.42		74.00	-27.58			pea	k	

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 35 of 73

1	120.	0																		
																	Lim Lim			
													1000	nor						
													_							
	60															ľ,				
		-	rhan gilden	President and	والمراجع والعوامي		man		www	the area	- Server	well					hand	m.		
															+				-	
	0.0																			
	23	310.0002324	1.00	2338.	.00 23	52.00	235	6.00	238	0.00	239	1.00	240	8.00	242	2.00		2150	.00 MH	z
No.	F	requency (MHz)	Re	ading ()	Corre fact		R	esult ()		Limi ()	it		argin IB)			F	Rema	ark		
1		2371.040	55	5.48	-7.	38	4	8.10		74.0	0		5.90				peal	k		
2		2390.000	53	3.09	-7.	-7.34		45.75		74.00		-28.25			peak					
3	1	2418.640	10	104.55		-7.25		97.30		74.00		23.30			peak					

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210400064101 Page: 36 of 73

1	120.	0																		
															3		Lim Lim			
													/***	We de la compañía de					_	
												7				1			=	
	60										<u>,                                    </u>	ſ				1	tur.s.	-		
		halle and a second	-will-angT	*****	and the second	yl-sylwiter ar	estin Sym	ndr. Ja Im.	- د المحمي	an part an o	for the second								····	
																			_	
	0.0													- 2.0						
	2:	310.0002324	1.00	2338.	00 235	2.00	236	6.00	238	0.00	239	1.00	2408	i.UU	212	2.00		215	0. <b>00 k</b>	AHZ
No.	F	requency (MHz)	Re	ading ()	Correct facto		R	esult ()		Lim ()	it	Ma (d	irgin IB)				Rema	ark		
1		2331.980		6.56	-7.4		4	9.09		74.0			4.91				peal			
2		2390.000		3.95		-7.34		46.61		74.00		-27.39				peak				
3		2416.820	10	109.19		-7.26		101.93		74.00		27.93				peak				

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 37 of 73

1	20.0												
											Lim Lim		
	from the	~~~~											
	б0 <u></u>												
			2 <sup>10</sup> 00	n the second second	~~~×~	in the second	h	na manarakanya	lation in an anna an	er te Berger Schemen	age grader by the	e washinda sam bi	
	0.0												
	2150.0003	2465.	.00 2480	).00 249	5.00	2510.00	2525	.00 251	0.00 2555	.00 257	0.00	2500.00	l MHz
No.	Frequence (MHz)	сy	Reading ()	Correc		Result ()		Limit ()	Margin (dB)		Rema	ark	
1	2468.00		104.89	-7.1		97.79		74.00	23.79		pea	k	
2	2483.50		53.11	-7.0	6	46.05		74.00	-27.95		pea	k	
3	2487.50	)0	55.22	-7.0	5	48.17		74.00	-25.83		pea	k	
4	2500.00	)0	53.27	-7.0	0	46.27		74.00	-27.73		pea	k	

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 38 of 73

1	20.0										_					Limit	nt: —	
			î													Limit		
		, sense and																
	ļ		$\downarrow$															
	F																	
	60-		+															
	F		<u> </u>	*	<u>.</u>			والدينس والربيدو	فليوريها	المروحين والإسترين	-0.4	and a second from the	Jun	م. رويوني ا	An Adams		and the state	
	⊢															_		
	⊢																	
	F																	
	0.0																	
	2150	). <b>000 246</b> 5	5.00 248	0.00	219	5.00	251	0.00	252	5.00 3	254	0.00 255	5.00	257	0.00		2500.00	MHz
No.	Fre (I	quency MHz)	Reading	9	Correc facto		R	esult		Limit		Margin (dB)			R	lemar	rk	
1		67.250	106.83		-7.1		9	9.72	$\uparrow$	74.00		25.72	+			peak	:	
2		83.500	54.87		-7.0	6	4	7.81		74.00		-26.19				peak		
3	24	87.500	55.51		-7.0	5	4	8.46		74.00		-25.54				peak		
4	25	00.000	53.04		-7.0	0	4	6.04		74.00		-27.96				peak		

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210400064101 Page: 39 of 73

1	120.	0											
											Lim		
									por	al second reading of the	minimum	ann,	
	60												
		he marana		alastap ana Jawa (Jawa)	hen sogene	an start way way	www.	- Sterrer we	1			have	
	0.0												
	23	B10.0002324	.00 2338	.00 2352	2.00	2356.00	2380.00	2394.0	0 210	8.00 242	2.00	2450.00 k	dHz
No.	F	requency (MHz)	Reading	Correc facto		Result ()	Lin	nit )	Margin (dB)		Rema	ark	
1	<u> </u>					M				-			
		2383.500	55.13	-7.3	5	47.78	74.	00	-26.22		pea	k	
2		2383.500 2390.000	55.13 53.33	-7.3 -7.3		47.78 45.99	74.		-26.22 -28.01		peal peal		

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 40 of 73

															Lim Lim		
											11	and the second	***	V	mont	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
								_			<u> </u>		_				
	60										1						
		abarrahada d	Prophrander and	and the former	monto	waran	1 Anis	,	~~~~\$		p#						Ume
													+	1			
	0.0																
		110.0002324	1.00 233	8.00 23	52.00	2356.	.00	2380	.00 i	2394.00	240	18.00	21	22	.00	2	150.00
<b>D</b> .	23	110.0002324 requency (MHz)	1.00 2333 Reading ()	g Corre	52.00 ection tor()		.00 esult ()	2380	Limit		210 Aargin (dB)	8.00	21	22	.00 Rema		150.00 1
	23 Fi	requency		g Corre fac	ection	Re		2380		N	largin	18.00	21	22		ark	150.00
	23 Fi	requency (MHz)	Reading ()	g Corre fac -7	ection tor()	Re 48	sult ()	2380	Limit	N	largin (dB)	08.00	21	22	Rema	ark k	150.00

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 41 of 73

1	20.0													
													mit1: — mit2: —	
		NAMIN	www.											
	60													
					*****	~~	****		ene strenktorente	a mandra ser yn ren	a fage a bage a second	a Maria and an		
	0.0 243	30.000 2 <b>1</b> 17	7.00 2464	1.00 248	  .00	249	8.00	251	<b>5.00 25</b> 3	 32.00 254	9.00 2	566.00	2500.00 M	<b>i</b> Hz
No.	Fre	equency (MHz)	Reading ()	Correct facto		R	esult ()	Τ	Limit	Margin (dB)		Ren	nark	
1		457.710	102.18			9	5.04		74.00	21.04		ре	ak	
2	2	483.500	53.54	-7.0	6	4	6.48		74.00	-27.52		ре	ak	
3	2	490.350	54.53	-7.0	4	4	7.49		74.00	-26.51		ре	ak	
4	2	500.000	53.60	-7.0	0	4	6.60		74.00	-27.40		ре	ak	

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 42 of 73


								mitl: — mit2: —
	, 14 Mar	and have seen as a second second						
	60							
			h	***	gina di salar sina ang	turing the generation by	nger selanan kar al kalar of tan sasif at taka selangan	aga da an indiante de la com
	0.0 2130.000211	7.00 2464.0	00 2481.00	2198.00 2	515.00 253	2.00 2549.	.00 2566.00	2500.00 MH
0.	Frequency (MHz)	Reading	Correction factor()	Result ()	Limit	Margin (dB)	Rem	nark
	2439.520	105.83	-7.19	98.64	74.00	24.64	pea	ak
	2483.500	53.71	-7.06	46.65	74.00	-27.35	pea	ak
	2492.390	55.09	-7.02	48.07	74.00	-25.93	pea	ak
_	2500.000	53.24	-7.00	46.24	74.00	-27.76	pea	ak

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300





Report No.: KSEM210400064101 Page: 43 of 73

## 7.8 Radiated Spurious Emissions

Test Requirement	47 CFR Part 15, Subpart C 15.209 & 15.247(d)
Test Method:	ANSI C63.10 (2013) Section 6.4,6.5,6.6
Limit:	

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com




Report No.: KSEM210400064101 Page: 44 of 73


## 7.8.1 E.U.T. Operation

Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1009 mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

### 7.8.2 Test Setup Diagram







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 45 of 73

## 7.8.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

#### Remark:

1) For emission below 1GHz, through pre-scan found the worst case is the lowest channel. Only the worst case is recorded in the report.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

3) Scan from 9kHz to 25GHz, the disturbance above 18GHz and below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

4) For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.

Remark: This test item was investigated while operating in SISO and MIMO mode, however, it was de termined that SISO antenna 1 operation for b/g modulation and MIMO antenna operation for n modul ation produced the worst emissions. So the emissions produced from other operation are not recorde d in report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-and-Conditions/ferms-endocument.sgs">http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs">http://www.sgs.com/en/Terms-and-Conditions/ferms-endocument.sgs</a>, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is drawn to the Company's sole responsibility is to its Cilent's and this document on exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 46 of 73



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	30.9700	1.72	25.43	27.15	40.00	-12.85	173	39	QP
2	79.4700	15.73	15.32	31.05	40.00	-8.95	100	48	QP
3	142.5200	8.96	20.00	28.96	43.50	-14.54	183	243	QP
4	171.6200	13.59	18.59	32.18	43.50	-11.32	110	45	QP
5	343.3100	6.25	22.61	28.86	46.00	-17.14	136	108	QP
6	716.7600	3.42	28.03	31.45	46.00	-14.55	173	39	QP




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 47 of 73



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	31.9400	6.56	24.86	31.42	40.00	-8.58	173	39	QP
2	79.4700	16.73	15.32	32.05	40.00	-7.95	100	48	QP
3	143.4900	11.79	20.03	31.82	43.50	-11.68	184	244	QP
4	172.5900	13.53	18.52	32.05	43.50	-11.45	110	46	QP
5	250.1900	11.07	19.55	30.62	46.00	-15.38	150	109	QP
6	653.7100	3.96	27.36	31.32	46.00	-14.68	170	39	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210400064101 Page: 48 of 73

#### Above 1GHz

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:Low





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 49 of 73

1	I OO.	0																		
																		mit I mit2		
												+		+		+				
										$\left  \right $		+		_		+		_		
	50			1			2			Ş	-	$\pm$				$\pm$				
				Ì	:		Î													
										Π		T								
				$\left  \right $			+			╫		+		+		+		+		
	0.0																			
	1[	100.0002700	).00 110	0.0	0 610	0.00	780	0.00	950	0.	.00	20[	1.00 12	900	0.00 14	1600	1.00		18000.00	MHz
No.	F	requency	Reading	9	Correc		F	Result			Limit	Τ	Margir	ı			Rem	nark		
1		(MHz) 4824.000	() 50.79		facto -2.6			() 18.16	+		<u>()</u> 74.00	+	(dB) -25.84	_			pea	ak		
2		7236.000	50.08		-2.0			19.51	+		74.00	+	-23.04				pe			
3		9648.000	47.28		2.9			50.26	-		74.00	+	-23.74				pe			
~	· ·	0.000			2.0	~							20.1				- P01			

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210400064101 Page: 50 of 73

1	00.	0																			
																		Limi Limi			
												+		$\downarrow$							
												+		+						_	
												╞		+							
	50			ł			<u>č</u>				, ,	+		╈							
	0.0																				
	I	100.000 2700	).00 440)	0.00	610	0.00	780	0.00	950	0.	00	201	3 <b>.0</b> 0  ;	290	0.00	146	00.00		18	000.00	MHz
No.	F	requency (MHz)	Reading	3	Correct facto		F	Result	Τ		Limit	Τ	Margi (dB)	n			R	ema	rk		
1	4	4874.000	50.86		-2.4		4	18.37			74.00	$\uparrow$	-25.6	3			F	peak			
2	1	7311.000	50.12		-0.5	5	4	19.57			74.00		-24.4	3			F	peak			
3	9	9748.000	47.52		2.7	0	5	50.22			74.00		-23.7	8			F	peak			

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 51 of 73

1	<b>I O</b> O.	0							
									nit1: — nit2: —
	5.0			1	2	3			
	50			Ŷ					
	0.0 10	100.000 27 D0	).00 <b>11</b> 00.	00 6100.00	7800.00	9500.00 112	200.00  290	 0.00  1600.00	
No.	F	requency (MHz)	Reading ()	Correction factor()	Result ()	Limit ()	Margin (dB)	Rem	ark
1	4	4874.000	50.88	-2.49	48.39	74.00	-25.61	pea	k
2		7311.000	50.13	-0.55	49.58	74.00	-24.42	pea	k
3	9	9748.000	47.67	2.70	50.37	74.00	-23.63	pea	k

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 52 of 73

1	00.	0																			
																			nitl: nit2:		
																				_	
																				_	
	50				1			2			Ś	,									
	50					{		Ĩ				1									
								_												_	
	0.0																				
		100.0002700	).00	110	0.00	610	0.00	780	0.00	950	0.0	00  12	00.00	1290	0.00	146	00.00		. 18	000.00	MHz
No.	F	requency (MHz)	Rea	ading ()	,	Correct facto		R	Result ()		l	Limit ()	Maı (di	rgin B)			I	Rema	ark		
1	4	4924.000	50	).70		-2.3		4	18.35		7	74.00		.65				pea	k		
2	ī	7386.000	- 49	9.76		-0.5	2	- 4	9.24		7	74.00	-24	.76				pea	k		
3	9	9848.000	47	7.53		2.8	1	5	50.34		7	74.00	-23	.66				pea	k		

Mode:a; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 53 of 73

1	00.	0																		
																	Lim Lim			
				+																
				_																-
	50				1		2			3 X										
					Ĩ		Î													
				+			+			+										
				+			_													-
	0.0																			
	10	100.000 2700	).00 14	100.0	0 610	0.00	780	0.00	950	0.0	D   2	:00.00	1290	0.00	146	00.00		IE	000.00	мн
lo.	F	requency	Readi	ng	Correc		R	esult		L	imit	Ma	rgin			F	Rema	ark		
_	4	(MHz) 4924.000	() 50.7	0	facto -2.3		4	() 8.35		74	<u>()</u> 4.00		B) .65				pea	k		
_		7386.000	49.7		-0.5			9.25			4.00		.75				pea			
		9848.000	47.5		2.8			0.33			4.00		.67				pea			

Mode:a; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 54 of 73

1	100.	0																		
																	Lim Lim		_	
	50				ļ		2			ţ										
				1	Î															
	0.0																			
	I	100.0002700	).00 440	10.0	0 610	0.00	780	0.00	950	0.1	00   ;	200.0	00 129	00.00	146	00.00		IE	000.00	MHz
No.	F	requency (MHz)	Readin ()	g	Correct facto		R	lesult ()			Limit ()	1	Margin (dB)			I	Rema	ark		
1	4	4824.000	51.04		-2.6		4	8.41		1	74.00		-25.59				pea	k		
2		7236.000	50.08		-0.5	57	4	9.51		1	74.00		-24.49				pea	k		
3	9	9648.000	47.47		2.9	8	5	50.45		1	74.00		-23.55				pea	k		

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSEM210400064101 Page: 55 of 73

1	100.	0																	
																	Limit Limit		
																			-
																			-
				-													_		-
	50				Ļ		2			ş.									1
					Î .														
							1												1
	0.0																		1
		100.000 2700	).00 440	] <b>0</b> .0	0 610	0.00	780	0.00	950	0.00	2	00.00	1290	0.00	146	00.00		18000.0	J OM H Z
No.	F	requency (MHz)	Readin	g	Correct facto		R	lesult		Li	mit ()	Mar (dł				Re	mar	k	
1	4	4824.000	50.99		-2.6		4	18.36	+	74	.00		.64	1		р	eak		
2	1	7236.000	50.18		-0.5	57	4	9.61		74	.00	-24	.39			р	eak		
3	9	9648.000	47.57		2.9	8	5	50.55		74	.00	-23	.45			р	eak		

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210400064101 Page: 56 of 73

1	00.	D																	
																Limil Limil			
																		-	
																		$\neg$	
				•		2			3										
	50			Ť		1			-	ς									
												_						$\neg$	
	0.0											+						$\neg$	
		100.0002700	).00 110(	D.00 610	0.00	780	0.00	950(	0.1	00  12	00.00	1290	0.00	146	00.00		180	00.00	ЧHz
No.	F	requency (MHz)	Reading ()	Corre fact		R	lesult ()	Τ		Limit ()	Mar (dE	gin 3)			R	emar	rk		
1	4	4874.000	50.78	-2.		4	8.29		1	74.00	-25				F	peak			
2		7311.000	49.66	-0.	55	4	9.11		1	74.00	-24				F	peak			
3	9	9748.000	47.90	2.1	70	5	60.60		1	74.00	-23	.40			F	peak			

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 57 of 73

1	00.	0													
													Lim Lim		
						_		_							
								+							
	50			1		2			î						
	50			Ŷ		Ĩ			1						
						+		+							
	0.0					+		+							
		100.000 <b>27</b> 00	).00 1100	).00 610	0.00	7800	.00 9	500	L 1.00   12	00.00 12	900.00	116	00.00	18000.00	 MHz
No.	F	requency (MHz)	Reading ()	Corre facto		Re	esult ()		Limit ()	Margir (dB)			Rema	ark	
1	4	4874.000	50.79	-2.4		48	3.30		74.00	-25.70	)		pea	k	
2		7311.000	50.08	-0.	55	49	).53		74.00	-24.47			pea	k	
3	9	9748.000	47.67	2.7	0	50	).37		74.00	-23.63			pea	k	

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 58 of 73

1	100.	0																
																imitl: imit2:		
					_			_										
								+										
						_		+				_		_				
	50			*	_	-2			3							_		
	0.0																	
	I	100.0002700	).00 <b>11</b> 0	0.00 6	00.00	7800	).00 9	500	.00	112	00.00	1290	0.00	1460	0.00	I	8000.00	MHz
No.	F	requency (MHz)	Reading		ection tor()	R	esult ()		Limit		Mar (dE	gin 3)			Rer	mark		
1	4	4924.000	50.96		.35	4	8.61		74.00	)	-25				pe	ak		
2	1	7386.000	49.67	-(	.52	49	9.15		74.00	)	-24	.85			ре	ak		
3	9	9848.000	47.76	2	.81	5	0.57		74.00	)	-23	.43			pe	ak		

Mode:a; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 59 of 73

1	100.	0													
														nitl: — nit2: —	
															4
											_				-
	50			1				1							
											_				_
															-
	0.0														
	11	000.000 2700	0.00 110	0.00	6100.00	7800.00	951	<b>10.00</b>	112	00.00	12900	1.00 14	600.00	18 <b>0</b> 00.	00MHz
No.	F	requency (MHz)	Reading ()		orrection factor()	Resul	t	Lir (	nit )	Marg (dB	jin )		Rem	ark	
1	4	4924.000	50.66		-2.35	48.31		74	.00	-25.			pea	ak	
2		7386.000	49.77		-0.52	49.25		74	.00	-24.	75		pea	ak	
3	!	9848.000	47.64		2.81	50.45		74	.00	-23.	55		pea	ak	

Mode:a; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 60 of 73

1	1 <b>0</b> 0.	0																		
																		nitl: nit2:		
												╞		+		+				
												+				+				
	50			ł	:		2			1 1		+		+		+				
							+			╢		+		+		+				
							+			╢		╀		+		+				
	0.0 	100.000 2700	).00 440	0.0	0 610	0.00	780	0.00	950		.00   12	20	0.00 12	900	.00 14	160	0.00		8 <b>000.0</b> 0	MHz
No.	F	requency (MHz)	Reading	9	Correct facto		R	Result			Limit	Τ	Margin (dB)				Rema	ark		
1	4	4824.000	51.00		-2.6		4	18.37	+		74.00	$\dagger$	-25.63	;			pea	k		
2	1	7236.000	50.08		-0.5	7	4	9.51			74.00		-24.49				pea	k		
3	9	9648.000	47.36		2.9	8	5	50.34			74.00		-23.66				pea	k		

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210400064101 Page: 61 of 73

10	00.0	I																			
																		Limi Limi			
	┝																				ł
,	50				L.	,		<u>z</u>			3										
					11	ç															
	ſ							$\top$													1
	┢				H						$\parallel$			-+							ł
C	0.0																				
	100	00.0002700	.00	110	0.0	0 610	0.00	780	0.00	950	0.0	0  12	00.00	1290	0.00	146	00.00		18	000.00	MHz
No.		equency	Rea	ding	g	Correc		F	Result		L	imit		rgin			F	lema	rk		
1		(MHz) 824.000	50	() .94		facto -2.6			<u>()</u> 18.31	_	7	<u>()</u> 4.00		B) 5.69				peak	,		
2		236.000		. 15		-0.5			19.58			4.00		.42				peak			
-		200.000	30	. 10		-0.5		1 7	0.00			1.00	-24	. 44	1			Pear	<b>`</b>		

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210400064101 Page: 62 of 73

1	100.	0																		
																	Lim Lim		_	
				-																
	50						z			2	ţ									
	50				¢ (		Ť				6									
							+													
	0.0																			
		100.0002700	).00 441	0.0	0 610	0.00	780	0.00	950	<u>0</u> .	00  12	00.00	1290	0.00	146	00.00		I	000.00	MHz
No.	F	requency (MHz)	Readin ()	g	Correct facto		R	lesult ()			Limit ()	Ma (d	rgin B)			F	Rema	ark		
1	4	4874.000	50.65		-2.4		4	8.16			74.00		.84				pea	k		
2		7311.000	50.25		-0.5	5	4	9.70			74.00	-24	.30				pea	k		
3	9	9748.000	47.59		2.7	0	- 5	0.29			74.00	-23	.71				pea	k		

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 63 of 73

1	100.	0																			
												$\downarrow$						Lim Lim		_	
												_		_							
												╀									
	50				1		2			12	ţ										
	50			],	Ŷ		Ĩ				•										
							-					+		_							
	0.0											╈									
	1	100.000 2700	).00 44	0.0	0 610	0.00	780	0.00	950	0.	00	200	].00	1290	0.00	146	00.00		I E	1000.00	MHz
No.	F	requency (MHz)	Readii	ng	Correct facto		R	Result ()			Limit ()	Τ	Març (dB	gin I)			F	Rema	ark		
1	4	4874.000	50.88	3	-2.4		4	8.39			74.00		-25.					peal	k		
2	1	7311.000	49.89	)	-0.5	55	4	9.34			74.00		-24.	66				peal	k		
3	9	9748.000	47.76	6	2.7	0	5	60.46			74.00		-23.	54				pea	k		

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 64 of 73

1	100.	0																			
																		Lim Lim			
												+									
												_									
	50			1			2			3 Y	}	+									
							_					+								_	
							_					+								-	
	0.0 11	100.0002700	).0 <b>0 11</b> 0	0.00	6100	0.00	780	0.00	950	0.0	0	200	1.00	1290	0.00	146	00.00		180	00.00	MHz
No.	F	requency (MHz)	Reading		Correct factor		R	esult		L	.imit		Mar (dE	gin 3)			F	Rema	ark		
1	4	4924.000	50.46		-2.3		4	8.11		7	4.00	+	-25					peal	k		
2		7386.000	49.73		-0.52	2	4	9.21		7	4.00	$\uparrow$	-24	.79				peal			
3	9	9848.000	47.51		2.81	1	5	0.32		7	4.00	$\top$	-23	.68				peal	k		

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 65 of 73

1	00.0																		
																	Limit Limit		
																			-
				-			z			3									
	50				:		Î			Ĭ									1
	-	_					+										_		+
		_					_												-
	0.0																		
	1000.000	) 2700.	00 110	0.00	610	0.00	780	0.00	950	0.0	D   2	:00.00	1290	0.00	146	00.00		18 <b>0</b> 00.	00MHz
No.	Frequer	icy	Reading	3	Correc		R	esult		L	imit ()	Ma	rgin			R	emar	k	
1	(MHz 4924.0		50.58	+	facto -2.3		4	() 8.23	+	74	4.00		B) .77	+			peak		
2	7386.0		50.03	+	-0.5			9.51	+		4.00		.49				peak		
3	9848.0		47.80	+	2.8			0.61	+		4.00		.39	+			peak		

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 66 of 73

	100.	0																	
																	Limi Limi		
																			4
																			4
																			-
	50			1	,		ž			ş									1
					(		Î												
	0.0			$\square$															1
		100.0002700	).00 110	0.0	0 610	0.00	780	0.00	950	<u> </u>	.00  12	200.00	129	00.00	146	00.00		18000.0	∐ 0MHz
No.	F	requency (MHz)	Readin	g	Correct facto		R	lesult			Limit		argin IB)			R	ema	rk	
1		4844.000	51.17		-2.5		4	8.60	+		74.00		5.40	+			peak	(	
2		7266.000	50.17		-0.5	6	4	9.61			74.00	-2	4.39	1			peak		
3	1	9688.000	47.54		2.8	7	5	0.41			74.00	-2	3.59				peak	(	

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 67 of 73

	100.	0																				
																				nitl: nit2:		
	50				1			3			3	ļ										
					X	(		Î				-										
													_									
	0.0																					
	1	000.0002700	).00	110	0.00	0 610	0.00	780	0.00	950	0.	.00	120	0.00	1290	0.00	146	00.00			8000.00	MHz
No.	F	requency (MHz)	Rea	ading ()	9	Correct facto		R	Result ()			Limit ()		Mar (dE	gin 3)				Rem	ark		
1		4844.000		.14		-2.5			8.57			74.00		-25					pea			
2		7266.000		.37		-0.5			9.81			74.00		-24					pea			
3	9	9688.000	47	.77		2.8	7	5	50.64			74.00		-23	36				pea	ık		

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 68 of 73

1	00.	0																			
																		Lim Lim			
												_		_							
	50			ł			<u></u> 2			3	Į	_									
				$\left  \right $								_		+							
				$\left  \right $			+					-		+							
	0.0 10	100.000 2700	0.00 110	0.00	610	0.00	780	0.00	950		00 I	120	00.00	1290	0.00	146	00.00		   B	000.00	MHz
No.	F	requency (MHz)	Readin	g	Correct facto		R	Result ()			Limit ()		Mar (dE	gin 3)			F	Rema	ark		
1	4	4874.000	51.04		-2.4		4	8.55		1	74.00		-25					peal	ĸ		
2	ī	7311.000	50.06		-0.5	5	4	9.51		1	74.00		-24	.49				peal	ĸ		
3	9	9748.000	47.94		2.7	0	5	60.64		1	74.00		-23	.36				peal	k		

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 69 of 73

1	00.	0																				_
																				mitl: mit2:		
																						-
													_							_		-
	50				ļ			2			li	2										1
					1	•																
																						]
	0.0																					
	10	100.0002700	0.00	110	0.0	0 610	0.00	780	0.00	950	0.	00	120	0.00	1290	0.00	146	00.00			18 <b>0</b> 00.0	0MHz
No.	F	requency (MHz)	Re	eading	g	Correct facto		F	Result			Limit		Marg (dB	jin )				Rem	nark		
1	4	4874.000	5	51.01		-2.4		4	18.52	+		74.00	╈	-25.					pea	ak		
2	ī	7311.000	4	9.91		-0.5	5	4	19.36			74.00	╈	-24.	64				pea	ak		
3	9	9748.000	4	7.97		2.7	0	Ę	50.67			74.00		-23.	33				pea	ak		

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 70 of 73

1	00.0							
								nit1: — nit2: —
			-	2	\$			
	50		*	2	1			
	0.0							
	1000.00027	00.00 1100.1	00 6100.00	7800.00 9	500.00  12	00.00 12901	0.00  1600.00	18000.00MHz
No.	Frequency	Reading	Correction	Result	Limit	Margin	Rema	ar <mark>k</mark>
1	(MHz) 4904.000	50.63	factor() -2.41	() 48.22	74.00	(dB) -25.78	pea	k
2	7356.000	49.85	-0.53	49.32	74.00	-24.68	pea	
3	9808.000	47.82	2.59	50.41	74.00	-23.59	pea	

Mode:a; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@aspx.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 71 of 73

1	I O O . I	0																	
																	Limi Limi		
																			-
	50			1			2				2								
					•														
																			1
	0.0																		
	10	100.0002700	).00 110	0.00	) 610	0.00	780	0.00	950	0.1	00  12	:00.00	1290	0.00	146	00.00		18000.0	0MHz
No.	F	requency (MHz)	Reading ()	g	Correct facto		F	lesult			Limit ()	Ma (d	rgin B)			F	Rema	ırk	
1		4904.000	50.76		-2.4		4	18.35		1	74.00	-25	.65				peal	¢	
2	1	7356.000	50.04		-0.5	53	4	9.51			74.00	-24	.49				peak	¢	
3	9	9808.000	48.22		2.5	9	5	50.81		1	74.00	-23	.19				peak	< .	

Mode:a; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the Company's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asp.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSEM210400064101 Page: 72 of 73

## 7.9 99% Bandwidth


Test RequirementRSS-Gen Section 6.7Test Method:ANSI C63.10 Section 6.9.3

## 7.9.1 E.U.T. Operation

Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1008mbarTest modea:TX mode\_Keep the EUT in continuously transmitting mode with all modulation<br/>types. All data rates for each modulation type have been tested and found the<br/>data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11b; data rate @ 6Mbps is the<br/>worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE<br/>802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40).<br/>Only the data of worst case is recorded in the report.

#### 7.9.2 Test Setup Diagram



## **Ground Reference Plane**

### 7.9.3 Measurement Procedure and Data

The detailed test data see: Appendix A for KSEM210400064101



No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210400064101 Page: 73 of 73

# 8 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

## 9 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation is one exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300