

Report No.: KSEM210300039901 Page: 1 of 29

# **TEST REPORT**

Application No.:	KSEM2103000399CR
FCC ID:	2ADTD-K3B601SXRM
Applicant:	Hangzhou Hikvision Digital Technology Co., Ltd.
Address of Applicant:	No.555 Qianmo Road,Binjiang District Hangzhou 310052,China
Manufacturer:	Hangzhou Hikvision Digital Technology Co., Ltd.
Address of Manufacturer:	No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China
Factory:	1.Hangzhou Hikvision Technology Co., Ltd.
	2.Hangzhou Hikvision Electronics Co.,Ltd.
	3.Hangzhou Hikvision Digital Technology Co., Ltd. 1.No.700,Dongliu Road,Binjiang District,Hangzhou City,Zhejiang,310052,China
Address of Factory:	2.No.299, Qiushi Road, Tonglu Economic Development Zone, Tonglu
	County, Hangzhou, Zhejiang, 310052, China.
	3.No.555 Qianmo Road, Binjiang District Hangzhou 310052, China
Equipment Under Test (EU	Т):
EUT Name:	Swing Barrier
Model No.:	DS-K3B601SX-L, DS-K3B601SX-L/M, DS-K3B601SX-L/E, DS-K3B601SX-M,
	DS-K3B601SX-M/M, DS-K3B601SX-M/E, DS-K3B601SX-R,
	DS-K3B601SX-R/M, DS-K3B601SX-R/E, DS-K3B601SX-UHK, DS-K3B601SX-CKV, DS-K3B601SX-UVS, DS-K3B601SX-KVO,
	DS-K3B601SX-HUN, DS-K3B501SX-L, DS-K3B501SX-L/M,
	DS-K3B501SX-L/E, DS-K3B501SX-M, DS-K3B501SX-M/M,
	DS-K3B501SX-M/E, DS-K3B501SX-R, DS-K3B501SX-R/M,
	DS-K3B501SX-R/E, DS-K3B501SX-UHK, DS-K3B501SX-CKV,
	DS-K3B501SX-UVS, DS-K3B501SX-KVO, DS-K3B501SX-HUN¤
¤	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Standard(s) :	47 CFR Part 15, Subpart C 15.231
Date of Receipt:	2021-03-30
Date of Test:	2021-04-13 to 2021-04-20
Date of Issue:	2021-04-21
Test Result:	Pass*

\* In the configuration tested, the EUT complied with the standards specified above.

Tom fri

Eric Lin EMC Lab Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSEM210300039901 Page: 2 of 29

Revision Record					
Version	Description	Date	Remark		
00	Original	2021-04-21	/		

Authorized for issue by:		
	Damon zhou	
	Damon Zhou / Project Engineer	
	Eni fri	
	Eric Lin / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the sample's) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sgs.com





Report No.: KSEM210300039901 Page: 3 of 29

# 2 Test Summary

Radio Spectrum Technical Requirement					
ltem	Standard	Method	Requirement	Result	
Antenna Requirement	47 CFR Part 15, Subpart C 15.231	N/A	47 CFR Part 15, Subpart C 15.203	Pass	

N/A: Not applicable

Radio Spectrum Matter Part						
ltem	Standard	Method	Requirement	Result		
Conducted Emission	Part 15.207	ANSI C63.10 (2013) Section 6.2	N/A	Pass		
20dB Bandwidth	47 CFR Part 15, Subpart C 15.231	ANSI C63.10 (2013) Section 6.9	47 CFR Part 15, Subpart C 15.231(c)	Pass		
Dwell Time (15.231(a))	47 CFR Part 15, Subpart C 15.231	ANSI C63.10 (2013) Section 7.8.4	47 CFR Part 15, Subpart C 15.231(a)	Pass		
Field Strength of the Fundamental Signal (15.231(b))	47 CFR Part 15, Subpart C 15.231	ANSI C63.10 (2013) Section 6.5	N/A	Pass		
Radiated Emissions	47 CFR Part 15, Subpart C 15.231	ANSI C63.10 (2013) Section 6.4&6.5&6.6	N/A	Pass		

N/A: Not applicable

#### **Declaration of EUT Family Grouping:**

Note1: There are series models mentioned in this report, and they are the similar in electrical and electronic characters. Only the model DS-K3B601SX-R/M, DS-K3B601SX-R/E was tested since their differences were the model number, trade name and appearance.

Note 2: The product built into a certified module(model DS-K3B601SX-R/E contains DS-K1102AEK or model DS-K3B601SX-R/M contains DS-K1102AMK), the test data of different modules has been recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSEM210300039901 Page: 4 of 29

# 3 Contents

			Page
1	со	VER PAGE	1
2	TE	ST SUMMARY	3
3	СО	NTENTS	4
4	GE	NERAL INFORMATION	5
	4.1	DETAILS OF E.U.T	
	4.2	DESCRIPTION OF SUPPORT UNITS	
	4.3	MEASUREMENT UNCERTAINTY	5
	4.4	TEST LOCATION	6
	4.5	TEST FACILITY	
	4.6	DEVIATION FROM STANDARDS	
	4.7	ABNORMALITIES FROM STANDARD CONDITIONS	
5	EQ	UIPMENT LIST	7
6	RA	DIO SPECTRUM TECHNICAL REQUIREMENT	9
	6.1	ANTENNA REQUIREMENT	9
7	RA	DIO SPECTRUM MATTER TEST RESULTS	10
	7.1	CONDUCTED EMISSIONS AT AC POWER LINE (150KHz-30MHz)	
	7.2	20dB Bandwidth	
	7.3	DWELL TIME	
	7.4	Spurious Emissions	21
8	TE	ST SETUP PHOTOGRAPHS	29
9	EU	T CONSTRUCTIONAL DETAILS	29
-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300





 Report No.:
 KSEM210300039901

 Page:
 5 of 29

# 4 General Information

### 4.1 Details of E.U.T.

Power supply:	AC 100-240V~ 50/60Hz, 0.2A
Test voltage:	AC 120V/60Hz
Modulation Type	2GFSK
Number of Channels	1
<b>Operation Frequency</b>	433.6MHz
Antenna Type	Spiral Antenna

### 4.2 Description of Support Units

The EUT has been tested as an independent unit.

### 4.3 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	±8.4 x 10-8
2	Timeout	±2s
3	Occupied Bandwidth	±3%
4	DE Dedicted newer	±4.6dB (Below 1GHz)
4	RF Radiated power	±4.1dB (Above 1GHz)
		±4.2dB (Below 30MHz)
-	Dedicted Courieus emission test	±4.4dB (30MHz-1GHz)
5	Radiated Spurious emission test	±4.8dB (1GHz-18GHz)
		±5.2dB (Above 18GHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	Supply voltages	±1.5%
9	Time	±3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210300039901 Page: 6 of 29

### 4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

### • FCC (Designation Number: CN1172)

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

#### • ISED (CAB identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

CAB Identifier: CN0072.

#### • VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-1600, C-1707, T-1499, G-10216 respectively.

# 4.6 Deviation from Standards

None

## 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspX. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@ags.com



 Report No.:
 KSEM210300039901

 Page:
 7 of 29

# 5 Equipment List

#### Conducted Emission at Mains Terminals (150kHz-30MHz)

ltem	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
1	Test Software	Farad	EZ-EMC	CCS-03A1	N.C.R	N.C.R
2	EMI Test Receive	R&S	ESCI	100781	02/01/2021	01/31/2022
3	LISN	R&S	ENV216	101604	10/19/2020	10/18/2021
4	LISN	Schwarzbeck	NNLK 8129	8129-143	10/19/2020	10/18/2021
5	Pulse Limiter	R&S	ESH3-Z2	100609	02/01/2021	01/31/2022
6	CE test Cable	Thermax		14	10/17/2020	10/16/2021
RF	Conducted Test					
Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
1	Test Software	BST	TST PASS	V 1.1.0	N.C.R	N.C.R
2	Spectrum Analyzer	Agilent	E4446A	MY44020154	04/22/2020	04/21/2021
3	Spectrum Analyzer	Keysight	N9020A	MY53420174	09/25/2020	09/24/2021
4	Spectrum Analyzer	Keysight	N9020A	MY55370209	10/19/2020	10/18/2021
5	Signal Generator	Agilent	E8257C	MY43321570	10/18/2020	10/18/2021
6	MXG Vector Signal Generator	Agilent	N5182A	MY50142015	09/25/2020	09/24/2021
7	Universal Radio Communication Tester	R&S	CMU200	109525	10/19/2020	10/18/2021
8	Universal Radio Communication Tester	R&S	CMW500	159275	10/19/2020	10/18/2021
9	Power Meter	Anritsu	ML2495A	1445010	04/21/2020	04/20/2021
10	Switcher	CCSRF	FY562	KS301219	10/19/2020	10/18/2021
11	AC Power Source	EXTECH	6605	1570106	N.C.R	N.C.R
12	DC Power Supply	Aglient	E3632A	MY50340053	N.C.R	N.C.R
13	6dB Attenuator	Mini-Circuits	NAT-6-2W	15542-1	N.C.R	N.C.R
14	Power Divider	AISI	IOWOPE2068	PE2068	N.C.R	N.C.R
15	Filter	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
16	Conducted test cable	/	RF01-RF04	/	04/21/2020	04/22/2021
17	Temp. / Humidity Chamber	TERCHY	MHK-120AK	X30109	04/21/2020	04/20/2021
RF R	adiated Test			•		
Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
1	Test Software	Farad	EZ-EMC	CCS-03A1	N/A	N/A
2	Spectrum Analyzer	R&S	FSV40	101493	10/19/2020	10/18/2021
3	Signal Generator	Agilent	E8257C	MY43321570	10/10/2020	10/18/2021
4	Loop Antenna	COM-POWER	AL-130R	10160008	04/29/2019	04/28/2021
5	Bilog Antenna	TESEQ	CBL 6112D	35403	06/22/2019	06/21/2021
6	Bilog Antenna	SCHWARZBECK	VULB9160	9160-3342	04/29/2019	04/28/2021
7	Horn-antenna(1-18GHz)	Schwarzbeck	BBHA9120D	267	10/26/2020	10/25/2022
8	Horn-antenna(1-18GHz)	ETS-LINDGREN	3117	00143290	02/22/2021	02/21/2023
9	Horn Antenna(18-40GHz)	Schwarzbeck	BBHA9170	BBHA9170171	02/22/2021	02/21/2024



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: KSEM210300039901 Page: 8 of 29

		1	1			
10	Pre-Amplifier(30MHz~18GHz)	CCSRF	AMP1277	1	10/19/2020	10/18/2021
11	Pre-Amplifier(0.1~26.5GHz)	EMCI	EMC012645	980060	04/21/2020	04/20/2021
12	Low Pass Filter	MICRO-TRONICS	VLFX-950	RV142900829	N.C.R	N.C.R
13	High Pass Filter	Mini-Circuits	VHF-1200	15542	N.C.R	N.C.R
14	Filter (5450MHz $\sim$ 5770 MHz)	MICRO-TRONICS	BRC50704-01	2	N.C.R	N.C.R
15	Filter (5690 MHz $\sim$ 5930 MHz $)$	MICRO-TRONICS	BRC50705-01	4	N.C.R	N.C.R
16	Filter (5150 MHz $\sim$ 5350 MHz $)$	MICRO-TRONICS	BRC50703-01	2	N.C.R	N.C.R
17	Filter (885 MHz $\sim$ 915 MHz)	MICRO-TRONICS	BRM14698	1	N.C.R	N.C.R
18	Filter (815 MHz $\sim$ 860 MHz)	MICRO-TRONICS	BRM14697	1	N.C.R	N.C.R
19	Filter (1745 MHz $\sim$ 1910 MHz)	MICRO-TRONICS	BRM14700	1	N.C.R	N.C.R
20	Filter (1922 MHz $\sim$ 1977 MHz)	MICRO-TRONICS	BRM50715	1	N.C.R	N.C.R
21	Filter (2550 MHz)	MICRO-TRONICS	HPM13362	5	N.C.R	N.C.R
22	Filter (1532 MHz $\sim$ 1845 MHz)	MICRO-TRONICS	BRM50713	1	N.C.R	N.C.R
23	Filter (2.4GHz)	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
24	RE test cable	/	RE01-RE04	/	04/21/2020	04/22/2021
25	Software	Fard technology co.,Itd	EZ-EMC	1.1.1.2	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



 Report No.:
 KSEM210300039901

 Page:
 9 of 29

# 6 Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

15.203 Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

There is Spring antenna and no consideration of replacement.

Antenna location: Refer to Appendix (Internal Photos)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSEM210300039901

 Page:
 10 of 29

# 7 Radio Spectrum Matter Test Results

### 7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement	47 CFR Part 15, Subpart C 15.207
Test Method:	ANSI C63.10 (2013) Section 6.2
Limit:	


Execution of omission (MU-)	Conducted limit(dBµV)			
Frequency of emission(MHz)	Quasi-peak	Average		
0.15-0.5	66 to 56*	56 to 46*		
0.5-5	56	46		
5-30	60	50		
*Decreases with the logarithm of the frequency.				

#### 7.1.1 E.U.T. Operation

**Operating Environment:** 

Temperature:	22	°C	Humidity:	50	% RH Pressure:	Atmospheric	1020	mbar
Test mode	a: TX mode_Ke	ep the EUT	in transmittin	g wit	h modulatior	n mode. (DS-K3	3601SX	-R/M)
	b: TX mode_Ke	ep the EUT	in transmittin	g wit	h modulatior	n mode. (DS-K3	3601SX-	-R/E)

#### 7.1.2 Test Setup Diagram



中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or respearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-575) 8307 1443, or email: Ch. Doccheck@ags.com</a> [80-512)5735588 [186-512)57370818 www.sgsgroup.com.cn

Test Report Form Version: Rev01

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com Member of the SGS Group (SGS SA)



Report No.: KSEM210300039901 Page: 11 of 29

#### 7.1.3 Measurement Procedure and Data

1) The mains terminal disturbance voltage test was conducted in a shielded room.

2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a  $500hm/50\mu$ H + 50hm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.

3) The tabletop EUT was placed upon a non-metallic table 12mm above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,

4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.

5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark:

1. LISN=Read Level+ Cable Loss+ LISN Factor




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com</a>



Report No.: KSEM210300039901 Page: 12 of 29

Mode:a; Line:Live Line



No.	Frequency	QuasiPeak	Average	Correction	QuasiPeak	Average	QuasiPeak	Average	QuasiPeak	Average	Remark
		reading	reading	factor	result	result	limit	limit	margin	margin	
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1	0.5916	21.04	12.09	19.53	40.57	31.62	56.00	46.00	-15.43	-14.38	Pass
2*	1.3523	27.51	21.44	19.57	47.08	41.01	56.00	46.00	-8.92	-4.99	Pass
3	3.5981	22.99	16.53	19.67	42.66	36.20	56.00	46.00	-13.34	-9.80	Pass
4	5.4823	23.15	13.34	19.78	42.93	33.12	60.00	50.00	-17.07	-16.88	Pass
5	8.1020	16.61	7.50	19.90	36.51	27.40	60.00	50.00	-23.49	-22.60	Pass
6	13.5600	21.79	20.76	20.09	41.88	40.85	60.00	50.00	-18.12	-9.15	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com</a>


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSEM210300039901

 Page:
 13 of 29

Mode:a; Line:Neutral Line



No.	Frequency	QuasiPeak	Average	Correction	QuasiPeak	Average	QuasiPeak	Average	QuasiPeak	Average	Remark
		reading	reading	factor	result	result	limit	limit	margin	margin	
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1	0.5910	22.19	13.53	19.51	41.70	33.04	56.00	46.00	-14.30	-12.96	Pass
2*	1.3455	26.82	21.28	19.55	46.37	40.83	56.00	46.00	-9.63	-5.17	Pass
3	1.7868	29.43	21.01	19.57	49.00	40.58	56.00	46.00	-7.00	-5.42	Pass
4	3.5959	24.07	16.67	19.66	43.73	36.33	56.00	46.00	-12.27	-9.67	Pass
5	5.4766	26.17	16.61	19.76	45.93	36.37	60.00	50.00	-14.07	-13.63	Pass
6	8.1627	19.28	9.22	19.89	39.17	29.11	60.00	50.00	-20.83	-20.89	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the sample's) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sgs.com


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSEM210300039901

 Page:
 14 of 29

Mode:b; Line:Live Line



No.	Frequency	QuasiPeak	Average	Correction	QuasiPeak	Average	QuasiPeak	Average	QuasiPeak	Average	Remark
		reading	reading	factor	result	result	limit	limit	margin	margin	
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1*	0.6340	25.03	9.12	19.53	44.56	28.65	56.00	46.00	-11.44	-17.35	Pass
2	1.3620	23.08	12.58	19.57	42.65	32.15	56.00	46.00	-13.35	-13.85	Pass
3	2.8260	22.53	11.82	19.63	42.16	31.45	56.00	46.00	-13.84	-14.55	Pass
4	5.5980	24.47	11.24	19.78	44.25	31.02	60.00	50.00	-15.75	-18.98	Pass
5	8.1580	20.30	8.64	19.91	40.21	28.55	60.00	50.00	-19.79	-21.45	Pass
6	18.3660	14.95	5.75	20.21	35.16	25.96	60.00	50.00	-24.84	-24.04	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the sample's) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sgs.com


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国 • 江苏 • 昆山市留学生创业园伟业路10号 邮编 215300





Report No.: KSEM210300039901 Page: 15 of 29

Mode:b; Line:Neutral Line



No.	Frequency	QuasiPeak	Average	Correction	QuasiPeak	Average	QuasiPeak	Average	QuasiPeak	Average	Remark
		reading	reading	factor	result	result	limit	limit	margin	margin	
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1	0.5910	22.19	13.53	19.51	41.70	33.04	56.00	46.00	-14.30	-12.96	Pass
2*	1.3455	26.82	21.28	19.55	46.37	40.83	56.00	46.00	-9.63	-5.17	Pass
3	1.7868	29.43	21.01	19.57	49.00	40.58	56.00	46.00	-7.00	-5.42	Pass
4	3.5959	24.07	16.67	19.66	43.73	36.33	56.00	46.00	-12.27	-9.67	Pass
5	5.4766	26.17	16.61	19.76	45.93	36.37	60.00	50.00	-14.07	-13.63	Pass
6	8.1627	19.28	9.22	19.89	39.17	29.11	60.00	50.00	-20.83	-20.89	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the sample's) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sgs.com





Report No.: KSEM210300039901 Page: 16 of 29

### 7.2 20dB Bandwidth

Test Requirement	47 CFR Part 15, Subpart C 15.231(c)
Test Method:	ANSI C63.10 (2013) Section 6.9
Limit:	


Frequency range(MHz)	Limit			
70-900	No wider than 0.25% of the center frequency			
Above 900	No wider than 0.5% of the center frequency			

#### 7.2.1 E.U.T. Operation

**Operating Environment:** 

Temperature:22 °CHumidity:50 % RHAtmospheric Pressure:1002 mbarTest modea: TX mode\_Keep the EUT in transmitting with modulation mode. (DS-K3B601SX-<br/>R/M)

#### Test Setup:



Limit: The bandwidth of the emission shall be no wider than 0.25% of the center frequency for devices operating above 70 MHz and below 900 MHz. For devices operating above 900 MHz, the emission shall be no wider than 0.5% of the center frequency. Bandwidth is determined at the points 20 dB down from the modulated carrier.
 Test Results: Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & centificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch. Doccheck@ags.com</a> [No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (86-512)5735588 [86-512)57370818 www.sgsgroup.com.cn

中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888

f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210300039901 Page: 17 of 29

Frequency(MHz)	20dB bandwidth (kHz)	Limit (kHz)	Results
433.60	48.34	1086.5	Pass

Spectrum		-0.0	D	nu i ku-					( A
Ref Level 1 Att		авµ∨ 20 dB 👄 <b>SWT</b> 200	_	BW 1 kHz					
All 1Pk Max	6	0 UB 👅 SWI 20	u ms 🔳 🗸	BW 3KHZ	Mode Sw	eep			
JIPK Max						0141			
					D	3[1]			0.32 d 48.340 kH
100 dBµV			M	0	м	1[1]			73.39 dBµ
			IV.	2		-[-]			574910 MH
90 dBµV							1		1
				WAR A	1 AM	1			
80 dBµV			M1		m W	Ъз			1
	1 72.8	10 dBµV	<u>y</u>	( vv)	**W	<b>X</b>			
70 dBµV									
60 dBuV									
			-N						
50 dBµV—			-						
			JN .			- U-	man way as a		
40 dBµV——							wayou	the second	
		water and the second with						the second second	
зр двµ∨	$\frac{1}{2}$	~~							4 minut
	/0								1 1000
20 dBµV——									
CF 433.599	22 MH:	z		691	pts		-	Span	200.0 kHz
/larker									
Type Ref	Trc	X-value		Y-value	Func	tion	Fun	ction Resul	t
M1	1	433.57491		73.39 dBµ					
M2	1	433.57896		92.81 dBµ					
D3 M1	1	48.34	FKHZ	0.32 c					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com





Report No.: KSEM210300039901 Page: 18 of 29

### 7.3 Dwell Time

**Test Requirement** Test Method: Limit:

47 CFR Part 15, Subpart C 15.231(a) ANSI C63.10 (2013) Section 7.8.4


Device type	Limit		
Manually operated transmitter	The switch automatically deactivate the transmitter within not more than 5 seconds of being released		
Automatically actived transmitter	Cease transmission within 5 seconds after activation		
Periodic transmissions to determine system integrity of transmitters used in security or safety applications	The total transmission time does not exceed 2 seconds per hour		

#### 7.3.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 22 °C Humidity: 50 % RH Atmospheric Pressure: 1002 mbar Test mode a: TX mode\_Keep the EUT in transmitting with modulation mode. (DS-K3B601SX-R/M)

Test Setup:



Limit:

15.231 (a): Not more than 5 seconds

**Test Results:** 

Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients" instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@essa.com</a> No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

f(86-512)57370818 sgs.china@sgs.com

t(86-512)57355888



#### Measurement Data:

Test item	Limit (s)	Results		
Transmission Duration	≤5s	Pass		

### Test plot as follows:

Spectrum				
Ref Level 111.00 dBµV	👄 RBW 3 MHz			
	SWT 10 s VBW 3 MHz			
SGL				
●1Pk Max				
		D2[1]		-0.01 dB 21.7 ms
100 dBµV		M1[1]		94.05 dBµV
100 dapv				2.2029 s
90 dBµV				
50 GODA				
80 dBµV				
70 dBµV				
r o dopr				
60 dBµV				
50 dBuV	ومالاهمىسويسوس ماسوياسوالمالاسي ماسوماسوماس	nd medical and a solution of the second	and a stand and a stand of the second	in the second days
40 dBµV				
30 dBµV				
20 dBµV				
CF 433.59913 MHz	691	pts		1.0 s/
		Read	y Kanakanan 🁙	-
		Keau		M



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sps.com



Report No.: KSEM210300039901 Page: 20 of 29

Spectrum											
Ref Level	111.00 0	dBµ∨			RBW	3 MHz					`
Att	2	0 dB 🧃	SWT	1 s	VBW	3 MHz					
SGL											
😑 1Pk Max											
							D	2[1]			-0.06 dB
											33.33 ms
100 dBµV							M	1[1]		ġ	0.06 dBµV
			M1 D2					1	I		1
90 dBµV—		+	M1 D2								
80 dBuV-											
70 dBµV											
/ C dopt											
60 dBuV											
80 uspv											
<mark>%</mark>	muhha	work	w b	monor	www	manghan	markenan	handrah	manne	mound	Marghan
50 aBhA											
40 dBµV—		+									
30 dBµV											
20 dBµV											
CF 433.599	913 MHz	l				691	pts	I		L	
	1						• {	Read	y Bana	NERREN 🗰	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 83071443, or email: CN. Doccheck@espx.com



Report No.: KSEM210300039901 Page: 21 of 29

### 7.4 Spurious Emissions

Test frequency range:	9KHz – 5GHz
-----------------------	-------------

Test Site:	Measurement Distance: 3m									
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark					
	0.009MHz-0.015MHz	Quasi-peak	200Hz	1KHz	Quasi-peak					
	0.015MHz-30MHz	Quasi-peak	9kHz	30KHz	Quasi-peak					
	30MHz-1GHz	Quasi-peak	120 kHz	300KHz	Quasi-peak					
	Above 1GHz	Peak	1MHz	3MHz	Peak					
	Above IGHZ	Peak	1MHz	10Hz	Average					
Limit: (Spurious Emissions)	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)					
	0.009MHz-0.490MHz		-	Quasi-peak	300					
	0.490MHz-1.705MHz	24000/F(kHz)	,		30					
	1.705MHz-30MHz	30	-	Quasi-peak	30					
	30MHz-88MHz	100	40.0	Quasi-peak	3					
	88MHz-216MHz	150	43.5	Quasi-peak	3					
	216MHz-960MHz	200	46.0	Quasi-peak	3					
	960MHz-1GHz	500	54.0	Quasi-peak	3					
	Above 1GHz	500	54.0	Average	3					
	Above IGHZ	500	74.0	Peak	3					
Limit:	Frequency	Limit (dBuV/m	n @3m)	Remark						
(Field strength of the	433.09 - 434.61MHz	80.83		Averag	e Value					
fundamental signal)	404.0 HVII IZ	100.83	0/F(kHz)         -         Quasi-peak           30         -         Quasi-peak           100         40.0         Quasi-peak           150         43.5         Quasi-peak           200         46.0         Quasi-peak           500         54.0         Quasi-peak           500         54.0         Average           500         74.0         Peak           nit (dBuV/m @3m)         Remar           80.83         Average V           100.83         Peak Va							
Test Procedure:	a. The EUT was placed on the top of a rotating table 12mm above the ground									

**Test Procedure:** 

a. The EUT was placed on the top of a rotating table 12mm above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- g. The radiation measurements are performed in X, Y, Z axis positioning. And



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a
transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced
except in full, without prior written approval of the Company. Any unauthorized alteration, forcery or falsification of the content or
appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
appearance of this document is unawid and offenders may be prosecuted to the fullest extent of the law. Otherwise stated the
results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, blease contact us at telephone: (86-755) 8307 1443.
or email: <u>CN.Doccheck@sgs.com</u>
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn
100-012/0100000 100-012/01010010 www.sgsgroup.com

No.10, Weige Road, innovation Park, Ruishan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSEM210300039901 Page: 22 of 29

found the Z axis positioning which it is worse case, only the test worst case mode is recorded in the report.

h. Scan from 9kHz to 5GHz, below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

#### E.U.T. Operation


Operating Environment:

 Temperature:
 22 °C
 Humidity:
 50 % RH
 Atmospheric Pressure:
 1020 mbar

 Test mode
 a: TX mode\_Keep the EUT in transmitting with modulation mode. (DS-K3B601SX-R/M)

b: TX mode\_Keep the EUT in transmitting with modulation mode. (DS-K3B601SX-R/E)

**Test Setup:** 



Test Results: Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company any unauthorized alteration, forgery or falsification of the solutent or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 f(86-512)57370818 www.sgsgroup.com.cn

f(86-512)57370818 sgs.china@sgs.com

t(86-512)57355888

t(86-512)57355888



 Report No.:
 KSEM210300039901

 Page:
 23 of 29

### 7.4.1 Field Strength of the Fundamental Signal

Test channel	Freq. (MHz)	Result Level (dBµV/m)	Limit Line (dBµV/m)	Over Limit (dB)	Detector	Polarization
		86.21	100.83	-14.62	Peak	Vertical
Channel 1	422.60	81.51	100.83	83 -19.32 Peak	Horizontal	
Channel 1	433.60	76.58	80.83	-4.25	AVG	Vertical
		71.88	80.83	-8.95	AVG	Horizontal

Test channel	Freq. (MHz)	Result Level (dBµV/m)	Limit Line (dBµV/m)	Over Limit (dB)	Detector	Polarization
		86.29	100.83	-14.54	Peak	Vertical
Observal 4	400.00	83.74	100.83	-17.09	Peak	Horizontal
Channel 1	433.60	76.66	80.83	-4.17	AVG	Vertical
		74.11	80.83	-6.72	AVG	Horizontal

Remark:

1. If the Peak value below the AV Limit, the AV test doesn't perform for this submission.

2. Average level=Peak level-Duty Cycle Factor

3. Duty Cycle Factor= 20log(Duty Cycle)= -9.63dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSEM210300039901 Page: 24 of 29

#### 7.4.2 Spurious Emissions

Mode a Below 1GHz

Vertical:



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	131.8500	9.44	19.53	28.97	54.00	-25.03	QP
2	347.1900	6.26	22.57	28.83	56.90	-28.07	QP
3	433.5200	61.71	24.50	86.21	100.83	-14.62	peak
5	650.8000	8.34	26.91	35.25	56.90	-21.65	QP
6	805.0300	8.04	28.77	36.81	56.90	-20.09	QP
7	868.0800	21.07	28.97	50.04	56.90	-6.86	QP
8	994.1800	7.88	29.98	37.86	60.00	-22.14	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 83071443, or email: CN. Doccheck@espx.com



 Report No.:
 KSEM210300039901

 Page:
 25 of 29

orizonta	al:						
100.0	dBuV/m_						
						Limit1: -	-
F							
			3 X				
F							-
Ļ							
50						2	
50	<b></b>						
-				5	<u>6</u> .		8
	1		2	manunderright	ul not the more and the more and	maken an and make	c.um
Π	W month	hander hand hand hand the shore	Springer and a second				
ŀ	· Luman ·						$\left\{ -\right\}$
L							
0.0							
30.0	000 127.00 2	24.00 321.00	418.00 515.	00 612.00	709.00 806.00	1000	.00 MHz
No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	141.5500	8.79	19.83	28.62	54.00	-25.38	QP
2	363.6800	7.16	23.05	30.21	56.90	-26.69	QP
3	433.5200	57.01	24.50	81.51	100.83	-19.32	peak
5	649.8300	7.87	26.90	34.77	56.90	-22.13	QP
6	711.9100	8.29	27.58	35.87	56.90	-21.03	QP
7	867.1100	21.75	28.96	50.71	56.90	-6.19	QP
8	972.8400	8.07	29.79	37.86	60.00	-22.14	QP




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sasc.com



 Report No.:
 KSEM210300039901

 Page:
 26 of 29



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	131.8500	10.30	19.53	29.83	54.00	-24.17	QP
2	229.8200	13.20	18.12	31.32	56.90	-25.58	QP
3	433.5200	61.79	24.50	86.29	100.83	-14.54	peak
5	628.4900	9.13	26.68	35.81	56.90	-21.09	QP
6	697.3600	8.97	27.44	36.41	56.90	-20.49	QP
7	868.0800	22.44	28.97	51.41	56.90	-5.49	QP
8	965.0800	8.03	29.72	37.75	60.00	-22.25	QP




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@sps.com



 Report No.:
 KSEM210300039901

 Page:
 27 of 29



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	130.8800	11.82	19.50	31.32	54.00	-22.68	QP
2	185.2000	14.13	17.37	31.50	54.00	-22.50	QP
3	433.5200	59.24	24.50	83.74	100.83	-17.09	peak
5	614.9100	8.41	26.55	34.96	56.90	-21.94	QP
6	768.1700	7.88	28.23	36.11	56.90	-20.79	QP
7	868.0800	23.36	28.97	52.33	56.90	-4.57	QP
8	981.5700	7.12	29.87	36.99	60.00	-23.01	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions.rems-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sps.com



would												
Mark	Frequency	Reading	Factor	Emission	Limit	Over Limit	Detector	polarization				
Wark	(MHz)	(dBuV)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	Delector	polarization				
1	1455.000	55.20	-17.75	37.45	54.00	-16.55	peak	Vertical				
2	1725.000	56.45	-17.17	39.28	54.00	-14.72	peak	Vertical				
3	1945.000	56.29	-16.80	39.49	54.00	-14.51	peak	Vertical				
4	1330.000	55.98	-18.32	37.66	54.00	-16.34	peak	Horizontal				
5	2085.000	55.76	-16.35	39.41	54.00	-14.59	peak	Horizontal				
6	2685.000	53.33	-14.20	39.13	54.00	-14.87	peak	Horizontal				

#### Mode a : above 1GHz

Mode b : above 1GHz

Mark	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Emission (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	polarization
1	1835.000	57.15	-16.99	40.16	54.00	-13.84	peak	Vertical
2	2270.000	58.25	-15.57	42.68	54.00	-11.32	peak	Vertical
3	2715.000	55.47	-14.13	41.34	54.00	-12.66	peak	Vertical
4	1795.000	56.21	-17.05	39.16	54.00	-14.84	peak	Horizontal
5	2235.000	56.94	-15.72	41.22	54.00	-12.78	peak	Horizontal
6	2725.000	55.49	-14.11	41.38	54.00	-12.62	peak	Horizontal

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading Level +Antenna Factor + Cable Factor - Preamplifier Factor

- 2) If Peak Result comply with AV limit, AV Result is deemed to comply with QP limit
- 3) No any other emissions level which are attenuated less than 20dB below the limit. According to 15.31(o), the amplitude of spurious emissions from intentional radiators and emissions from unintentional radiators which are attenuated more than 20 dB below the permissible value need not be reported unless specifically required elsewhere in this Part. Hence there no other emissions have been reported.
- 4) for above 1GHz test, Since the product size is too large. product placed on 12mm non-metallic material



Unless otherwise agreed in writing, this document is issued by the C overleaf, available on request or accessible at <u>http://www.sgs.com/en/T</u> subject to Terms and Conditions for Electronic Documents at <u>http://ww</u> . Attention is drawn to the limitation of liability, indemnification and juris advised that information contained hereon reflects the Company's find Client's instructions, if any. The Company's sole responsibility is to i transaction from exercising all their rights and obligations under the t except in full, without prior written approval of the Company. Any une appearance of this document is unlawful and offenders may be prosecu results shown in this test report refer only to the sample(s) tested and suc	<u>trms-and-Conditions.aspx</u> and, for electronic format documents, wsgs.com/ent/Terms-and-Conditions/Terms-e-Document aspx. diction issues defined therein. Any holder of this document is rugs at the time of its intervention only and within the limits of its Client and this document does not exonerate parties to a ransaction documents. This document cannot be reproduced uthorized alteration, forgery or falsification of the content or ted to the fullest extent of the law. Unless otherwise stated the h sample(s) are retained for 30 days only.	
or email: <u>CN.Doccheck@sgs.com</u> [ No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300	t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn	
The rest of the re	(00-012)0100000 (00-012)01010 WWW.09091000.0011.01	

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

f(86-512)57370818 sgs.china@sgs.com

t(86-512)57355888



 Report No.:
 KSEM210300039901

 Page:
 29 of 29

# 8 Test Setup Photographs

Refer to the < Test Setup photos-FCC>.

# 9 EUT Constructional Details

Refer to the < External Photos > & <Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn