

Report No.: KSCR220700111604

Page: 1 of 30

## TEST REPORT

Application No.: KSCR2207001116

FCC ID: 2ADTD-MCW407-DWG

Applicant: Hangzhou Hikvision Digital Technology Co., Ltd

Address of Applicant: 555 Qianmo Road, Binjiang District, Hangzhou, Hangzhou, Zhejiang, China

Manufacturer: Hangzhou Hikvision Digital Technology Co., Ltd

Address of Manufacturer: 555 Qianmo Road, Binjiang District, Hangzhou, Hangzhou, Zhejiang, China

**Factory:** 1.Hangzhou Hikvision Technology Co., Ltd. 2.Hangzhou Hikvision Electronics Co., Ltd.

3. Hangzhou Hikvision Digital Technology Co., Ltd.

4. Chongqing Hikvision technology Co., Ltd.

Address of Factory: 1.No.700,Dongliu Road, Binjiang District, Hangzhou City, Zhejiang,

310052, China;

2. No.299, Qiushi Road, Tonglu Economic Development Zone, Tonglu

County, Hangzhou, Zhejiang, 311500, China

3.No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China 4.NO.118.Haikang Road, Area C, Jianqiao Industrial Park, Dadukou

District, Chongging, 401325, China.

**Equipment Under Test (EUT):** 

**EUT Name:** Body Camera

Model No.: DS-MCW407, DS-MCW407/32G/GLE(D), DS-MCW407/64G/GLE(D), DS-MCW407/64G/GLE(D),

MCW407/128G/GLE(D), DS-MCW407/256G/GLE(D) &

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

47 CFR Part 2
Standard(s): 47 CFR Part 22

47 CFR Part 27

**Date of Receipt:** 2022-07-06

**Date of Test:** 2022-07-11 to 2022-08-25

**Date of Issue:** 2022-08-25

Test Result: Pass

Eric Lin Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Attention:\*\* To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, please contact us at telephone: (86

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (186-512)57355888 f(86-512)573579818 www.sgsgroup.com.c 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 (186-512)57355888 f(86-512)573579818 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: KSCR220700111604

Page: 2 of 30

Revision Record			
Version	Description	Date	Remark
00	Original	2022-08-25	/

Authorized for issue by:		
	Paun Liu	
	Pawn.Liu/Project Engineer	
	Era fri	
	Eric Lin / Reviewer	—



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com



Report No.: KSCR220700111604

Page: 3 of 30

## 2 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Power Output Data	\$2.1046 \$22.913(a)(5) \$27.50(a) \$27.50(h)	ERP≤7W(LTE Band 5) EIRP≤ 2W(LTE Band ,7, 38,41) EIRP≤ 250mW/5MHz(LTE Band 40)	PASS
Peak-Average Ratio	§22.913(d) §27.50(a) §27.50(h)	≤13dB	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049(h)	OBW:No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051 §22.917 §27.53(a) §27.53(m)	≤ -13dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block ≤ -13dBm(LTE Band7, <5.5MHz) ≤ -25dBm(LTE Band7, ≥5.5MHz) (below 2288MHz: ≤ -45dBm, 2288~2292MHz: ≤ -37dBm 2292~2296MHz: ≤ -31dBm 2296~2300MHz: ≤ -25dBm 2300~2305MHz: ≤ -13dBm 2305~2320MHz: ≤ -13dBm 2320~2324MHz: ≤ -25dBm 2324~2328MHz: ≤ -31dBm 2328~2337MHz: ≤ -31dBm 2337~2341MHz: ≤ -31dBm 2341~2345MHz: ≤ -31dBm 2345~2360MHz: ≤ -13dBm 2360~2365MHz: ≤ -13dBm above 2365 MHz: ≤ -40dBm) (LTE Band 40)	PASS
Spurious emissions at antenna terminals	§2.1051 §22.917 §27.53(a) §27.53(m)	≤ -13dBm(LTE Band5) ≤ -25dBm(LTE Band7,38,41) ≤ -40dBm(LTE Band40)	PASS
Field strength of spurious radiation	§2.1051 §22.917 §27.53(a) §27.53(m)	≤ -13dBm(LTE Band5) ≤ -25dBm(LTE Band7,38,41) ≤ -40dBm(LTE Band40)	PASS



Test Report Form Version: Rev01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is susee defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNDoccheck@sqs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 4 of 30

Frequency stability \$2.7 \$22 \$2	5, ≤ ±2.5ppm.	PASS
--	---------------	------



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is susee defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNDoccheck@sqs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 5 of 30

### 3 Contents

			Page
1	COVE	R PAGE	1
2	TEST	SUMMARY	3
_			
3	CONT	ENTS	5
4	GENE	RAL INFORMATION	7
	4.1	Details of E.U.T	7
	4.2	Test Frequency	8
	4.3	Test Environment	
	4.4	Description of Support Units	
	4.5	Measurement Uncertainty	
	4.6	Test Location	
	4.7	Test Facility	
	4.8	Deviation from Standards	
	4.9	Abnormalities from Standard Conditions	
5	EQUIF	PMENT LIST	13
			_
6	RADIO	O SPECTRUM MATTER TEST RESULTS	14
	6.1	Effective (Isotropic) Radiated Power Output Data	14
	6.1.1	E.U.T. Operation	14
	6.1.2	Test Setup Diagram	
	6.1.3	Measurement Data	14
	6.2	Peak-Average Ratio	
	6.2.1	E.U.T. Operation	
	6.2.2	Test Setup Diagram	
	6.2.3	Measurement Data	15
	6.3	Bandwidth	16
	6.3.1	E.U.T. Operation	16
	6.3.2	Test Setup Diagram	
	6.3.3	Measurement Data	
	6.4	Band Edge Compliance	17
	6.4.1	E.U.T. Operation	
	6.4.2	Test Setup Diagram	
	6.4.3	Measurement Data	
	6.5	Spurious emissions at antenna terminals	19
	6.5.1	E.U.T. Operation	19
	6.5.2	Test Setup Diagram	19
	6.5.3	Measurement Data	
	6.6	Field strength of spurious radiation	20
	6.6.1	E.U.T. Operation	20
	6.6.2	Test Setup Diagram	20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is susee defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNDoccheck@sqs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 6 of 30

	6.6.3	Measurement Procedure and Data	21
	6.7	Frequency stability	28
	6.7.1	E.U.T. Operation	
	6.7.2	Test Setup Diagram	
	6.7.3	Measurement Data	
	6.8	Modulation Characteristics	29
	6.8.1	E.U.T. Operation	29
	6.8.2	Test Setup Diagram	
	6.8.3	Measurement Data	
7	TEST	SETUP PHOTO	30
8	EUT C	CONSTRUCTIONAL DETAILS (EUT PHOTOS)	30
-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com



Report No.: KSCR220700111604

Page: 7 of 30

### 4 General Information

### 4.1 Details of E.U.T.

	DC 3.8V by battery	
Power supply:	battery mode:614540	
i one. cuppiy.	3.8V,3220mAh/12.236Wh	
	battery charged by adapter	
Test voltage:	AC 120V/60Hz	
Serial Number:	J82955765	
Software Version:	V2.2.4	
Sample Type:	Portable production	
LTE Operation	LTC Dand 5 7 20 40 44	
Frequency Band:	LTE Band 5,7,38,40,41	
Modulation Type:	QPSK, 16QAM, 64QAM	
Antenna Type:	LDS Antenna	
	Band 5: -3.99dBi(Provided by the manufacturer)	
	Band 7: 0.52dBi(Provided by the manufacturer)	
Antenna Gain:	Band 38: 0.47dBi(Provided by the manufacturer)	
Antenna Gain.	Band 40A: 1.54dBi(Provided by the manufacturer)	
	Band 40B: 1.91dBi(Provided by the manufacturer)	
	Band 41: 0.79dBi(Provided by the manufacturer)	
Extreme temp.	-30°C to +50°C	
Tolerance:	-30 6 10 +30 6	
Extreme vol. Limits:	3.23V DC to 4.37V DC (nominal: 3.8V DC)	

#### Note:

The antenna gain value is provided by the customer. The test lab will not be responsible for wrong test result due to incorrect information about antenna gain values.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sqs.com



Report No.: KSCR220700111604

Page: 8 of 30

### 4.2 Test Frequency

<u>z restrrequenc</u>	Nominal	RF Channel		
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	1.4	824.7	836.5	848.3
LTE EDD Daniel E	3	825.5	836.5	847.5
LTE FDD Band 5	5	826.5	836.5	846.5
	10	829.0	836.5	844.0
	Nominal		RF Channel	
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	5	2502.5	2535	2567.5
1 TE EDD D 1 7	10	2505	2535	2565
LTE FDD Band 7	15	2507.5	2535	2562.5
	20	2510	2535	2560
	Nominal	RF Channel		
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	5	2572.5	2595.0	2617.5
LTE TDD Band	10	2575.0	2595.0	2615.0
38	15	2577.5	2595.0	2612.5
38	15 20	2577.5 2580.0	2595.0 2595.0	2612.5 2610.0
38	20 <b>Nominal</b>			
38 Test mode:	20 Nominal Bandwidth		2595.0	
	20 <b>Nominal</b>	2580.0	2595.0 RF Channel	2610.0
Test mode:  LTE TDD Band	20 Nominal Bandwidth	2580.0 Low (L)	2595.0  RF Channel  Middle (M)	2610.0 <b>High (H)</b>
Test mode:	20 Nominal Bandwidth (MHz)	2580.0  Low (L)  MHz	2595.0  RF Channel  Middle (M)  MHz	2610.0 High (H) MHz
Test mode:  LTE TDD Band 40(A)	20 Nominal Bandwidth (MHz)  5 10 Nominal	2580.0 Low (L) MHz 2307.5	2595.0  RF Channel  Middle (M)  MHz  2310  2310  RF Channel	2610.0  High (H)  MHz  2312.5
Test mode:  LTE TDD Band	20 Nominal Bandwidth (MHz)  5 10 Nominal Bandwidth	2580.0  Low (L)  MHz  2307.5  /  Low (L)	2595.0  RF Channel  Middle (M)  MHz  2310  2310  RF Channel  Middle (M)	2610.0  High (H)  MHz  2312.5
Test mode:  LTE TDD Band 40(A)	20 Nominal Bandwidth (MHz)  5 10 Nominal	2580.0  Low (L)  MHz  2307.5	2595.0  RF Channel  Middle (M)  MHz  2310  2310  RF Channel	2610.0  High (H)  MHz  2312.5
Test mode:  LTE TDD Band 40(A)	20 Nominal Bandwidth (MHz)  5 10 Nominal Bandwidth	2580.0  Low (L)  MHz  2307.5  /  Low (L)	2595.0  RF Channel  Middle (M)  MHz  2310  2310  RF Channel  Middle (M)	2610.0  High (H)  MHz  2312.5  /  High (H)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is susee defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNDoccheck@sqs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300  $\begin{array}{lll} t(86\text{-}512)57355888 & t(86\text{-}512)57370818 & \text{www.sgsgroup.com.cn} \\ t(86\text{-}512)57355888 & t(86\text{-}512)57370818 & \text{sgs.china@sgs.com} \\ \end{array}$ 



Report No.: KSCR220700111604

Page: 9 of 30

	Nominal	RF Channel		
Test mode:	Bandwidth	Low (L)	Middle (M)	High (H)
	(MHz)	MHz	MHz	MHz
	5	2498.5	2593.0	2687.5
LTE TDD Band	10	2501.0	2593.0	2685.0
41	15	2503.5	2593.0	2682.5
	20	2506.0	2593.0	2680.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 10 of 30

#### 4.3 Test Environment

Environment Parameter	Selected Va	alues During Tests
Relative Humidity	48%	
Atmospheric Pressure:		1015Pa
Temperature:	TN	25 °C
	VL	3.23V
Voltage:	VN	3.8V
	VH	4.37V

NOTE: VL= lower extreme test voltage

VN= nominal voltage

VH= upper extreme test voltage

TN= normal temperature

### 4.4 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Adapter	SHENZHEN HONOR ELECTRONIC CO.LTD	ADS-10RH-06 05010EPG	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is susee defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNDoccheck@sqs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220700111604

Page: 11 of 30

### 4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	8.4 x 10 <sup>-8</sup>
2	Timeout	2s
3	Duty cycle	0.37%
4	Occupied Bandwidth	3%
5	RF conducted power	0.6dB
6	RF power density	2.84dB
7	Conducted Spurious emissions	0.75dB
8	DE Dodistad novem	4.6dB (Below 1GHz)
٥	RF Radiated power	4.1dB (Above 1GHz)
		4.2dB (Below 30MHz)
9	Radiated Spurious emission test	4.4dB (30MHz-1GHz)
9		4.8dB (1GHz-18GHz)
		5.2dB (Above 18GHz)
10	Temperature test	1°C
11	Humidity test	3%
12	Supply voltages	1.5%
13	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 12 of 30

#### 4.6 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

1.SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock frequency, highest internal frequency, antenna gain, cable loss, etc.) is provided by the applicant. (if applicable).

2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).

### 4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### CNAS

Compliance Certification Services (Kunshan) Inc. is accredited by the China National Accreditation Service for Conformity Assessment (CNAS). Registration No. CNAS L4354

#### • A2LA

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

#### • FCC

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

#### • ISED

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 2324E

### • VCCI

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.

### 4.8 Deviation from Standards

None

#### 4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@css.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220700111604

Page: 13 of 30

## 5 Equipment List

Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
RF	Conducted Test					
1	Spectrum Analyzer	Agilent	E4446A	MY44020154	04/16/2022	04/15/2023
2	Spectrum Analyzer	Keysight	N9020A	MY55370209	12/02/2021	12/01/2022
3	Spectrum Analyzer	Keysight	N9010A	MY56480443	02/01/2022	01/31/2023
4	Signal Generator	Agilent	N5182A	MY50142015	08/22/2022	08/21/2023
5	Radio Communication Test Station	Anritsu	MT8000A	6262012849	N/A	N/A
6	Radio Communication Analyzer	Anritsu	MT8821C	6201692222	N/A	N/A
7	Universal Radio Communication Tester	R&S	CMW500	159275	10/19/2021	10/18/2022
8	Power Meter	Anritsu	ML2495A	1445010	04/15/2022	04/14/2023
9	Switcher	CCSRF	FY562	KUS2001M001 -3	10/19/2021	10/18/2022
10	6dB Attenuator	Mini-Circuits	NAT-6-2W	15542-1	N.C.R	N.C.R
11	Power Divider	AISI	IOWOPE2068	PE2068	N.C.R	N.C.R
12	Filter	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
13	Conducted test cable	/	RF01-RF04	/	04/15/2022	04/14/2023
14	Software	BST	TST-PASS	N/A	N/A	N/A
15	Temp. / Humidity Chamber	TERCHY	MHK-120AK	X30109	04/15/2022	04/14/2023
16	Thermometer	Anymetre	TH603	CCS007	10/16/2021	10/15/2022
RF R	adiated Test					
1	Spectrum Analyzer	R&S	FSV40	101493	10/19/2021	10/18/2022
2	Signal Generator	Agilent	E8257C	MY43321570	10/19/2021	10/18/2022
4	Bilog Antenna	TESEQ	CBL 6112D	35403	06/19/2022	06/18/2023
5	Bilog Antenna	TESEQ	CBL 6112D	35403	06/21/2021	06/20/2023
6	Bilog Antenna	SCHWARZBECK	VULB9160	9160-3342	04/13/2021	04/12/2023
7	Horn-antenna(1-18GHz)	Schwarzbeck	BBHA9120D	267	10/26/2020	10/25/2022
8	Horn-antenna(1-18GHz)	ETS-LINDGREN	3117	00143290	02/22/2021	02/21/2023
9	Horn Antenna(18-40GHz)	Schwarzbeck	BBHA9170	BBHA9170171	02/22/2022	02/21/2023
10	Pre-Amplifier(30MHz~18GHz)	LNA	/	/	04/15/2022	04/14/2023
11	Amplifier(18~40GHz)	COM-POWER	PAM-840A	461332	10/23/2021	10/22/2022
12	Low Pass Filter	MICRO-TRONICS	VLFX-950	RV142900829	N.C.R	N.C.R
13	High Pass Filter	Mini-Circuits	VHF-1200	15542	N.C.R	N.C.R
14	Filter (885 MHz~915 MHz)	MICRO-TRONICS	BRM14698	1	N.C.R	N.C.R
15	Filter (815 MHz~860 MHz)	MICRO-TRONICS	BRM14697	1	N.C.R	N.C.R
16	Filter (1745 MHz~1910 MHz)	MICRO-TRONICS	BRM14700	1	N.C.R	N.C.R
17	Filter (1922 MHz~1977 MHz)	MICRO-TRONICS	BRM50715	1	N.C.R	N.C.R
18	Filter (1532 MHz~1845 MHz)	MICRO-TRONICS	BRM50713	1	N.C.R	N.C.R
19	RE test cable	/	RE01-RE04	/	04/15/2022	04/14/2023
20	Software	Faratronic	EZ_EMC-v 3A1	N/A	N/A	N/A
21	Universal Radio Communication Tester	R&S	CMW500	159275	10/19/2021	10/18/2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@css.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 14 of 30

#### **Radio Spectrum Matter Test Results** 6

#### 6.1 **Effective (Isotropic) Radiated Power Output Data**

§2.1046;§22.913(a)(5);§27.50(a);§27.50(h) Test Requirement:

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ERP≤7W(LTE Band 5)

> EIRP≤ 2W(LTE Band 7, 38,41) EIRP≤ 250mW/5MHz(LTE Band 40)


#### 6.1.1 **E.U.T. Operation**

Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.

#### 6.1.2 Test Setup Diagram



Ground Reference Plane

#### 6.1.3 **Measurement Data**

Please refer to Appendix A for KSCR220700111604AT; Appendix B for KSCR220700111604AT; Appendix C for KSCR220700111604AT; Appendix D for KSCR220700111604AT; Appendix E for KSCR220700111604AT; Appendix F for KSCR220700111604AT;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSCR220700111604

Page: 15 of 30

### 6.2 Peak-Average Ratio

Test Requirement: §22.913(d);§27.50(a);§27.50(h)
Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤13dB


#### 6.2.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.

### 6.2.2 Test Setup Diagram



### **Ground Reference Plane**

#### 6.2.3 Measurement Data

Please refer to Appendix A for KSCR220700111604AT; Appendix B for KSCR220700111604AT;

 $\label{prop:continuous} \mbox{Appendix C for KSCR220700111604AT; Appendix D \ for KSCR220700111604AT;} \mbox{} \mbox$ 

Appendix E for KSCR220700111604AT; Appendix F for KSCR220700111604AT;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Report No.: KSCR220700111604

Page: 16 of 30

6.3 Bandwidth

Test Requirement: §2.1049(h)

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: OBW: No limit

EBW: No limit


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.

#### 6.3.2 Test Setup Diagram



### **Ground Reference Plane**

#### 6.3.3 Measurement Data

 $Please\ refer\ to\ Appendix\ A\ for\ KSCR220700111604AT;\ Appendix\ B\ for\ KSCR220700111604AT;$ 

 $\label{lem:appendix D} \mbox{Appendix D for KSCR220700111604AT; Appendix D for KSCR220700111604AT;} \\$ 

Appendix E for KSCR220700111604AT; Appendix F for KSCR220700111604AT;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Report No.: KSCR220700111604

Page: 17 of 30

### 6.4 Band Edge Compliance

Test Requirement: §2.1051;§22.917; §27.53(a);§27.53(m)
Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤ -13dBm/1%\*EBW, in 1 MHz bands immediately outside and adjacent to

the frequency block

≤ -13dBm(LTE Band7, <5.5MHz)
≤ -25dBm(LTE Band7, ≥5.5MHz)
(below 2288MHz: ≤ -45dBm,
2288~2292MHz: ≤ -37dBm
2292~2296MHz: ≤ -31dBm
2296~2300MHz: ≤ -25dBm
2300~2305MHz: ≤ -13dBm
2305~2320MHz: ≤ -13dBm
2320~2324MHz: ≤ -25dBm
2324~2328MHz: ≤ -31dBm
2328~2337MHz: ≤ -31dBm
2337~2341MHz: ≤ -31dBm
2341~2345MHz: ≤ -25dBm

2345~2360MHz: ≤ -13dBm 2360~2365MHz: ≤ -13dBm

above 2365 MHz: ≤ -40dBm) (LTE Band 40)

#### 6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@css.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300


Member of the SGS Group (SGS SA)



Report No.: KSCR220700111604

Page: 18 of 30

### 6.4.2 Test Setup Diagram



### Ground Reference Plane

#### 6.4.3 Measurement Data

Please refer to Appendix A for KSCR220700111604AT; Appendix B for KSCR220700111604AT;

Appendix C for KSCR220700111604AT; Appendix D for KSCR220700111604AT;

Appendix E for KSCR220700111604AT; Appendix F for KSCR220700111604AT;

Remark: The emission of frequencies between 793MHz-805MHz meets the requirements of FCC, test plots don't reflected in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com



Report No.: KSCR220700111604

Page: 19 of 30

### 6.5 Spurious emissions at antenna terminals

Test Requirement: \$2.1051;\\$22.917;\\$27.53(a);\\$27.53(m)
Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤ -13dBm(LTE Band5)

≤ -25dBm(LTE Band7,38,41) ≤ -40dBm(LTE Band40)

For operations in the 775-788MHz, emissions in the 1559-1610MHz shall be

limited to -70dBW/MHz, The limit of emissions is equal to -40dBm.


#### 6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.

#### 6.5.2 Test Setup Diagram



### Ground Reference Plane

#### 6.5.3 Measurement Data

Please refer to Appendix A for KSCR220700111604AT; Appendix B for KSCR220700111604AT; Appendix C for KSCR220700111604AT; Appendix D for KSCR220700111604AT; Appendix E for KSCR220700111604AT; Appendix F for KSCR220700111604AT;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 tr 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 tr



Report No.: KSCR220700111604

Page: 20 of 30

### 6.6 Field strength of spurious radiation

Test Requirement: \$2.1051;\\$22.917;\\$27.53(a);\\$27.53(m)
Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: ≤ -13dBm(LTE Band5)

≤ -25dBm(LTE Band7,38,41)

≤ -40dBm(LTE Band40)


#### 6.6.1 E.U.T. Operation


Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.

#### 6.6.2 Test Setup Diagram





Substitue Antenna+Signal Generator



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220700111604

Page: 21 of 30

#### 6.6.3 Measurement Procedure and Data

#### Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6)The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7)The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9)The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14)The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16)The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17)The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Report No.: KSCR220700111604

Page: 22 of 30

LTE BAND 5-Low channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
1658.000	-52.66	-13	-39.66	Horizontal	
2487.000	-55.97	-13	-42.97	Horizontal	
3316.000	-53.79	-13	-40.79	Horizontal	
1658.000	-57.11	-13	-44.11	Vertical	
2487.000	-59.90	-13	-46.90	Vertical	
3316.000	-56.69	-13	-43.69	Vertical	

LTE BAND 5-Middle channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
1673.000	-59.81	-13	-46.81	Horizontal	
2509.500	-61.45	-13	-48.45	Horizontal	
3346.000	-56.21	-13	-43.21	Horizontal	
1673.000	-58.53	-13	-45.53	Vertical	
2509.500	-62.25	-13	-49.25	Vertical	
3346.000	-59.92	-13	-46.92	Vertical	

LTE BAND 5-High channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
1688.000	-57.76	-13	-44.76	Horizontal	
2532.000	-62.46	-13	-49.46	Horizontal	
3376.000	-54.26	-13	-41.26	Horizontal	
1688.000	-58.16	-13	-45.16	Vertical	
2532.000	-61.30	-13	-48.30	Vertical	
3376.000	-55.90	-13	-42.90	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 23 of 30

LTE BAND 7-Low channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
5020.000	-56.65	-25	-31.65	Horizontal	
7530.000	-60.22	-25	-35.22	Horizontal	
10040.000	-54.15	-25	-29.15	Horizontal	
5020.000	-52.72	-25	-27.72	Vertical	
7530.000	-56.03	-25	-31.03	Vertical	
10040.000	-57.66	-25	-32.66	Vertical	

LTE BAND 7-Middle channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
5070.000	-54.40	-25	-29.40	Horizontal	
7605.000	-61.92	-25	-36.92	Horizontal	
10140.000	-57.94	-25	-32.94	Horizontal	
5070.000	-53.87	-25	-28.87	Vertical	
7605.000	-59.00	-25	-34.00	Vertical	
10140.000	-56.52	-25	-31.52	Vertical	

LTE BAND 7-High channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
5120.000	-59.47	-25	-34.47	Horizontal	
7680.000	-61.69	-25	-36.69	Horizontal	
10240.000	-55.09	-25	-30.09	Horizontal	
5120.000	-61.33	-25	-36.33	Vertical	
7680.000	-61.75	-25	-36.75	Vertical	
10240.000	-52.50	-25	-27.50	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 24 of 30

LTE BAND 38-Low channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
5160.000	-53.87	-25	-28.87	Horizontal	
7740.000	-60.59	-25	-35.59	Horizontal	
10320.000	-54.62	-25	-29.62	Horizontal	
5160.000	-52.36	-25	-27.36	Vertical	
7740.000	-56.27	-25	-31.27	Vertical	
10320.000	-55.93	-25	-30.93	Vertical	

LTE BAND 38-Middle channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
5190.000	-50.27	-25	-25.27	Horizontal	
7785.000	-62.06	-25	-37.06	Horizontal	
10380.000	-59.05	-25	-34.05	Horizontal	
5190.000	-52.36	-25	-27.36	Vertical	
7785.000	-61.90	-25	-36.90	Vertical	
10380.000	-55.05	-25	-30.05	Vertical	

LTE BAND 38-High channel						
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization		
5220.000	-54.40	-25	-29.40	Horizontal		
7830.000	-63.28	-25	-38.28	Horizontal		
10440.000	-56.15	-25	-31.15	Horizontal		
5220.000	-56.59	-25	-31.59	Vertical		
7830.000	-62.72	-25	-37.72	Vertical		
10440.000	-53.28	-25	-28.28	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction is susee defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CNDoccheck@sqs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 25 of 30

LTE BAND 40 <sup>-</sup> A-Low channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
4615.000	-57.97	-40	-17.97	Horizontal	
6922.500	-58.93	-40	-18.93	Horizontal	
9230.000	-54.46	-40	-14.46	Horizontal	
4615.000	-53.76	-40	-13.76	Vertical	
6922.500	-58.89	-40	-18.89	Vertical	
9230.000	-53.53	-40	-13.53	Vertical	

LTE BAND 40-A-Middle channel					
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization	
4620.000	-58.01	-40	-18.01	Horizontal	
6930.000	-61.78	-40	-21.78	Horizontal	
9240.000	-56.22	-40	-16.22	Horizontal	
4620.000	-50.31	-40	-10.31	Vertical	
6930.000	-61.16	-40	-21.16	Vertical	
9240.000	-58.20	-40	-18.20	Vertical	

LTE BAND 40-A-High channel				
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization
4625.000	-58.76	-40	-18.76	Horizontal
6937.500	-59.47	-40	-19.47	Horizontal
9250.000	-56.69	-40	-16.69	Horizontal
4625.000	-58.31	-40	-18.31	Vertical
6937.500	-58.82	-40	-18.82	Vertical
9250.000	-55.84	-40	-15.84	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 26 of 30

LTE BAND 40-B-Low channel				
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization
4705.000	-55.54	-40	-15.54	Horizontal
7057.500	-60.25	-40	-20.25	Horizontal
9410.000	-55.28	-40	-15.28	Horizontal
4705.000	-51.28	-40	-11.28	Vertical
7057.500	-59.71	-40	-19.71	Vertical
9410.000	-55.02	-40	-15.02	Vertical

LTE BAND 40-B-Middle channel				
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization
4710.000	-58.91	-40	-18.91	Horizontal
7065.000	-59.89	-40	-19.89	Horizontal
9420.000	-55.35	-40	-15.35	Horizontal
4710.000	-57.44	-40	-17.44	Vertical
7065.000	-58.86	-40	-18.86	Vertical
9420.000	-59.47	-40	-19.47	Vertical

LTE BAND 40-B-High channel				
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization
4715.000	-51.93	-40	-11.93	Horizontal
7072.500	-59.63	-40	-19.63	Horizontal
9430.000	-55.96	-40	-15.96	Horizontal
4715.000	-53.34	-40	-13.34	Vertical
7072.500	-58.77	-40	-18.77	Vertical
9430.000	-57.01	-40	-17.01	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 27 of 30

LTE BAND 41-Low channel				
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization
5012.000	-54.69	-25	-29.69	Horizontal
7518.000	-60.37	-25	-35.37	Horizontal
10024.000	-57.51	-25	-32.51	Horizontal
5012.000	-53.20	-25	-28.20	Vertical
7518.000	-60.04	-25	-35.04	Vertical
10024.000	-54.75	-25	-29.75	Vertical

LTE BAND 41-Middle channel				
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization
5186.000	-53.46	-25	-28.46	Horizontal
7779.000	-61.95	-25	-36.95	Horizontal
10372.000	-58.00	-25	-33.00	Horizontal
5186.000	-51.96	-25	-26.96	Vertical
7779.000	-59.05	-25	-34.05	Vertical
10372.000	-55.67	-25	-30.67	Vertical

LTE BAND 41-High channel				
Frequency (MHz)	Level (dBm)	Limit (dBm)	Over Limit (dB)	Polarization
5360.000	-53.91	-25	-28.91	Horizontal
8040.000	-60.79	-25	-35.79	Horizontal
10720.000	-52.42	-25	-27.42	Horizontal
5360.000	-52.10	-25	-27.10	Vertical
8040.000	-61.97	-25	-36.97	Vertical
10720.000	-56.58	-25	-31.58	Vertical

### Remark:

We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sds.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 28 of 30

6.7 Frequency stability

Test Requirement: §2.1055;§22.355;§27.54

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit:  $\leq \pm 2.5$ ppm.


6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.

### 6.7.2 Test Setup Diagram



### Ground Reference Plane

#### 6.7.3 Measurement Data

Please refer to Appendix A for KSCR220700111604AT; Appendix B for KSCR220700111604AT;

 $\label{prop:continuous} \mbox{Appendix C for KSCR220700111604AT; Appendix D \ for KSCR220700111604AT;} \mbox{} \mbox$ 

Appendix E for KSCR220700111604AT; Appendix F for KSCR220700111604AT;



Test Report Form Version: Rev01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 29 of 30

#### 6.8 Modulation Characteristics

Test Requirement: §2.1047
Test Method: ANSI C63.26
Limit: Digital modulation


#### 6.8.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 22.7 °C Humidity: 68.2 % RH Atmospheric Pressure: 1030 mbar

Test mode: a: Charing+Tx mode: Charging and Keep the EUT in transmitting mode.

### 6.8.2 Test Setup Diagram



### **Ground Reference Plane**

### 6.8.3 Measurement Data

Please refer to Appendix A for KSCR220700111604AT; Appendix B for KSCR220700111604AT;

Appendix C for KSCR220700111604AT; Appendix D for KSCR220700111604AT;

Appendix E for KSCR220700111604AT; Appendix F for KSCR220700111604AT;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700111604

Page: 30 of 30

### 7 Test Setup Photo

Refer to Appendix - Test Setup Photo for KSCR2207001116AT

## 8 EUT Constructional Details (EUT Photos)

Refer to Appendix - Photographs of EUT Constructional Details for KSCR2207001116AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)