

Report No.: KSCR220700121902

Page: 1 of 60

TEST REPORT

 Application No.:
 KSCR2207001219AT

 FCC ID:
 2ADTD-UVCX28

 IC:
 20199-UVCX28

Applicant: Hangzhou Hikvision Digital Technology Co., Ltd.

Address of Applicant: No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China

Manufacturer: Hangzhou Hikvision Digital Technology Co., Ltd.

Address of Manufacturer: No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China

Factory: 1. Hangzhou Hikvision Technology Co., Ltd.

2. Hangzhou Hikvision Electronics Co., Ltd.

3. Hangzhou Hikvision Digital Technology Co., Ltd.

4. Chongqing Hikvision technology Co.,Ltd.

Address of Factory: 1. No.700, Dongliu Road, Binjiang District, Hangzhou City, Zhejiang, 310052,

China;

2. No.299, Qiushi Road, Tonglu Economic Development Zone, Tonglu

County, Hangzhou, Zhejiang, 310052, China

No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China
 NO.118.Haikang Road, Area C, Jianqiao Industrial Park, Dadukou

District, Chongqing, 401325, China.

Equipment Under Test (EUT):

EUT Name: Smart Conference Camera

Model No.: iDS-UVC-X28

Standard(s): 47 CFR Part 15, Subpart C 15.247

RSS-247 Issue 2, February 2017

RSS-Gen Issue 5 Amendment 2 (February 2021)

Date of Receipt: 2022-07-26

Date of Test: 2022-07-26 to 2022-08-11

Date of Issue: 2022-08-21

Test Result: Pass*

Eric Lin
EMC Laboratory Manager

Forin fin



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: KSCR220700121902

Page: 2 of 60

	Revision Record								
Version	Chapter	Date	Modifier	Remark					
01		2022-08-21		Original					

Authorized for issue by:		
	Damon zhou	
	Damon Zhou/Project Engineer	-
	Enie fri	
	Eric Lin/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 3 of 60

2 Test Summary

Radio Spectrum Technical Requirement						
Item	FCC Requirement	IC Requirement	Method	Result		
Antenna Requirement	47 CFR Part 15, Subpart C 15.203 & 15.247(c)	RSS-Gen Clause 6.8	N/A	Customer Declaration		

N/A: Not applicable

Radio Spectrum Mat	Radio Spectrum Matter Part						
Item	FCC Requirement	IC Requirement	Method	Result			
Conducted Emissions at AC Power Line (150kHz-30MHz)	47 CFR Part 15, Subpart C 15.207	RSS-Gen Clause 8.8	ANSI C63.10 (2013) Section 6.2	Pass			
Minimum 6dB Bandwidth	47 CFR Part 15, Subpart C 15.247a(2)	RSS-247 Clause 5.2(a)	ANSI C63.10 (2013) Section 11.8.1	Pass			
Conducted Peak Output Power	47 CFR Part 15, Subpart C 15.247(b)(3)	RSS-247 Clause 5.4(d)	ANSI C63.10 (2013) Section 11.9.1	Pass			
Power Spectrum Density	47 CFR Part 15, Subpart C 15.247(e)	RSS-247 Clause 5.2(b)	ANSI C63.10 (2013) Section 11.10.2	Pass			
Conducted Band Edges Measurement	47 CFR Part 15, Subpart C 15.247(d)	RSS-247 Clause 5.5	ANSI C63.10 (2013) Section 11.13.3.2	Pass			
Conducted Spurious Emissions	47 CFR Part 15, Subpart C 15.247(d)	RSS-247 Clause 5.5	ANSI C63.10 (2013) Section 11.11	Pass			
Radiated Emissions which fall in the restricted bands	47 CFR Part 15, Subpart C 15.209 & 15.247(d)	RSS-247 Section 3.3 & RSS-Gen Section 8.9	ANSI C63.10 (2013) Section 6.10.5	Pass			
Radiated Spurious Emissions	47 CFR Part 15, Subpart C 15.209 & 15.247(d)	RSS-247 Section 3.3 & RSS-Gen Section 8.9	ANSI C63.10 (2013) Section 6.4,6.5,6.6	Pass			
99% Bandwidth	-	RSS-Gen Section 6.7	ANSI C63.10 Section 6.9.3	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 4 of 60

3 Contents

		Page
1	1 COVER PAGE	1
2	2 TEST SUMMARY	3
3	3 CONTENTS	
4		
	4.1 DETAILS OF E.U.T.	
	4.2 DESCRIPTION OF SUPPORT UNITS	
	4.4 MEASUREMENT UNCERTAINTY	
	4.5 Test Location	
	4.6 TEST FACILITY	
	4.7 DEVIATION FROM STANDARDS	
	4.8 ABNORMALITIES FROM STANDARD CONDITIONS	8
5	5 EQUIPMENT LIST	9
6	RADIO SPECTRUM TECHNICAL REQUIREMENT	11
•	6.1 Antenna Requirement	
	6.1.1 Test Requirement:	
	6.1.2 Conclusion	
7	7 RADIO SPECTRUM MATTER TEST RESULTS	12
	7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz)	
	7.1.1 E.U.T. Operation	
	7.1.2 Test Mode Description	12
	7.1.3 Test Setup Diagram	
	7.1.4 Measurement Procedure and Data	
	7.2 CONDUCTED PEAK OUTPUT POWER	
	7.2.1 E.U. 1. Operation	
	7.2.3 Measurement Procedure and Data	
	7.3 MINIMUM 6DB BANDWIDTH	17
	7.3.1 E.U.T. Operation	
	7.3.2 Test Mode Description	
	7.3.3 Test Setup Diagram7.3.4 Measurement Procedure and Data	
	7.3.4 Measurement Procedure and Data	
	7.4.1 E.U.T. Operation	
	7.4.2 Test Mode Description	
	7.4.3 Test Setup Diagram	18
	7.4.4 Measurement Procedure and Data	
	7.5 CONDUCTED BAND EDGES MEASUREMENT	
	7.5.1 E.U.T. Operation	
	7.5.2 Test Mode Description	19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 5 of 60

	7.5.3	Test Setup Diagram	
	7.5.4	Measurement Procedure and Data	
7		ONDUCTED SPURIOUS EMISSIONS	
	7.6.1	E.U.T. Operation	
	7.6.2	Test Mode Description	
	7.6.3	Test Setup Diagram	
	7.6.4	Measurement Procedure and Data	
7		ADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	
	7.7.1	E.U.T. Operation	
	7.7.2	Test Mode Description	
	7.7.3	Test Setup Diagram	
	7.7.4	Measurement Procedure and Data	
7		ADIATED SPURIOUS EMISSIONS BELOW 1GHZ	
	7.8.1	E.U.T. Operation	
	7.8.2	Test Mode Description	
	7.8.3	Test Setup Diagram	
	7.8.4	Measurement Procedure and Data	
7		ADIATED SPURIOUS EMISSIONS ABOVE 1GHz	
	7.9.1	E.U.T. Operation	
	7.9.2	Test Mode Description	
	7.9.3	Test Setup Diagram	
	7.9.4	Measurement Procedure and Data	
7		9% Bandwidth	
	7.10.1	E.U.T. Operation	
	7.10.2	Test Mode Description	
	7.10.3	Test Setup Diagram	
	7.10.4	Measurement Procedure and Data	40
8	TEST	SETUP PHOTO	41
9	EUT C	ONSTRUCTIONAL DETAILS (EUT PHOTOS)	41
10	APPE	NDIX	41
	10.1 A	PPENDIX A: DTS BANDWIDTH	41
	10.1.1		
	10.1.2		
	_	PPENDIX B: OCCUPIED CHANNEL BANDWIDTH	
	10.2.1	Test Result	
	10.2.2	Test Graphs	
		PPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER	
	10.3.1	Test Result	
	10.3.2	Test Graphs	
		PPENDIX D: MAXIMUM POWER SPECTRAL DENSITY	
	10.4.1	Test Result	
	10.4.1	Test Graphs	
		PPENDIX E: BAND EDGE MEASUREMENTS	
	10.5	Test Result	
	10.5.1	Test Graphs	
		PPENDIX F: CONDUCTED SPURIOUS EMISSION	
	10.6.1	Test Result	
	10.6.1	Test Graphs	
	10.0.2	1 est Graphs	



8

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 6 of 60

4 General Information

4.1 Details of E.U.T.

Power supply:	DC 12V 2A By adapter
	Adapter:
	Model:ADS-26SGP-12
	Input:100-240V~50-60Hz
	Output:12V 2A
Test Voltage:	AC 120V 60Hz
Operation Frequency:	2402MHz to 2480MHz
Modulation Type:	GFSK
Bluetooth Version:	V4.2 Dual mode
Number of Channels:	40
Channel Spacing:	2MHz
Antenna Type:	Integral Antenna
Antenna Gain:	2.41dBi (Provided by manufacturer)
S/N:	K15689895
Firmware Version:	V1.1.0_220901

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	LENOVO	L460	-
Serial port adapter plate	-	Test Plate 3	-

4.3 Power level setting using in test:

Channel	Power setting
0	Default
19	Default
39	Default



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (186 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 (186



Report No.: KSCR220700121902

Page: 7 of 60

4.4 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	8.4 x 10-8
2	Timeout	2s
3	Duty cycle	0.4%
4	Occupied Bandwidth	3%
5	RF conducted power	0.6dB
6	RF power density	2.9dB
7	Conducted Spurious emissions	0.75dB
0	DE Dadiated names	5.2dB (Below 1GHz)
8	RF Radiated power	5.9dB (Above 1GHz)
		4.2dB (Below 30MHz)
	De l'ate i Oe de consiste de test	4.5dB (30MHz-1GHz)
9	Radiated Spurious emission test	5.1dB (1GHz-6GHz)
		5.4dB (6GHz-18GHz)
10	Temperature test	1°C
11	Humidity test	3%
12	Supply voltages	1.5%
13	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. E&E Lab 588 West Jindu Road, Xinqiao, Songjiang, 201612 Shanghai, China

Tel: +86 21 6191 5666 Fax: +86 21 6191 5678

No tests were sub-contracted.

Note:

1.SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock frequency, highest internal frequency, antenna gain, cable loss, etc.) is provided by the applicant. (if applicable).

2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

or email: <u>CN.Doccheck@sgs.com</u> No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 ((86-512)57355888 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 ((86-512)57355888



Report No.: KSCR220700121902

Page: 8 of 60

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L0599)

CNAS has accredited SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

A2LA (Certificate No. 6332.01)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA).

• FCC (Designation Number: CN1301)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been recognized as an accredited testing laboratory.

• ISED (CAB Identifier: CN0020)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. EMC Laboratory has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 8617A

VCCI (Member No.: 3061)

The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-13868, C-14336, T-12221, G-10830 respectively.

4.7 Deviation from Standards

None

4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 9 of 60

5 Equipment List

Conducted Emission at Mains Terminals (150kHz-30MHz) EMI test receiver R&S ESR7 SHEM162-1 2021-12-20 2022-12-19 LISN Schwarzbek NSLKB127 SHEM061-1 2021-12-20 2022-12-19 Pulse limiter R&S ESH3-22 SHEM019-1 2021-12-20 2022-12-19 Pulse limiter R&S ESH3-22 SHEM099-1 2021-12-20 2022-12-19 Shielding Room ZHONGYU 8*4*3M SHEM079-2 2021-12-20 2022-12-19 Shielding Room ZHONGYU 8*4*3M SHEM079-2 2021-12-20 2022-12-19 CE test Cable / CE01 / 2022-01-07 2023-01-07 Test software ESE E3 Version: (-111221a / Test software ESE E3 Version: (-111221a / Test software R&S FSP-30 SHEM002-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S FSP-30 SHEM002-1 2021-03-0 2022-08-12 Spectrum Analyzer Agilent N90200 SHEM181-1 2021-08-30 2022-08-12 Signal Generator R&S SMR20 SHEM061-1 2021-08-13 2022-08-12 Signal Generator Agilent N5182A SHEM181-1 2021-08-13 2022-08-12 Signal Generator Agilent N5182A SHEM181-1 2021-07-28 2022-07-27 Communication Tester R&S CMW270 SHEM183-1 2021-07-28 2022-07-24 Communication Tester R&S CMW270 SHEM183-1 2021-07-28 2022-07-24 Communication Tester R&S CMW270 SHEM183-1 2021-07-28 2023-07-24 Compunication Tester R&S CMW270 SHEM183-1 2021-07-28 2023-07-24 Compunication Tester R&S CMW270 SHEM183-1 2021-07-28 2023-07-24 Compunication Tester R&S CMW270 SHEM183-1 2021-08-13 2022-08-12 Power Sensor Keysight U2021XA * 4 SHEM184-1 2021-08-13 2022-08-12 Power Sensor Keysight U2021XA * 4 SHEM184-1 2021-08-13 2022-08-12 Power Stabilizer APC KDF-31020T-V0F0 SHEM183-1 2021-02-13 2022-08-12 DC Power Supply MCH MCH-303A SHEM186-1 / / Test software Tonscend BT/WIF1 System Version: 2.6 / / RF Radiated Test Subscription SHEM183-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S SESU40 SHEM183-1	Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
EMI test receiver		ins Terminals (,		
LISN			• • • • • • • • • • • • • • • • • • • •	SHEM162-1	2021-12-20	2022-12-19
Pulse limiter	LISN	Schwarzbeck	NSLK8127	SHEM061-1	2021-12-20	2022-12-19
Shielding Room	LISN	EMCO	3816/2	SHEM019-1	2021-12-20	2022-12-19
CE test Cable		R&S				
CE test Cable			8*4*3M			
Test software		/		/		
Spectrum Analyzer		ESE			/	/
Spectrum Analyzer	RF Conducted Test			0.1112214		
Spectrum Analyzer		R&S	FSP-30	SHFM002-1	2021-12-20	2022-12-19
Spectrum Analyzer						
Signal Generator R&S SMR20 SHEM006-1 2021-08-13 2022-08-12 Signal Generator Agilent N5182A SHEM182-1 2021-08-13 2022-08-12 Communication Tester R&S CMW270 SHEM183-1 2021-07-28 2022-07-27 Communication Tester R&S CMW270 SHEM183-1 2022-07-25 2023-07-24 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Switcher Tonscend JS8066 SHEM183-2 2022-04-01 2023-03-31 Switcher Tonscend JS8060 SHEM183-2 2022-04-01 2023-03-31 Splitter Anritsu MA1612A SHEM184-1 2021-08-13 2022-08-12 Power Sensor Keysight U2021XA * 4 SHEM185-1 / / Coupler e-meca 803-S-1 SHEM186-1 / / / Coupler e-meca 803-S-1 SHEM186-1 / / / 2021-12-12 2022-01-12 2022-12-1						
Signal Generator						
Communication Tester R&S CMW270 SHEM183-1 2021-07-28 2022-07-27 Communication Tester R&S CMW270 SHEM183-1 2022-07-25 2023-07-24 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Switcher Tonscend JS0806 SHEM184-1 2021-08-13 2022-08-12 Power Sensor Keysight U2021XA*4 SHEM184-1 2021-08-13 2022-08-12 Splitter Anritsu MA1612A SHEM185-1 / / Coupler e-meca 803-S-1 SHEM186-1 / / High-low Temp Cabinet Suzhou Zhihe TL-40 SHEM087-1 2020-04-15 2023-04-14 AC Power Stabilizer APC KDF-31020T-V0-F0 SHEM16-1 2021-12-20 2022-12-19 DC Power Supply MCH MCH-303A SHEM216-1 2021-12-20 2022-12-19 Test software Tonscend JS Tonscend BT/WIFI System Version: 2.6 / / 2021-12-20 2022-12-19 <						
Communication Tester R&S CMW270 SHEM183-1 2022-07-25 2023-07-24 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Switcher Tonscend JS0806 SHEM184-1 2021-08-13 2022-08-12 Power Sensor Keysight U2021XA* 4 SHEM184-1 2021-08-13 2022-08-12 Splitter Anritsu MA1612A SHEM185-1 / / Coupler e-meca 803-S-1 SHEM186-1 / / / Coupler e-meca 803-S-1 SHEM186-1 / / / / High-low Temp Cabinet SUzhou Zhihe TL-40 SHEM186-1 / / / / / 2021-04-14 / / / / / / 2021-04-12 2020-04-12 2022-12-19 DC Pomer Supply MCH MCH-303A SHEM16-1 2021-12-20 2022-12-19 DC 2022-12-19 DC AD JST-302-30-34-14 Version: 2.6 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Switcher Tonscend JS0806 SHEM184-1 2021-08-13 2022-08-12 Power Sensor Keysight U2021XA*4 SHEM184-1 2021-08-13 2022-08-12 Splitter Anritsu MA1612A SHEM185-1 / / Coupler e-meca 803-S-1 SHEM185-1 / / High-low Temp Cabinet Suzhou Zhihe TL-40 SHEM087-1 2020-04-15 2023-04-14 AC Power Subply MCH MCH-3003A SHEM216-1 2021-12-20 2022-12-19 DC Power Supply MCH MCH-303A SHEM10-1 2021-12-20 2022-12-19 Conducted test Cable / RF01-RF04 / 2021-12-20 2022-12-19 Test software Tonscend BT/WIFI System Version: 2.6 / / EMI test Receiver R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Communication Tester R&S CMW50						
Switcher						
Power Sensor Keysight U2021XA*4 SHEM184-1 2021-08-13 2022-08-12 Splitter Anritsu MA1612A SHEM185-1 / / / / / / / / / / /						
Splitter						
Coupler e-meca 803-S-1 SHEM186-1 / / High-low Temp Cabinet Suzhou Zhihe TL-40 SHEM087-1 2020-04-15 2023-04-14 AC Power Stabilizer APC KDF-31020T-VO-F0 SHEM216-1 2021-12-20 2022-12-19 DC Power Supply MCH MCH-303A SHEM210-1 2021-12-20 2022-12-19 Conducted test Cable / RF01~RF04 / 2021-12-20 2022-12-19 Test software Tonscend JS Tonscend BT/WIFI System Version: 2.6 / / FR Radiated Test EMI test Receiver R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S FSP-30 SHEM095-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S FSP-30 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM183-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck FWZB1518 SHEM048-1 2021-10-10					2021-06-13	/ 2022-06-12
High-low Temp Cabinet					/	/
AC Power Stabilizer APC KDF-31020T-V0-F0 SHEM216-1 2021-12-20 2022-12-19 DC Power Supply MCH MCH-303A SHEM210-1 2021-12-20 2022-12-19 Conducted test Cable / RF01~RF04 / 2021-12-20 2022-12-19 Test software Tonscend JS Tonscend BT/WIFI System Version: 2.6 / / RF Radiated Test EMI test Receiver R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S ESU40 SHEM002-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S FSP-30 SHEM002-1 2021-12-20 2022-12-19 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-331 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM035-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168					/	/
DC Power Supply MCH MCH-303A SHEM210-1 2021-12-20 2022-12-19 Conducted test Cable / RF01~RF04 / 2021-12-20 2022-12-19 Test software Tonscend JS Tonscend BT/WIFI System Version: 2.6 / / RF Radiated Test EMI test Receiver R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S ESU40 SHEM002-1 2021-12-20 2022-12-19 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM035-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-03-01 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM002-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM09-1 2021-05-07 2023-05-06 Horn Antenna (1-40GHz) Schwarzbeck BBHA 9170	Ü					
Conducted test Cable / RF01~RF04 / 2021-12-20 2022-12-19 Test software Tonscend JS Tonscend BT/WIFI System Version: 2.6 / / RF Radiated Test EMI test Receiver R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S ESU40 SHEM002-1 2021-12-20 2022-12-19 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM135-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM020-1 2021-09-11 2023-09-10 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM09-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck BBHA 9170 SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck						
Test software Tonscend JS Tonscend BT/WIFI System Version: 2.6 / / RF Radiated Test EMI test Receiver R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S FSP-30 SHEM002-1 2021-12-20 2022-12-19 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9KHz-30MHz) Schwarzbeck FMZB1519 SHEM135-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM020-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM020-1 2021-09-11 2023-09-10 Antenna (1-18GHz) Schwarzbeck HF906 SHEM090-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck BBHA 9170 SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (1-18GHz) Schwarzbeck		MCH		SHEM210-1		
RF Radiated Test R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S FSP-30 SHEM002-1 2021-12-20 2022-12-19 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM135-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM202-1 2021-09-11 2023-09-10 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM09-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck BBHA 9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier (14-40GHz) Schwarzbeck 10001 SHEM236-1 <t< td=""><td>Conducted test Cable</td><td>/</td><td></td><td>/</td><td>2021-12-20</td><td>2022-12-19</td></t<>	Conducted test Cable	/		/	2021-12-20	2022-12-19
EMI test Receiver R&S ESU40 SHEM051-1 2021-12-20 2022-12-19 Spectrum Analyzer R&S FSP-30 SHEM002-1 2021-12-20 2022-12-19 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM135-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM002-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM002-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM002-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM009-1 2021-05-07 2023-06-08 Horn Antenna (1-18GHz) Schwarzbeck BBHA 9170 SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (1-4-40GHz) Schwarzbeck BBHA 9170 SHEM2		Tonscend		Version: 2.6	/	/
Spectrum Analyzer R&S FSP-30 SHEM002-1 2021-12-20 2022-12-19 Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM135-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM002-1 2021-05-07 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM002-1 2021-05-07 2023-09-10 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM009-1 2021-05-07 2023-05-06 BHO1 Antenna (1-18GHz) Schwarzbeck BBHA9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2						
Communication Tester R&S CMW500 SHEM183-2 2022-04-01 2023-03-31 Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM135-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM008-1 2021-09-11 2023-09-10 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM009-1 2021-06-09 2023-06-08 Horn Antenna (1-18GHz) Schwarzbeck BBHA9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1	EMI test Receiver					
Loop Antenna (9kHz-30MHz) Schwarzbeck FMZB1519 SHEM135-1 2021-12-20 2022-12-19 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM002-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM009-1 2021-06-09 2023-06-08 Horn Antenna (1-18GHz) Schwarzbeck BBHA9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 5BRX-2400/X200 SHEM157-1 /					2021-12-20	2022-12-19
Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM048-1 2021-09-11 2023-09-10 Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM202-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM009-1 2021-06-09 2023-06-08 Horn Antenna (1-18GHz) Schwarzbeck BBHA9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / /		R&S				
Antenna (25MHz-2GHz) Schwarzbeck VULB9168 SHEM202-1 2021-05-07 2023-05-06 Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM009-1 2021-06-09 2023-06-08 Horn Antenna (1-18GHz) Schwarzbeck BBHA9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / High pass Filter Wainwright WHK3.0/18G SHEM157-3 / /	,	Schwarzbeck			2021-12-20	2022-12-19
Horn Antenna (1-18GHz) Schwarzbeck HF906 SHEM009-1 2021-06-09 2023-06-08 Horn Antenna (1-18GHz) Schwarzbeck BBHA9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / High pass Filter Wainwright WHK3.0/18G SHEM157-1 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	,	Schwarzbeck		SHEM048-1	2021-09-11	
Horn Antenna (1-18GHz) Schwarzbeck BBHA9120D SHEM050-1 2021-09-18 2023-09-17 Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	,	Schwarzbeck				
Horn Antenna (14-40GHz) Schwarzbeck BBHA 9170 SHEM049-1 2021-09-18 2023-09-17 Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	Horn Antenna (1-18GHz)	Schwarzbeck	HF906	SHEM009-1	2021-06-09	2023-06-08
Pre-Amplifier HP 8447D SHEM236-1 2022-05-27 2023-05-26 Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHKS.1700 SHEM157-3 / /	Horn Antenna (1-18GHz)	Schwarzbeck	BBHA9120D	SHEM050-1	2021-09-18	2023-09-17
Pre-Amplifier PANSHAN LNA 1-18G SHEM235-1 2022-05-27 2023-05-26 High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHKS.1700 SHEM157-3 / /	Horn Antenna (14-40GHz)	Schwarzbeck	BBHA 9170	SHEM049-1	2021-09-18	2023-09-17
High-amplifier (14-40GHz) Schwarzbeck 10001 SHEM049-2 2021-12-20 2022-12-19 Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHKS.1700 SHEM157-3 / /	Pre-Amplifier	HP	8447D	SHEM236-1	2022-05-27	2023-05-26
Band Filter LORCH 9BRX-875/X150 SHEM156-1 / / Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHK3.0/18G SHEM157-1 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	Pre-Amplifier	PANSHAN	LNA 1-18G	SHEM235-1	2022-05-27	2023-05-26
Band Filter LORCH 13BRX-1950/X500 SHEM083-2 / / Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHK3.0/18G SHEM157-1 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	High-amplifier (14-40GHz)	Schwarzbeck	10001	SHEM049-2	2021-12-20	2022-12-19
Band Filter LORCH 5BRX-2400/X200 SHEM155-1 / / Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHK3.0/18G SHEM157-1 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	Band Filter	LORCH	9BRX-875/X150	SHEM156-1	/	/
Band Filter LORCH 5BRX-5500/X1000 SHEM157-2 / / High pass Filter Wainwright WHK3.0/18G SHEM157-1 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	Band Filter	LORCH	13BRX-1950/X500	SHEM083-2	/	/
High pass Filter Wainwright WHK3.0/18G SHEM157-1 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	Band Filter	LORCH	5BRX-2400/X200	SHEM155-1	/	/
High pass Filter Wainwright WHK3.0/18G SHEM157-1 / / High pass Filter Wainwright WHKS1700 SHEM157-3 / /	Band Filter	LORCH	5BRX-5500/X1000	SHEM157-2	/	/
High pass Filter Wainwright WHKS1700 SHEM157-3 / /					/	/
					/	/
			11*6*6M		2020-05-25	2023-05-24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 10 of 60

Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
RE test Cable	/	RE01, RE02, RE06	/	2022-01-07	2023-01-06
Test software	ESE	E3	Version: 6.111221a	/	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

 $\begin{array}{lll} t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & www.sgsgroup.com.cn \\ t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & sgs.china@sgs.com \\ \end{array}$



Report No.: KSCR220700121902

Page: 11 of 60

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integral antenna and no consideration of replacement. The best case gain of the antenna is 2.41 dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 12 of 60

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Francisco of amicaian (BALL)	Conducted limit(dBµV)						
Frequency of emission(MHz)	Quasi-peak	Average					
0.15-0.5	66 to 56*	56 to 46*					
0.5-5	56	46					
5-30	60	50					
*Decreases with the logarithm of the frequency.							
Detector: Peak for pre-scan (9kH	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz						

7.1.1 E.U.T. Operation


Operating Environment:

Temperature: 24.6 °C Humidity: 61.4 % RH Atmospheric Pressure: 1010 mbar

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description					
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.					

7.1.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 13 of 60

7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 14 of 60

Test Mode: 02; Line: Live line



LISN : LINE

EUT/Project No: 01219AT

Test Mode : 01

	Freq	Read level	LISN Factor	Cable Loss	Emission Level	ı Limit	Over Limit	Remark
	(MHz)	(dBuV)	(dB)	(dB)	(dBuV)	(dBuV)	(dB)	Kellidi K
1	0.16	12.91	0.13	10.02	23.06	55.38	-32.32	Average
2	0.16	29.80	0.13	10.02	39.95	65.38	-25.43	QP
3	0.49	18.47	0.10	10.08	28.65	46.10	-17.45	Average
4	0.49	22.07	0.10	10.08	32.25	56.10	-23.85	QP _
5	2.36	17.43	0.12	10.18	27.73	46.00	-18.27	Average
6	2.36	24.99	0.12	10.18	35.29	56.00	-20.71	QP
7	3.14	12.01	0.15	10.20	22.36	46.00	-23.64	Average
8	3.14	19.58	0.15	10.20	29.93	56.00	-26.07	QP
9	5.71	11.09	0.20	10.25	21.54	50.00	-28.46	Average
10	5.71	22.54	0.20	10.25	32.99	60.00	-27.01	QP
11	18.33	19.18	0.54	10.35	30.07	50.00	-19.93	Average
12	18.33	25.11	0.54	10.35	36.00	60.00	-24.00	QP

Notes: Emission Level = Read Level +LISN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 15 of 60

Test Mode: 02; Line: Neutral Line



LISN : NEUTRAL EUT/Project No : 01219AT

Test Mode : 01

	Freq	Read	LISN	Cable	Emission		0ver	
		level	Factor	Loss	Level	Limit	Limit	Remark
	(MHz)	(dBuV)	(dB)	(dB)	(dBuV)	(dBuV)	(dB)	
1	0.17	4.73	0.10	10.02	14.85	55.08	-40.23	Average
2	0.17	17.77	0.10	10.02	27.89	65.08	-37.19	QP
3	0.49	14.02	0.10	10.08	24.20	46.19	-21.99	Average
4	0.49	18.05	0.10	10.08	28.23	56.19	-27.96	QP
5	2.36	11.69	0.10	10.18	21.97	46.00	-24.03	Average
6	2.36	17.32	0.10	10.18	27.60	56.00	-28.40	QP
7	9.81	14.07	0.20	10.31	24.58	50.00	-25.42	Average
8	9.81	22.29	0.20	10.31	32.80	60.00	-27.20	QP
9	13.77	14.04	0.36	10.34	24.74	50.00	-25.26	Average
10	13.77	21.08	0.36	10.34	31.78	60.00	-28.22	QP
11	18.04	18.80	0.46	10.35	29.61	50.00	-20.39	Average
12	18.04	25.57	0.46	10.35	36.38	60.00	-23.62	QP

Notes: Emission Level = Read Level +LISN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 16 of 60

7.2 Conducted Peak Output Power

47 CFR Part 15, Subpart C 15.247(b)(3) Test Requirement Test Method: ANSI C63.10 (2013) Section 11.9.1

Limit:


Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 24.6 °C Humidity: 61.3 % RH Atmospheric Pressure: 1010 mbar

7.2.2 Test Setup Diagram



7.2.3 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn $t(86\text{-}512)57355888 \qquad f(86\text{-}512)57370818 \qquad sgs.china@sgs.com$



Report No.: KSCR220700121902

Page: 17 of 60

7.3 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit: ≥500 kHz

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 24.6 °C Humidity: 61.3 % RH Atmospheric Pressure: 1010 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.3.3 Test Setup Diagram



7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 18 of 60

7.4 Power Spectrum Density

47 CFR Part 15, Subpart C 15.247(e) Test Requirement Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit: ≤8dBm in any 3 kHz band during any time interval of continuous

transmission

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 24.6 °C Humidity: 61.3 % RH Atmospheric Pressure: 1010 mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description					
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.					

7.4.3 Test Setup Diagram



Ground Reference Plane

7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSCR220700121902

Page: 19 of 60

7.5 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d) Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.5.1 E.U.T. Operation


Operating Environment:

Humidity: 61.2 % RH Temperature: 24.6 °C Atmospheric Pressure: 1010 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSCR220700121902

Page: 20 of 60

7.6 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d) Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.6.1 E.U.T. Operation


Operating Environment:

Humidity: 61.2 % RH Temperature: 24.6 °C Atmospheric Pressure: 1010 mbar

7.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSCR220700121902

Page: 21 of 60

7.7 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 24.6 °C Humidity: 61.1 % RH Atmospheric Pressure: 1010 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued seffined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-60sss.com.

or email: CN.Doccheck@sgs.com No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 (86-512)57355888 (86-512)57370818 sgs.china@sgs.com

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com


Member of the SGS Group (SGS SA)




Report No.: KSCR220700121902

Page: 22 of 60

7.7.3 Test Setup Diagram





30MHz-1GHz

Above 1GHz

7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.
- Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 23 of 60

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2376.53	50.35	26.01	4.57	35.17	45.76	74.00	-28.24	Peak
2390.00	50.61	26.03	4.60	35.18	46.06	74.00	-27.94	Peak
2402.25	99.41	26.06	4.62	35.19	94.90	74.00	20.90	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 24 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:Low



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2370.09	49.84	26.01	4.57	35.17	45.25	74.00	-28.75	Peak
2390.00	47.20	26.03	4.60	35.18	42.65	74.00	-31.35	Peak
2401.95	87.00	26.06	4.62	35.19	82.49	74.00	8.49	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 25 of 60

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel: High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2479.81	99.40	26.18	4.76	35.25	95.09	74.00	21.09	Peak
2483.50	62.16	26.18	4.78	35.26	57.86	74.00	-16.14	Peak
2485.89	55.65	26.19	4.78	35.26	51.36	74.00	-22.64	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 26 of 60

Test Mode: 02; Polarity: Horizontal; Modulation:GFSK; Channel:High



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
					dBuv/m			
2480.03	86.46	26.18	4.76	35.25	82.15	54.00	28.15	Average
2483.50	53.75	26.18	4.78	35.26	49.45	54.00	-4.55	Average
2488.56	40.79	26.19	4.78	35.26	36.50	54.00	-17.50	Average

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

27 of 60 Page:

Test Mode: 02; Polarity: Vertical; Modulation: GFSK; Channel: High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2480.25	89.93	26.18	4.76	35.25	85.62	74.00	11.62	Peak
2483.50	54.14	26.18	4.78	35.26	49.84	74.00	-24.16	Peak
2489.67	50.03	26.19	4.79	35.26	45.75	74.00	-28.25	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

 $t(86\text{-}512)57355888 \qquad f(86\text{-}512)57370818 \qquad sgs.china@sgs.com$



Report No.: KSCR220700121902

Page: 28 of 60

7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)		
0.009-0.490	2400/F(kHz)	300		
0.490-1.705	24000/F(kHz)	30		
1.705-30.0	30	30		
30-88	100	3		
88-216	150	3		
216-960	200	3		
960-1000	500	3		

7.8.1 E.U.T. Operation


Operating Environment:


Temperature: 24.6 °C Humidity: 61.2 % RH Atmospheric Pressure: 1010 mbar

7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description						
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.						

7.8.3 Test Setup Diagram





Below 30MHz 30MHz-1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small? CN Doccheck@ds.com.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 29 of 60

7.8.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 30 of 60

Test Mode: 02; Polarity: Horizontal



Antenna Polarity :Horizontal EUT/Project :1219AT Test mode :02

Fre					Emission Level			Remark
MH	z dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2 96. 3 142. 4 191. 5 320.	71 43.54 32 51.29 77 54.77 78 52.31 33 45.63 51 44.71	8.51 13.05 10.30 14.09	2.05 2.30 2.86 3.36 4.59 5.52	31.80 31.89 31.90 32.10 33.11 34.03	24.93 30.21 38.78 33.87 31.20	43.50 43.50 43.50 46.00	-15.07 -13.29 -4.72 -9.63 -14.80	QP QP QP QP

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 31 of 60

Test Mode: 02; Polarity: Vertical



Antenna Polarity :Vertical EUT/Project :1219AT Test mode :02

Free					Emission Level			Remark
MH:	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2 95.0 3 143.7 4 191.7 5 478.3	04 36.26 55 50.76 78 49.21 78 52.02 14 41.85	8.42 13.11 10.30 17.43	1.64 2.30 2.88 3.36 5.50 6.02	31.96 31.88 31.92 32.10 33.95 33.30	19.97 29.60 33.28 33.58 30.83 33.21	43.50 43.50 43.50 46.00	-20.03 -13.90 -10.22 -9.92 -15.17	QP QP QP QP

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 32 of 60

7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3

7.9.1 E.U.T. Operation


Operating Environment:

Temperature: 24.6 °C Humidity: 61.1 % RH Atmospheric Pressure: 1010 mbar

7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.9.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small? CN Doccheck@ds.com.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 $\begin{array}{lll} t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & \text{www.sgsgroup.com.cn} \\ t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & \text{sgs.china@sgs.com} \end{array}$



Report No.: KSCR220700121902

Page: 33 of 60

7.9.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is of its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; OND procedure for the content of the conten


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 34 of 60

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel:Low



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4804.00	46.17	33.72	5.09	38.71	46.27	74.00	-27.73	Peak
7206.00	44.40	36.28	5.75	37.18	49.25	74.00	-24.75	Peak
9608.00	39.94	37.70	6.78	34.18	50.24	74.00	-23.76	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms


or email: CN.Doccheck@sgs.com No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 35 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:Low



Antenna Polarity : VERTICAL

Freq			Emission Level		Remark
			dBuv/m		
			44.25		
			48.51 49.34		

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 36 of 60

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel: middle



Antenna Polarity : HORIZONTAL

Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4880.00	44.44	33.93	4.48	38.78	44.07	74.00	-29.93	Peak
7320.00	43.08	36.47	5.80	37.10	48.25	74.00	-25.75	Peak
9760.00	40.90	37.68	6.48	34.15	50.91	74.00	-23.09	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 37 of 60

Test Mode: 02; Polarity: Vertical; Modulation:GFSK; Channel:middle



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4880.00	46.54	33.93	4.48	38.78	46.17	74.00	-27.83	Peak
7320.00	43.08	36.47	5.80	37.10	48.25	74.00	-25.75	Peak
9760.00	40.18	37.68	6.48	34.15	50.19	74.00	-23.81	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 38 of 60

Test Mode: 02; Polarity: Horizontal; Modulation: GFSK; Channel: High



Antenna Polarity : HORIZONTAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4960.00	44.10	33.98	5.04	38.87	44.25	74.00	-29.75	Peak
7440.00	44.41	36.40	6.09	37.03	49.87	74.00	-24.13	Peak
9920.00	40.24	37.81	6.53	34.11	50.47	74.00	-23.53	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 39 of 60

Test Mode: 02; Polarity: Vertical; Modulation: GFSK; Channel: High



Antenna Polarity : VERTICAL

	Read	Antenna	Cable	Preamp	Emission	Limit	0ver	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4960.00	45.13	33.98	5.04	38.87	45.28	74.00	-28.72	Peak
7440.00	41.95	36.40	6.09	37.03	47.41	74.00	-26.59	Peak
9920.00	41.18	37.81	6.53	34.11	51.41	74.00	-22.59	Peak

Note: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 40 of 60

7.10 99% Bandwidth

Test Requirement RSS-Gen Section 6.7
Test Method: ANSI C63.10 Section 6.9.3

7.10.1 E.U.T. Operation


Operating Environment:

Temperature: 24.6 °C Humidity: 60.5 % RH Atmospheric Pressure: 1010 mbar

7.10.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	02	TX mode(1Mbps)_Keep the EUT in continuously transmitting mode with GFSK modulation.

7.10.3 Test Setup Diagram



7.10.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 41 of 60

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for KSCR2207001219AT

9 EUT Constructional Details (EUT Photos)

Refer to Appendix - Photographs of EUT Constructional Details for KSCR2207001219AT

10 Appendix

10.1 Appendix A: DTS Bandwidth

10.1.1 Test Result

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.660	2401.658	2402.318	≥0.5	PASS
BLE_1M	Ant1	2440	0.660	2439.664	2440.324	≥0.5	PASS
		2480	0.666	2479.658	2480.324	≥0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220700121902

Page: 42 of 60

10.1.2 Test Graphs





BLE_1M_Ant1_2480




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: KSCR220700121902

Page: 43 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: KSCR220700121902

Page: 44 of 60

10.2 Appendix B: Occupied Channel Bandwidth 10.2.1 Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	1.0225	2401.484	2402.509		
BLE_1M	Ant1	2440	1.0231	2439.482	2440.511		
		2480	1.0237	2479.480	2480.517		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: KSCR220700121902

Page: 45 of 60

10.2.2 Test Graphs



BLE_1M_Ant1_2480

#VBW 100 kHz

x dB

Total Power

OBW Power

Occupied Bandwidth

Transmit Freq Error

x dB Bandwidth

1.0231 MHz

-3.698 kHz

1.274 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

Span 4 MHz Sweep 4.267 ms

99.00 %


-26.00 dB

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 46 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com



Report No.: KSCR220700121902

Page: 47 of 60

10.3 Appendix C: Maximum conducted output power 10.3.1 Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
BLE_1M		2402	2.6	≤30	PASS
	Ant1	2440	0.14	≤30	PASS
		2480	1.26	≤30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms


No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 (1864) 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 (1864)



Report No.: KSCR220700121902

Page: 48 of 60

10.3.2 Test Graphs



BLE_1M_Ant1_2480



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 $\begin{array}{lll} t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & \text{www.sgsgroup.com.cn} \\ t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & \text{sgs.china@sgs.com} \\ \end{array}$



Report No.: KSCR220700121902

Page: 49 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 $\begin{array}{llll} t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & www.sgsgroup.com.cn \\ t(86\text{-}512)57355888 & f(86\text{-}512)57370818 & sgs.china@sgs.com \\ \end{array}$



Report No.: KSCR220700121902

Page: 50 of 60

10.4 Appendix D: Maximum power spectral density 10.4.1 Test Result

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
		2402	-12.54	≤8.00	PASS
BLE_1M	Ant1	2440	-15.17	≤8.00	PASS
		2480	-14.31	≤8.00	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: KSCR220700121902

Page: 51 of 60

10.4.2 Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 52 of 60





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com



Report No.: KSCR220700121902

Page: 53 of 60

10.5 Appendix E: Band edge measurements 10.5.1 Test Result

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
DI 5 414	A 44	Low	2402	2.15	-48.22	≤-17.85	PASS
BLE_1M	Ant1	High	2480	0.80	-48.23	≤-19.2	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 54 of 60

10.5.2 Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com



Report No.: KSCR220700121902

Page: 55 of 60

10.6 Appendix F: Conducted Spurious Emission 10.6.1 Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
			Reference	2.46	2.46		PASS
		2402	30~1000	2.46	-51.96	≤-17.54	PASS
			1000~26500	2.46	-43.68	≤-17.54	PASS
		Ant1 2440	Reference	-0.25	-0.25		PASS
BLE_1M	Ant1		30~1000	-0.25	-51.99	≤-20.25	PASS
			1000~26500	-0.25	-43.59	≤-20.25	PASS
			Reference	0.97	0.97		PASS
	2480	30~1000	0.97	-53.63	≤-19.03	PASS	
			1000~26500	0.97	-43.29	≤-19.03	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms




Report No.: KSCR220700121902

Page: 56 of 60

10.6.2 Test Graphs





BLE_1M_Ant1_2402_1000~26500



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: KSCR220700121902

Page: 57 of 60



BLE_1M_Ant1_2440_0~Reference



BLE_1M_Ant1_2440_30~1000




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: KSCR220700121902

Page: 58 of 60



BLE_1M_Ant1_2440_1000~26500



BLE_1M_Ant1_2480_0~Reference



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300




Report No.: KSCR220700121902

Page: 59 of 60



BLE_1M_Ant1_2480_30~1000



BLE_1M_Ant1_2480_1000~26500



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220700121902

Page: 60 of 60



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client during the content of the sole of the company and the company and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or emails: CN.Doccheck@sds.com