

Note.

1. Average test would be performed if the peak result were greater than the average limit.
2. No spurious emission were detected at horizontal above 3 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr


Mode: 24 V\_802.11b  
 Channel: 01  
 Distance of measurement: 3 meter

**- Spurious**


Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 052.89	50.11	Peak	H	-10.88	-	39.23	74.00	34.77
1 106.89	49.53	Peak	V	-10.59	-	38.94	74.00	35.06
1 188.28	52.60	Peak	H	-10.16	-	42.44	74.00	31.56
1 188.48	51.65	Peak	V	-10.16	-	41.49	74.00	32.51

**- Band edge**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 377.89	53.08	Peak	H	-2.82	-	50.26	74.00	23.74
2 378.51	52.76	Peak	H	-2.81	-	49.95	74.00	24.05
2 379.14	46.77	Peak	V	-2.81	-	43.96	74.00	30.04
2 381.57	47.34	Peak	V	-2.80	-	44.54	74.00	29.46



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr



Note.

1. Average test would be performed if the peak result were greater than the average limit.
2. No spurious emission were detected at horizontal above 3 GHz.


This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr



Mode: 12 V\_802.11b  
 Channel: 06  
 Distance of measurement: 3 meter

**- Spurious**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 106.89	47.12	Peak	H	-10.59	-	36.53	74.00	37.47
1 107.29	49.32	Peak	V	-10.59	-	38.73	74.00	35.27
1 188.28	50.07	Peak	H	-10.16	-	39.91	74.00	34.09
1 188.48	52.89	Peak	V	-10.16	-	42.73	74.00	31.27



**Note.**


1. Average test would be performed if the peak result were greater than the average limit.
2. No spurious emission were detected at horizontal above 3 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr

Mode: 24 V\_802.11b  
 Channel: 06  
 Distance of measurement: 3 meter

**- Spurious**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 106.89	45.82	Peak	H	-10.59	-	35.23	74.00	38.77
1 107.29	48.06	Peak	V	-10.59	-	37.47	74.00	36.53
1 188.28	49.36	Peak	H	-10.16	-	39.20	74.00	34.80
1 188.48	52.36	Peak	V	-10.16	-	42.20	74.00	31.80



**Note.**

1. Average test would be performed if the peak result were greater than the average limit.
2. No spurious emission were detected at horizontal above 3 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr




Mode: 12 V\_802.11b  
 Channel: 11  
 Distance of measurement: 3 meter

**- Spurious**


Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 053.09	51.19	Peak	H	-10.88	-	40.31	74.00	33.69
1 106.89	49.05	Peak	V	-10.59	-	38.46	74.00	35.54
1 107.29	52.09	Peak	H	-10.59	-	41.50	74.00	32.50
1 188.48	52.58	Peak	V	-10.16	-	42.42	74.00	31.58

**- Band edge**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 491.33	45.30	Peak	V	-2.37	-	42.93	74.00	31.07
2 494.21	44.97	Peak	V	-2.36	-	42.61	74.00	31.39
2 494.50	49.24	Peak	H	-2.36	-	46.88	74.00	27.12
2 495.06	49.09	Peak	H	-2.35	-	46.74	74.00	27.26



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr



Note.

1. Average test would be performed if the peak result were greater than the average limit.
2. No spurious emission were detected at horizontal above 3 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr




Mode: 24 V\_802.11b  
 Channel: 11  
 Distance of measurement: 3 meter

**- Spurious**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 053.09	50.88	Peak	H	-10.88	-	40.00	74.00	34.00
1 106.89	50.11	Peak	V	-10.59	-	39.52	74.00	34.48
1 107.29	51.58	Peak	H	-10.59	-	40.99	74.00	33.01
1 188.48	52.12	Peak	V	-10.16	-	41.96	74.00	32.04

**- Band edge**

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 489.59	49.36	Peak	H	-2.38	-	46.98	74.00	27.02
2 490.53	45.56	Peak	V	-2.37	-	43.19	74.00	30.81
2 492.25	49.36	Peak	H	-2.36	-	47.00	74.00	27.00
2 493.13	45.19	Peak	V	-2.36	-	42.83	74.00	31.17



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.  
 The results shown in this test report refer only to the sample(s) tested unless otherwise stated.  
 The authenticity of the test report, contact shchoi@kes.co.kr