

FCC Test Report

Report No.: AGC00116180705FE03

| FCC ID: 2ADTV-A803APPLICATION PURPOSE: 0riginal EquipmentPRODUCT DESIGNATION: 1rue wireless stereo headphonesBRAND NAME: 2anniceMODEL NAME: 2anniceCLIENT: 3kenzhen Cannice Technology Co., Ltd.DATE OF ISSUE: July 30, 2018STANDARD(S) rEST PROCEDURE(S): 9CC Part 15 Subpart C Section 15.249REPORT VERSION: V1.0 | | |
|--|-----------------------|---|
| PRODUCT DESIGNATION: True wireless stereo headphonesBRAND NAME: CanniceMODEL NAME: A803, A829CLIENT: Shenzhen Cannice Technology Co., Ltd.DATE OF ISSUE: July 30, 2018STANDARD(S) TEST PROCEDURE(S): FCC Part 15 Subpart C Section 15.249 | FCC ID | : 2ADTV-A803 |
| BRAND NAME: CanniceMODEL NAME: A803, A829CLIENT: Shenzhen Cannice Technology Co., Ltd.DATE OF ISSUE: July 30, 2018STANDARD(S) TEST PROCEDURE(S): FCC Part 15 Subpart C Section 15.249 | APPLICATION PURPOSE | : Original Equipment |
| MODEL NAME: A803, A829CLIENT: Shenzhen Cannice Technology Co., Ltd.DATE OF ISSUE: July 30, 2018STANDARD(S) TEST PROCEDURE(S): FCC Part 15 Subpart C Section 15.249 | PRODUCT DESIGNATION | : True wireless stereo headphones |
| CLIENT:Shenzhen Cannice Technology Co., Ltd.DATE OF ISSUE:July 30, 2018STANDARD(S) TEST PROCEDURE(S):FCC Part 15 Subpart C Section 15.249 | BRAND NAME | : Cannice |
| DATE OF ISSUE: July 30, 2018STANDARD(S) TEST PROCEDURE(S): FCC Part 15 Subpart C Section 15.249 | MODEL NAME | : A803, A829 |
| STANDARD(S) TEST PROCEDURE(S) : FCC Part 15 Subpart C Section 15.249 | CLIENT | : Shenzhen Cannice Technology Co., Ltd. |
| TEST PROCEDURE(S) : FCC Part 15 Subpart C Section 15.249 | DATE OF ISSUE | : July 30, 2018 |
| REPORT VERSION : V1.0 | | : FCC Part 15 Subpart C Section 15.249 |
| | REPORT VERSION | : V1.0 |

Attestation of Global Compliance (Shenzhen) Co., Ltd

CAUTION:

This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.



The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agconter.com.

Attestation of Global Compliance



Report No.: AGC00116180705FE03 Page 2 of 98

| Alles | | | | A Walcon St. com |
|----------------|-------------|---------------|---------------|------------------|
| Report Version | Revise Time | Issued Date | Valid Version | Notes |
| V1.0 | | July 30, 2018 | Valid | Initial release |

Report Revise Record





Report No.: AGC00116180705FE03 Page 3 of 98

TABLE OF CONTENTS

| 1. VERIFICATION OF CONFORMITY | 4 |
|--|----------|
| VERIFICATION OF CONFORMITY GENERAL INFORMATION 2.1 PRODUCT DESCRIPTION | 5 |
| 2.1. PRODUCT DESCRIPTION | 5 |
| 3. MEASUREMENT UNCERTAINTY | |
| | |
| 4. DESCRIPTION OF TEST MODES | |
| 5. SYSTEM TEST CONFIGURATION | 8 |
| 5.1. CONFIGURATION OF EUT SYSTEM 5.2. EQUIPMENT USED IN EUT SYSTEM 5.3. SUMMARY OF TEST RESULTS | 8 9 |
| 6. TEST FACILITY | |
| 7. TEST METHOD | |
| 8. TEST EQUIPMENT LIST | |
| 9. RADIATED EMISSION | 12 |
| 9.1. TEST LIMIT 9.2. MEASUREMENT PROCEDURE | 12 |
| 9.2. MEASUREMENT PROCEDURE 9.3. TEST SETUP | 13 15 |
| 9.3. TEST SETUP 9.4. TEST RESULT | 17 |
| 10. BAND EDGE EMISSION | 60 |
| 10.1. MEASUREMENT PROCEDURE | 60 |
| 10.2 TEST SETUP 10.3 RADIATED TEST RESULT | 60 |
| 11. 20DB BANDWIDTH | 69 |
| 11.1. MEASUREMENT PROCEDURE | 69 |
| 11.2 TEST SET-UP | 69 |
| 11.3. LIMITS AND MEASUREMENT RESULTS | |
| 12. FCC LINE CONDUCTED EMISSION TEST | - |
| 12.1. LIMITS OF LINE CONDUCTED EMISSION TEST 12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST | 82 |
| 12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST | 83 |
| 12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST 12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST | 83 |
| APPENDIX A: PHOTOGRAPHS OF TEST SETUP | |
| | |
| APPENDIX B: PHOTOGRAPHS OF EUT | 88 |

The results shown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by A GC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.

Attestation of Global Compliance



Report No.: AGC00116180705FE03 Page 4 of 98

1. VERIFICATION OF CONFORMITY

| Applicant | Shenzhen Cannice Technology Co., Ltd. | | |
|--------------------------|--|--|--|
| Address | 20/F, Tower A, Building 7, Baoneng Science and Technology Park, Qingxiang Road #1, Longhua New District, Shenzhen, China | | |
| Manufacturer | Shenzhen Cannice Technology Co., Ltd. | | |
| Address | 20/F, Tower A, Building 7, Baoneng Science and Technology Park, Qingxiang Road #1, Longhua New District, Shenzhen, China | | |
| Product Designation | True wireless stereo headphones | | |
| Brand Name | Cannice | | |
| Test Model | A803 | | |
| Series Model | A829 | | |
| Difference Description | All the same except for the model name | | |
| Date of test | July 17, 2018 to July 21, 2018 | | |
| Deviation | None | | |
| Condition of Test Sample | Normal | | |
| Report Template | AGCRT-US-BR/RF | | |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, the energy emitted by the sample tested as described in this report is in compliance with the requirements of FCC Rules Part 15.249. The test results of this report relate only to the tested sample identified in this report.

Tested By

Jonhen Wang

Jonhen Wang(Wang Yonghuan) July 21, 2018

well chang

Forvesto en

Reviewed By

Cool Cheng(Cheng Mengguo) July

July 30, 2018

Approved By

Forrest Lei(Lei Yonggang) Authorized Officer

July 30, 2018

The results show of this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gatt.com.

Attestation of Global Compliance



2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following

| Operation Frequency | 2.402 GHz to 2.480GHz |
|-----------------------------------|---|
| Bluetooth Version | V4.1 |
| Modulation | BR ⊠GFSK, EDR ⊠π /4-DQPSK, ⊠8DPSK BLE ⊡GFSK |
| Number of channels | 79 |
| Hardware Version | VOB |
| Software Version | VOM |
| Antenna Designation | Fixed Antenna for left headphone, Fixed Antenna for right headphone |
| Antenna Gain | 2dBi for left earphone, 2dBi for right earphone |
| Power Supply | DC 3.7V by battery |
| Note: 1. The BT function of EU | T didn't work when charging. |

2. The EUT comprises left and right channel headphone, both have been tested.

2.2. TABLE OF CARRIER FREQUENCYS

BR/EDR Channel List

| Frequency Band | Channel Number | Frequency |
|-----------------------|--|-----------|
| G | 0 | 2402MHz |
| | The the office of the second come of the second com | 2403MHz |
| a C A Hond Const Cont | | |
| | 38 | 2440 MHz |
| 2400~2483.5MHz | 39 | 2441 MHz |
| The same | 40 | 2442 MHz |
| | | |
| | 77 | 2479 MHz |
| | 78 | 2480 MHz |



3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y \pm U, where expended uncertainty U is based on a standard

- uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.
- Uncertainty of Conducted Emission, $Uc = \pm 3.2 \text{ dB}$
- Uncertainty of Radiated Emission below 1GHz, Uc = ±3.9 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB

4. DESCRIPTION OF TEST MODES

| NO. | TEST MODE DESCRIPTION |
|----------------------------------|---------------------------|
| 1 The Comparison | Low channel GFSK |
| 2 | Middle channel GFSK |
| 3 | High channel GFSK |
| 4 | Low channel π /4-DQPSK |
| 12 The 5 The Second | Middle channel π /4-DQPSK |
| 6 md ⁰ | High channel π /4-DQPSK |
| G 7 P | Low channel 8DPSK |
| 8 | Middle channel 8DPSK |
| Frank Column 9 @ Frank and Color | High channel 8DPSK |
| 10 | BT Link(Hopping mode) |
| | |

Note:

1. All the test modes can be supply by battery, only the result of the worst case was recorded in the report, if no other cases.

2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.

3. The EUT used fully-charged battery when tested.





Report No.: AGC00116180705FE03 Page 7 of 98

| | - 1 - 1 | Software | Setting | 8 | F of Glov | © 🐐 | |
|---|---|----------------------------|----------------|----|------------------|----------------|--|
| 실 Airoha AB15 | 2x (verC) LAB | Test Tool - Version | 2.1.0.1168 | 8 | | | |
| View Options | Help | 1 | Engineer : | | Login | Logout | |
| COM7 | 🔽 🚫 👰 (| D | | | | | |
| TX RX Cry | stal Trim Test Mod | e Controller Mode | | | | | |
| CTX_START CTX_DATA | RF Freq.(MHz) | 2480 | | | and forms Floreb | | |
| BTX_PACKET | Tx GC | 30 | | | ead from Flash | | |
| LE Iransmitter Test | РКТ Туре | DH1 💙 | | Re | ad from Flash | (EDR) | |
| | Data Type | PN sequence 🖌 | | | | | |
| | Hopping on Temperature | Compensation Exec | ute | | | | |
| | | | | | | | |
| [15:00:20] BTx Pack | | | | | | ~ | |
| (15:00:37] BTx Pack [15:01:59] BTx Pack [15:02:48] BTx Pack [15:03:07] BTx Pack [15:03:08] BTx Pack | et Complete! et Complete! et Complete! | | | | | | |
| Serial Port Setting | s BaudRate: 30000 | 00, Parity: None, Handshak | e: None Status | | SysMode: De | vice, Boot Rea | |





Report No.: AGC00116180705FE03 Page 8 of 98

5. SYSTEM TEST CONFIGURATION 5.1. CONFIGURATION OF EUT SYSTEM

Configure 1: (Normal hopping)

EUT

Configure 2: (Control continuous TX)

| | | | Kan Con | | Jobal Co. |
|-----|---------|-------------|---------|----|-----------|
| EUT | station | Control box | 0u | PC | N |

5.2. EQUIPMENT USED IN EUT SYSTEM

| ltem | Equipment | Mfr/Brand | Model/Type No. | Remark | |
|------|------------------------------------|-----------|----------------|-----------|--|
| JC | True wireless stereo headphones | Cannice | A803 | EUT | |
| 2 | Battery(left) | VDL | 601115 | Accessory | |
| 3 | Battery(right) | VDL | 601115 | Accessory | |
| 4 | PC PC | APPLE | A1465 | A.E | |
| 5 | Control box | AIROHA | N/A | A.E | |
| 6 | USB Cable | N/A | 1m unshielded | A.E | |
| 7 | IPOD | APPLE | A1367 | A.E | |





Report No.: AGC00116180705FE03 Page 9 of 98

5.3. SUMMARY OF TEST RESULTS

| FCC RULES | DESCRIPTION OF TEST | RESULT |
|-----------------------|---------------------|-----------|
| §15.249(a) §15.209 | Radiated Emission | Compliant |
| §15.249(d) | Band Edges | Compliant |
| §15.207 | Conduction Emission | N/A |
| §15.215 | Bandwidth | Compliant |

Note: N/A means it's not applicable to this item.



6. TEST FACILITY

| Test Site | Attestation of Global Compliance (Shenzhen) Co., Ltd | | |
|----------------------------------|--|--|--|
| Location | 1-2F., Bldg.2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Bao'an District B112-B113, Bldg.12, Baoan Bldg Materials Center, No.1 of Xixiang Inner Ring Road, Baoan District, Shenzhen 518012 | | |
| NVLAP Lab Code | 600153-0 | | |
| Designation Number | CN5028 | | |
| Test Firm Registration Number | 682566 | | |
| Description | Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by National Voluntary Laboratory Accreditation program, NVLAP Code 600153-0 | | |



AGC[®]鑫宇环检测 Attestation of Global Compliance

7. TEST METHOD

All measurements contained in this report were conducted with ANSI C63.10-2013

8. TEST EQUIPMENT LIST

TEST EQUIPMENT OF RADIATED EMISSION TEST

| | | | and the second | Yang and a second second | C Per Hi0 |
|---------------------------------|-----------------|-------------|------------------|--------------------------|---------------|
| Equipment | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
| TEST RECEIVER | R&S | ESCI | 10096 | Jun.20, 2018 | Jun.19, 2019 |
| EXA Signal Analyzer | Aglient | N9010A | MY53470504 | Dec.08, 2017 | Dec.07, 2018 |
| Horn antenna | SCHWARZBECK | BBHA 9170 | #768 | Sep.20, 2017 | Sep.19, 2018 |
| preamplifier | ChengYi | EMC184045SE | 980508 | Sep.15, 2017 | Sep.14, 2018 |
| Double-Ridged Waveguide Horn | ETS LINDGREN | 3117 | 00034609 | May 18, 2017 | May 17, 2019 |
| Broadband Preamplifier | SCHWARZBECK | BBV 9718 | 9718-205 | Jun.20, 2018 | Jun.19, 2019 |
| ANTENNA | SCHWARZBECK | VULB9168 | D69250 | Sep.28, 2017 | Sep.27, 2018 |
| Radiation Cable 1 | МХТ | RS1 | R005 | N/A | N/A |
| Radiation Cable 2 | МХТ | RS1 | R006 | N/A | N/A |
| Loop Antenna | A.H.Systems,Inc | SAS-562B | Station of Color | Mar. 01, 2018 | Feb. 28, 2019 |
| Filter (2.4-2.483GHz) | Micro-tronics | 087 | | Jun.20, 2018 | Jun.19, 2019 |



9. RADIATED EMISSION

9.1. TEST LIMIT

Standard FCC15.249

| Fundamental | Field Strength of Fundamental | Field Strength of Harmonics |
|----------------|-------------------------------|-----------------------------|
| Frequency | (millivolts/meter) | (microvolts/meter) |
| 900-928MHz | 50 | 500 |
| 2400-2483.5MHz | 50 6 6 | 500 |
| 5725-5875MHz | 50 | 500 |
| 24.0-24.25GHz | 250 | 2500 |

Standard FCC 15.209

| Frequency | Distance | Field Str | engths Limit |
|---------------|--|----------------------------------|----------------------|
| (MHz) | Meters | μ V/m | dB(µV)/m |
| 0.009 ~ 0.490 | 300 | 2400/F(kHz) | 2 |
| 0.490 ~ 1.705 | 30 | 24000/F(kHz) | |
| 1.705 ~ 30 | 30 | 30 | E The Country Court |
| 30 ~ 88 | 3 States | 100 | 40.0 |
| 88 ~ 216 | 3 | 150 | 43.5 |
| 216 ~ 960 | 3 | 200 | 46.0 |
| 960 ~ 1000 | 3 | 500 | 54.0 |
| Above 1000 | 3 The strength of the second s | Other:74.0 dB(µV)/m (Average) | (Peak) 54.0 dB(µV)/m |

Remark: (1) Emission level dB μ V = 20 log Emission level μ V/m

(2) The smaller limit shall apply at the cross point between two frequency bands.

(3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

AGC[®]鑫 宇 环 检 测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 13 of 98

9.2. MEASUREMENT PROCEDURE

- The measuring distance of 3m shall be used for measurements. The EUT was placed on the top of a rotating table 0.8 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation(Below 1GHz)
- The measuring distance of 3m shall used for measurements. The EUT was placed on the top of a rotating table 1.5 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation(Above 1GHz)
- 3. The height of the test antenna shall vary between 1m to 4m.Both horizontal and vertical polarization Of the antenna are set to make the measurement.
- 4. The initial step in collecting radiated emission data is a receive peak detector mode. Pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured.
- 5. All readings are peak unless otherwise stated QP in column of Note. Peak denoted that the Peak reading compliance with the QP limits and then QP Mode measurement didn't perform(Below 1GHz)
- 6. All readings are Peak mode value unless otherwise stated AVG in column of Note. If the Peak mode measured value compliance with the Peak limits and lower than AVG Limits, the EUT shall be deemed to meet Peak & AVG limits and then only Peak mode was measured, but AVG mode didn't perform.(Above 1GHz)





Report No.: AGC00116180705FE03 Page 14 of 98

| Spectrum Parameter | Setting |
|-----------------------|--|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |
| Start ~Stop Frequency | Fundamental: 2.4~2.483GHz RBW 2MHz/ VBW 6MHz for Peak, RBW 2MHz/ VBW 10Hz for Average Harmonics: 1GHz~25GHz RBW 1MHz/ VBW 3MHz for Peak, RBW 1MHz/ VBW 10Hz for Average |
| Receiver Parameter | Setting |
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |

The following table is the setting of spectrum analyzer and receiver.







Report No.: AGC00116180705FE03 Page 15 of 98

9.3. TEST SETUP

RADIATED EMISSION TEST-SETUP FREQUENCY BELOW 30MHz



RADIATED EMISSION TEST SETUP 30MHz-1000MHz




The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gent.com.



Spectrum Analyzer / Receiver



Report No.: AGC00116180705FE03 Page 16 of 98



RADIATED EMISSION TEST SETUP ABOVE 1000MHz





Report No.: AGC00116180705FE03 Page 17 of 98

9.4. TEST RESULT

(Worst modulation: GFSK)

RADIATED EMISSION BELOW 30MHz

No emission found between lowest internal used/generated frequencies to 30MHz.






Report No.: AGC00116180705FE03 Page 18 of 98

For left headphone

RADIATED EMISSION BELOW 1GHz

RADIATED EMISSION TEST- (30MHz-1GHz)-LOW CHANNEL-HORIZONTAL




| 1 | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | | Comment | |
|----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|--------|---------|----|
| | | • | MHz | dBu∀ | dB/m | dBu∀/m | dBuV/m | dB | | cm | degree | | |
| | 1 | | 128.6167 | 13.54 | 9.88 | 23.42 | 43.50 | -20.08 | peak | | | | |
| | 2 | | 277.3500 | 8.94 | 11.55 | 20.49 | 46.00 | -25.51 | peak | | | | 3 |
| | 3 | | 354.9500 | 4.54 | 18.77 | 23.31 | 46.00 | -22.69 | peak | | | | ,0 |
| | 4 | | 548.9500 | 0.83 | 22.45 | 23.28 | 46.00 | -22.72 | peak | | | | |
| | 5 | | 663.7333 | 1.28 | 24.23 | 25.51 | 46.00 | -20.49 | peak | | | | |
| きっ | 6 | * | 862.5833 | 1.95 | 27.64 | 29.59 | 46.00 | -16.41 | peak | | | | Þ |

RESULT: PASS

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

Attestation of Global Compliance



| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | | Comment |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|--------|---------|
| | - | MHz | dBu∨ | dB/m | dBu∀/m | dBuV/m | dB | | cm | degree | |
| 1 | * | 125.3833 | 22.25 | 9.10 | 31.35 | 43.50 | -12.15 | peak | | | |
| 2 | | 172.2667 | 10.96 | 14.56 | 25.52 | 43.50 | -17.98 | peak | | | |
| 3 | | 241.7833 | 8.39 | 13.09 | 21.48 | 46.00 | -24.52 | peak | | | |
| 4 | | 384.0500 | 1.61 | 18.96 | 20.57 | 46.00 | -25.43 | peak | | | |
| 5 | | 537.6332 | 1.20 | 22.15 | 23.35 | 46.00 | -22.65 | peak | | | |
| 6 | | 786.6000 | 1.41 | 27.14 | 28.55 | 46.00 | -17.45 | peak | | | |

RESULT: PASS


C

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

鑫 宇 环 检 测 Attestation of Global Compliance

2. The "Factor" value can be calculated automatically by software of measurement system.






RADIATED EMISSION TEST- (30MHz-1GHz)-MIDDLE CHANNEL-HORIZONTAL

鑫 宇 环 检 测 Attestation of Global Compliance

GC

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 9 | | • | MHz | dBu∨ | dB/m | dBu∀/m | dBuV/m | dB | | cm | degree | |
| 300 | 1 | | 127.0000 | 12.28 | 9.13 | 21.41 | 43.50 | -22.09 | peak | | | |
| | 2 | | 198.1333 | 3.61 | 11.91 | 15.52 | 43.50 | -27.98 | peak | | | |
| | 3 | | 380.8167 | 0.92 | 18.94 | 19.86 | 46.00 | -26.14 | peak | | | |
| | 4 | | 552.1833 | 0.46 | 22.53 | 22.99 | 46.00 | -23.01 | peak | | | |
| | 5 | | 742.9500 | 2.00 | 26.43 | 28.43 | 46.00 | -17.57 | peak | | | |
| 1 | 6 | * | 946.6500 | 1.74 | 29.91 | 31.65 | 46.00 | -14.35 | peak | | | |

RESULT: PASS



RADIATED EMISSION TEST- (30MHz-1GHz)-MIDDLE CHANNEL -VERTICAL

鑫 宇 环 检 测 Attestation of Global Compliance


GC

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 13 | | - | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 500 | 1 | * | 130.2332 | 20.27 | 11.13 | 31.40 | 43.50 | -12.10 | peak | | | |
| | 2 | | 162.5667 | 8.75 | 15.17 | 23.92 | 43.50 | -19.58 | peak | | | |
| | 3 | | 243.4000 | 4.70 | 13.25 | 17.95 | 46.00 | -28.05 | peak | | | |
| | 4 | | 416.3833 | 1.01 | 19.57 | 20.58 | 46.00 | -25.42 | peak | | | |
| | 5 | | 641.1000 | 0.86 | 23.65 | 24.51 | 46.00 | -21.49 | peak | | | |
| 1 | 6 | | 773.6667 | 1.45 | 26.96 | 28.41 | 46.00 | -17.59 | peak | | | |

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.




RADIATED EMISSION TEST- (30MHz-1GHz)-HIGH CHANNEL-HORIZONTAL

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 10 | | - | MHz | dBu∀ | dB/m | dBu∀/m | dBuV/m | dB | | cm | degree | |
| 50 | 1 | | 125.3833 | 13.39 | 8.37 | 21.76 | 43.50 | -21.74 | peak | | | |
| | 2 | | 274.1167 | 6.14 | 11.00 | 17.14 | 46.00 | -28.86 | peak | | | |
| | 3 | | 375.9667 | 2.14 | 18.91 | 21.05 | 46.00 | -24.95 | peak | | | |
| | 4 | | 586.1332 | 0.44 | 23.38 | 23.82 | 46.00 | -22.18 | peak | | | |
| | 5 | | 752.6500 | 0.82 | 26.67 | 27.49 | 46.00 | -18.51 | peak | | | |
| | 6 | * | 933.7167 | 1.61 | 29.55 | 31.16 | 46.00 | -14.84 | peak | | | |

RESULT: PASS

GC

鑫 宇 环 检 测 Attestation of Global Compliance



RADIATED EMISSION TEST- (30MHz-1GHz)-HIGH CHANNEL -VERTICAL

鑫 宇 环 检 测 Attestation of Global Compliance

610

| | | | | | | | | | 111111 V | | | 74A 7 1910 |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|------------|
| 9 | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
| | | • | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| ġ | 1 | * | 130.2332 | 21.06 | 11.13 | 32.19 | 43.50 | -11.31 | peak | | | |
| sta | 2 | | 235.3167 | 4.94 | 12.46 | 17.40 | 46.00 | -28.60 | peak | | | |
| | 3 | | 298.3667 | 4.68 | 15.36 | 20.04 | 46.00 | -25.96 | peak | | | |
| | 4 | | 398.6000 | 1.59 | 19.06 | 20.65 | 46.00 | -25.35 | peak | | | |
| | 5 | | 700.9167 | 1.15 | 25.22 | 26.37 | 46.00 | -19.63 | peak | | | |
| | 6 | | 907.8500 | 2.82 | 28.83 | 31.65 | 46.00 | -14.35 | peak | | | |

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.




Report No.: AGC00116180705FE03 Page 24 of 98

For right headphone

RADIATED EMISSION BELOW 1GHz

RADIATED EMISSION TEST- (30MHz-1GHz)-LOW CHANNEL-HORIZONTAL




| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | |
|---|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|-----|
| | | - | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | | |
| | 1 | | 127.0000 | 14.28 | 9.13 | 23.41 | 43.50 | -20.09 | peak | | | | |
| | 2 | | 353.3333 | 4.06 | 18.76 | 22.82 | 46.00 | -23.18 | peak | | | | INN |
| 4 | 3 | | 552.1833 | -1.04 | 22.53 | 21.49 | 46.00 | -24.51 | peak | | | | 39 |
| | 4 | | 612.0000 | -0.14 | 23.76 | 23.62 | 46.00 | -22.38 | peak | | | | |
| | 5 | | 762.3500 | 0.34 | 26.80 | 27.14 | 46.00 | -18.86 | peak | | | | |
| く (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | 6 | * | 933.7166 | 2.03 | 29.55 | 31.58 | 46.00 | -14.42 | peak | | | | P |

RESULT: PASS

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 25 of 98




RADIATED EMISSION TEST- (30MHz-1GHz)-LOW CHANNEL -VERTICAL

| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | - | MHz | dBu∀ | dB/m | dBu∀/m | dBuV/m | dB | | cm | degree | |
| 1 | * | 130.2333 | 20.77 | 11.13 | 31.90 | 43.50 | -11.60 | peak | | | |
| 2 | | 243.4000 | 4.70 | 13.25 | 17.95 | 46.00 | -28.05 | peak | | | |
| 3 | | 416.3833 | 0.01 | 19.57 | 19.58 | 46.00 | -26.42 | peak | | | |
| 4 | | 565.1167 | 2.80 | 22.56 | 25.36 | 46.00 | -20.64 | peak | | | |
| 5 | | 754.2667 | 2.00 | 26.69 | 28.69 | 46.00 | -17.31 | peak | | | |
| 6 | | 883.6000 | 0.55 | 28.18 | 28.73 | 46.00 | -17.27 | peak | | | |

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.




RADIATED EMISSION TEST- (30MHz-1GHz)-MIDDLE CHANNEL-HORIZONTAL

鑫 宇 环 检 测 Attestation of Global Compliance

GC

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|-----|
| 3 | | - | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | | |
| 510 | 1 | * | 130.2333 | 20.56 | 11.13 | 31.69 | 43.50 | -11.81 | peak | | | | |
| | 2 | | 298.3666 | 4.68 | 15.36 | 20.04 | 46.00 | -25.96 | peak | | | | Nu. |
| | 3 | | 398.6000 | 1.59 | 19.06 | 20.65 | 46.00 | -25.35 | peak | | | | |
| | 4 | | 597.4500 | 0.52 | 22.72 | 23.24 | 46.00 | -22.76 | peak | | | | |
| | 5 | | 763.9666 | 1.26 | 26.82 | 28.08 | 46.00 | -17.92 | peak | | | | 10 |
| 1 | 6 | | 877.1332 | 1.10 | 28.02 | 29.12 | 46.00 | -16.88 | peak | | | | |

RESULT: PASS



RADIATED EMISSION TEST- (30MHz-1GHz)-MIDDLE CHANNEL -VERTICAL

鑫 宇 环 检 测 Attestation of Global Compliance

GC


| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|--------|---------|
| 100 | | - | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 510 | 1 | | 136.6999 | 9.63 | 13.66 | 23.29 | 43.50 | -20.21 | peak | | | |
| | 2 | | 274.1166 | 8.14 | 11.00 | 19.14 | 46.00 | -26.86 | peak | | | |
| | 3 | | 375.9667 | 2.64 | 18.91 | 21.55 | 46.00 | -24.45 | peak | | | |
| | 4 | | 569.9666 | 2.03 | 22.98 | 25.01 | 46.00 | -20.99 | peak | | | |
| | 5 | | 692.8333 | 2.01 | 25.02 | 27.03 | 46.00 | -18.97 | peak | | | |
| 1 | 6 | * | 888.4500 | 1.32 | 28.31 | 29.63 | 46.00 | -16.37 | peak | | | |

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.

Report No.: AGC00116180705FE03 Page 28 of 98



RADIATED EMISSION TEST- (30MHz-1GHz)-HIGH CHANNEL-HORIZONTAL


鑫 宇 环 检 测 Attestation of Global Compliance

GC

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|--------|---------|
| 100 | | - | MHz | dBu∨ | dB/m | dBu\//m | dBuV/m | dB | | cm | degree | |
| 510 | 1 | | 115.6833 | 22.80 | 6.86 | 29.66 | 43.50 | -13.84 | peak | | | |
| | 2 | * | 198.1331 | 22.41 | 11.91 | 34.32 | 43.50 | -9.18 | peak | | | |
| | 3 | | 356.5667 | 3.96 | 18.78 | 22.74 | 46.00 | -23.26 | peak | | | |
| | 4 | | 534.3999 | 5.46 | 22.06 | 27.52 | 46.00 | -18.48 | peak | | | |
| | 5 | | 746.1833 | 1.38 | 26.52 | 27.90 | 46.00 | -18.10 | peak | | | |
| 1 | 6 | | 828.6332 | 2.41 | 27.31 | 29.72 | 46.00 | -16.28 | peak | | | |

RESULT: PASS

Report No.: AGC00116180705FE03 Page 29 of 98



RADIATED EMISSION TEST- (30MHz-1GHz)-HIGH CHANNEL -VERTICAL

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|--------|---------|
| 100 | | • | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 50 | 1 | * | 131.8499 | 18.89 | 11.80 | 30.69 | 43.50 | -12.81 | peak | | | |
| | 2 | | 249.8667 | 8.98 | 13.89 | 22.87 | 46.00 | -23.13 | peak | | | |
| | 3 | | 429.3167 | 1.41 | 19.96 | 21.37 | 46.00 | -24.63 | peak | | | |
| | 4 | | 584.5167 | 1.32 | 22.65 | 23.97 | 46.00 | -22.03 | peak | | | |
| | 5 | | 809.2332 | 1.53 | 27.32 | 28.85 | 46.00 | -17.15 | peak | | | |
| 1 | 6 | | 933.7166 | 2.24 | 29.55 | 31.79 | 46.00 | -14.21 | peak | | | |

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.



Report No.: AGC00116180705FE03 Page 30 of 98


RADIATED EMISSION ABOVE 1GHz

(Worst modulation: GFSK)

For Fundamental

For left headphone


RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL-HORIZONTAL



| | | | | | | | | 20100101 | 5 | 5 | oominon |
|------|---|----------|-------|-------|--------|--------|--------|----------|-----|--------|---------|
| | - | MHz | dBu∀ | dB/m | dBuV/m | dBu∨/m | dB | | cm | degree | |
| 1 | | 2402.000 | 84.43 | 10.32 | 94.75 | 114.00 | -19.25 | peak | | | |
| 2 | * | 2402.000 | 76.51 | 10.32 | 86.83 | 94.00 | -7.17 | AVG | 100 | 125 | |

RESULT: PASS





RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL- VERTICAL

| 24 | 0.00 | 00 | 2400.40 | 2400.80 | 2401.20 | 2401.60 | 2402.00 | 24 | 102.40 | 2402.80 | 2403.2 | 0 2404.00 | MHz |
|----|------|----|----------|---------|---------|-------------|---------|--------|----------|-------------------|-----------------|-----------|-----|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | |
| | | - | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | | |
| | 1 | | 2402.000 | 83.97 | 10.32 | 94.29 | 114.00 | -19.71 | peak | | | |] |
| | 2 | * | 2402.000 | 75.96 | 10.32 | 86.28 | 94.00 | -7.72 | AVG | 100 | 302 | |] |

RESULT: PASS


R

鑫 宇 环 检 测 Attestation of Global Compliance

测

GC






RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL-HORIZONTAL


| N | . I | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|---|-----|-----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | | - [| MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 1 | | | 2441.000 | 83.70 | 10.36 | 94.06 | 114.00 | -19.94 | peak | | | |
| 2 | 2 | * | 2441.000 | 75.78 | 10.36 | 86.14 | 94.00 | -7.86 | AVG | 100 | 137 | |

RESULT: PASS

GC[®]鑫宇环检测 Attestation of Global Compliance







| 2 | • | <u> </u> |
|---|----|----------|
| J | ь. | UI |
| | | |

| 2 | 439.0 | 000 | 2439.40 | 2439.80 | 2440.20 | 2440.60 | 2441.00 | 24 | 41.40 | 2441.80 | 2442.2 | 0 2443.00 | MHz |
|---|-------|-----|----------|---------|---------|-------------|---------|--------|----------|-------------------|-----------------|-----------|------|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | 1810 |
| | | - | MHz | dBu∨ | dB/m | dBu∀/m | dBu∀/m | dB | | cm | degree | | |
| | 1 | | 2441.000 | 83.23 | 10.36 | 93.59 | 114.00 | -20.41 | peak | | | |] |
| | 2 | * | 2441.000 | 75.20 | 10.36 | 85.56 | 94.00 | -8.44 | AVG | 100 | 309 | |] |

RESULT: PASS

R


GC

环

鑫 宇 环 检 测 Attestation of Global Compliance

测






RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL-HORIZONTAL


| | | | | | | | | | | | (C) All in the second |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|-----------------------|
| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
| | - | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 1 | | 2480.000 | 82.96 | 10.41 | 93.37 | 114.00 | -20.63 | peak | | | |
| 2 | * | 2480.000 | 74.99 | 10.41 | 85.40 | 94.00 | -8.60 | AVG | 100 | 114 | |

RESULT: PASS

GC[®]鑫宇环检测 Attestation of Global Compliance







RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL- VERTICAL

| No | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 4 | - | MHz | dBu∨ | dB/m | dBu\//m | dBuV/m | dB | | cm | degree | |
| 1 | | 2480.000 | 82.53 | 10.41 | 92.94 | 114.00 | -21.06 | peak | | | |
| 2 | * | 2480.000 | 74.48 | 10.41 | 84.89 | 94.00 | -9.11 | AVG | 100 | | |

RESULT: PASS

GC[®]鑫宇环检测 Attestation of Global Compliance

Note: Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Measurement-Limit.

The "Factor" value can be calculated automatically by software of measurement system.



Field strength of the fundamental signal

1Mbps Result:

Peak value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|--------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 84.43 | 10.32 | 94.75 | 114 | -19.25 | Horizontal |
| 2402 | 83.97 | 10.32 | 94.29 | 114 | -19.71 | Vertical |
| 2441 | 83.70 | 10.36 | 94.06 | 114 | -19.94 | Horizontal |
| 2441 | 83.23 | 10.36 | 93.59 | 114 | -20.41 | Vertical |
| 2480 | 82.96 | 10.41 | 93.37 | 114 | -20.63 | Horizontal |
| 2480 | 82.53 | 10.41 | 92.94 | 114 | -21.06 | Vertical |

Average value

| Frequency (MHz) | Reading Level (dBuv) | Factor (dB/m) | Measurement (dBuv/m) | Limit (dBuv/m) | Over (dB) | Antenna Polarization |
|--------------------|----------------------------|------------------|-------------------------|-------------------|--------------|-------------------------|
| | | | | | | |
| 2402 | 75.96 | 10.32 | 86.28 | 94 | -7.72 | Vertical |
| 2441 | 75.78 | 10.36 | 86.14 | 94 | -7.86 | Horizontal |
| 2441 | 75.20 | 10.36 | 85.56 | 94 | -8.44 | Vertical |
| 2480 | 74.99 | 10.41 | 85.40 | 94 | -8.60 | Horizontal |
| 2480 | 74.48 | 10.41 | 84.89 | 94 | -9.11 | Vertical |



AGC [®] 鑫 宇 环 检 测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 37 of 98

2Mbps Result:

Peak value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna Polarization | |
|-----------|------------------|--------|-------------|----------|--------|-------------------------|--|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | | |
| 2402 | 84.06 | 10.32 | 94.38 | 114 | -19.62 | Horizontal | |
| 2402 | 83.67 | 10.32 | 93.99 | 114 | -20.01 | Vertical | |
| 2441 | 83.27 | 10.36 | 93.63 | 114 | -20.37 | Horizontal | |
| 2441 | 82.87 | 10.36 | 93.23 | 114 🔬 | -20.77 | Vertical | |
| 2480 | 82.65 | 10.41 | 93.06 | 114 | -20.94 | Horizontal | |
| 2480 | 82.08 | 10.41 | 92.49 | 114 | -21.51 | Vertical | |

Average value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|-------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 76.19 | 10.32 | 86.51 | 94 | -7.49 | Horizontal |
| 2402 | 75.49 | 10.32 | 85.81 | 94 | -8.19 | Vertical |
| 2441 | 75.26 | 10.36 | 85.62 | 94 | -8.38 | Horizontal |
| 2441 | 74.80 | 10.36 | 85.16 | 94 | -8.84 | Vertical |
| 2480 | 74.68 | 10.41 | 85.09 | 94 | -8.91 | Horizontal |
| 2480 | 74.13 | 10.41 | 84.54 | 94 | -9.46 | Vertical |



AGC [®] 鑫 宇 环 检 测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 38 of 98

3Mbps Result:

Peak value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna Polarization | |
|-----------|------------------|--------|-------------|----------|--------|-------------------------|--|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | | |
| 2402 | 83.72 | 10.32 | 94.04 | 114 | -19.96 | Horizontal | |
| 2402 | 83.31 | 10.32 | 93.63 | 114 | -20.37 | Vertical | |
| 2441 | 82.84 | 10.36 | 93.20 | 114 | -20.80 | Horizontal | |
| 2441 | 82.50 | 10.36 | 92.86 | 114 | -21.14 | Vertical | |
| 2480 | 82.23 | 10.41 | 92.64 | 114 | -21.36 | Horizontal | |
| 2480 | 81.66 | 10.41 | 92.07 | 114 | -21.93 | Vertical | |

Average value


| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|-------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 75.80 | 10.32 | 86.12 | 94 | -7.88 | Horizontal |
| 2402 | 75.15 | 10.32 | 85.47 | 94 | -8.53 | Vertical |
| 2441 | 74.93 | 10.36 | 85.29 | 94 | -8.71 | Horizontal |
| 2441 | 74.39 | 10.36 | 84.75 | 94 | -9.25 | Vertical |
| 2480 | 74.30 | 10.41 | 84.71 | 94 | -9.29 | Horizontal |
| 2480 | 73.75 | 10.41 | 84.16 | 94 | -9.84 | Vertical |



ACC [®]鑫 宇 环 检 测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 39 of 98

For right headphone



94.00

-6.23

AVG

100

24

RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL-HORIZONTAL

RESULT: PASS

2


2402.000


77.45

10.32

87.77







RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL- VERTICAL

36.0

| 2 | 400.0 | 000 | 2400.40 | 2400.80 | 2401.20 | 2401.60 | 2402.00 | 24 | 02.40 | 2402.80 | 2403.20 | 0 2404.00 | MHz |
|---|-------|-----|----------|---------|---------|-------------|---------|--------|----------|-------------------|-----------------|-----------|-----|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | |
| | | - | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | | |
| | 1 | | 2402.000 | 84.89 | 10.32 | 95.21 | 114.00 | -18.79 | peak | | | |] |
| | 2 | * | 2402.000 | 76.93 | 10.32 | 87.25 | 94.00 | -6.75 | AVG | 100 | 211 | |] |

RESULT: PASS

R


鑫 宇 环 检 测 Attestation of Global Compliance

测

GC



Report No.: AGC00116180705FE03 Page 41 of 98




RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL-HORIZONTAL


| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|---|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | | - | MHz | dBu∨ | dB/m | dBuV/m | dBu∀/m | dB | | cm | cm degree | |
| 5 | 1 | | 2441.000 | 84.60 | 10.36 | 94.96 | 114.00 | -19.04 | peak | | | |
| | 2 | * | 2441.000 | 76.61 | 10.36 | 86.97 | 94.00 | -7.03 | AVG | 100 | 26 | |

RESULT: PASS

GC[®]鑫宇环检测 Attestation of Global Compliance







RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL- VERTICAL

| 36.0 | l |
|------|---|
| | |

| 2 | 139.0 | 00 | 2439.40 | 2439.80 | 2440.20 | 2440.60 | 2441.00 | 24 | 41.40 | 2441.80 | 2442.2 | 0 2443.00 | MHz |
|---|-------|----|----------|---------|---------|-------------|---------|--------|----------|-------------------|-----------------|-----------|------|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | Jalo |
| | | - | MHz | dBu∀ | dB/m | dBu\//m | dBuV/m | dB | | cm | degree | | |
| | 1 | | 2441.000 | 84.15 | 10.36 | 94.51 | 114.00 | -19.49 | peak | | | | |
| | 2 | * | 2441.000 | 76.14 | 10.36 | 86.50 | 94.00 | -7.50 | AVG | 100 | 215 | |] |

RESULT: PASS

R


环 鑫 宇 环 检 测 Attestation of Global Compliance

测

GC








RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL-HORIZONTAL


| _ | - | _ |
|---|------------|-----|
| 7 | £ 1 | n I |
| ູ | υ. | υı |
| | | |

| 24 | 78.0 | 00 | 2478.40 | 2478.80 | 2479.20 | 2479.60 | 2480.00 |) 24 | 80.40 | 2480.80 | 2481.2 | 20 2482.00 | MHz |
|----|------|----|----------|---------|---------|-------------|---------|--------|----------|-------------------|-----------------|------------|--------|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | oalCon |
| | | • | MHz | dBu∨ | dB/m | dBuV/m | dBu∀/m | dB | | cm | degree | | |
| | 1 | | 2480.000 | 83.87 | 10.41 | 94.28 | 114.00 | -19.72 | peak | | | |] |
| | 2 | * | 2480.000 | 75.92 | 10.41 | 86.33 | 94.00 | -7.67 | AVG | 100 | 33 | |] |

RESULT: PASS







RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL- VERTICAL

| | | | | | | | | (2.) | | | Res AD | |
|---|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
| a | | - | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 1 | 1 | | 2480.000 | 83.44 | 10.41 | 93.85 | 114.00 | -20.15 | peak | | | |
| | 2 | * | 2480.000 | 75.39 | 10.41 | 85.80 | 94.00 | -8.20 | AVG | 100 | | |

RESULT: PASS

GC[®]鑫宇环检测 Attestation of Global Compliance

Note: Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Measurement-Limit.

The "Factor" value can be calculated automatically by software of measurement system.



Field strength of the fundamental signal

1Mbps Result:

Peak value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna | |
|-----------|------------------|--------|-------------|----------|--------|--------------|--|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization | |
| 2402 | 85.35 | 10.32 | 95.67 | 114 | -18.33 | Horizontal | |
| 2402 | 84.89 | 10.32 | 95.21 | 114 | -18.79 | Vertical | |
| 2441 | 84.60 | 10.36 | 94.96 | 114 | -19.04 | Horizontal | |
| 2441 | 84.15 | 10.36 | 94.51 | 114 | -19.49 | Vertical | |
| 2480 | 83.87 | 10.41 | 94.28 | 114 | -19.72 | Horizontal | |
| 2480 | 83.44 | 10.41 | 93.85 | 114 | -20.15 | Vertical | |

Average value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|-------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 77.45 | 10.32 | 87.77 | 94 | -6.23 | Horizontal |
| 2402 | 76.93 | 10.32 | 87.25 | 94 | -6.75 | Vertical |
| 2441 | 76.61 | 10.36 | 86.97 | 94 | -7.03 | Horizontal |
| 2441 | 76.14 | 10.36 | 86.50 | 94 | -7.50 | Vertical |
| 2480 | 75.92 | 10.41 | 86.33 | 94 | -7.67 | Horizontal |
| 2480 | 75.39 | 10.41 | 85.80 | 94 | -8.20 | Vertical |

AGC [®] 鑫 宇 环 检 测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 46 of 98

2Mbps Result:

Peak value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|----------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 84.90 | 10.32 | 95.22 | 114 | -18.78 | Horizontal |
| 2402 | 84.62 | 10.32 | 94.94 | 114 | -19.06 | Vertical |
| 2441 | 84.10 | 10.36 | 94.46 | 114 | -19.54 | Horizontal |
| 2441 | 83.72 | 10.36 | 94.08 | 114 🔬 | -19.92 🔜 | Vertical |
| 2480 | 83.46 | 10.41 | 93.87 | 114 | -20.13 | Horizontal |
| 2480 | 82.92 | 10.41 | 93.33 | 114 | -20.67 | Vertical |

Average value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|-------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 76.99 | 10.32 | 87.31 | 94 | -6.69 | Horizontal |
| 2402 | 76.61 | 10.32 | 86.93 | 94 | -7.07 | Vertical |
| 2441 | 76.33 | 10.36 | 86.69 | 94 | -7.31 | Horizontal |
| 2441 | 75.66 | 10.36 | 86.02 | 94 | -7.98 | Vertical |
| 2480 | 75.47 | 10.41 | 85.88 | 94 | -8.12 | Horizontal |
| 2480 | 74.99 | 10.41 | 85.40 | 94 | -8.60 | Vertical |



AGC [®] 鑫 宇 环 检 测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 47 of 98

3Mbps Result:

Peak value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|--------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 84.51 | 10.32 | 94.83 | 114 | -19.17 | Horizontal |
| 2402 | 84.23 | 10.32 | 94.55 | 114 | -19.45 | Vertical |
| 2441 | 83.70 | 10.36 | 94.06 | 114 | -19.94 | Horizontal |
| 2441 | 83.35 | 10.36 | 93.71 | 114 🔬 | -20.29 | Vertical |
| 2480 | 83.06 | 10.41 | 93.47 | 114 | -20.53 | Horizontal |
| 2480 | 82.52 | 10.41 | 92.93 | 114 | -21.07 | Vertical |

Average value

| Frequency | Reading Level | Factor | Measurement | Limit | Over | Antenna |
|-----------|------------------|--------|-------------|----------|-------|--------------|
| (MHz) | (dBuv) | (dB/m) | (dBuv/m) | (dBuv/m) | (dB) | Polarization |
| 2402 | 76.59 | 10.32 | 86.91 | 94 | -7.09 | Horizontal |
| 2402 | 76.25 | 10.32 | 86.57 | 94 | -7.43 | Vertical |
| 2441 | 75.92 | 10.36 | 86.28 | 94 | -7.72 | Horizontal |
| 2441 | 75.35 | 10.36 | 85.71 | 94 | -8.29 | Vertical |
| 2480 | 75.08 | 10.41 | 85.49 | 94 | -8.51 | Horizontal |
| 2480 | 74.60 | 10.41 | 85.01 | 94 | -8.99 | Vertical |






Report No.: AGC00116180705FE03 Page 48 of 98

(Worst modulation: GFSK)

For Harmonics

For left headphone

RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL-HORIZONTAL




| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|---|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | | - | MHz | dBu∨ | dB/m | dBu\//m | dBuV/m | dB | | cm | degree | |
| ſ | 1 | | 1750.000 | 38.35 | 7.25 | 45.60 | 74.00 | -28.40 | peak | | | |
| | 2 | | 3616.667 | 34.05 | 12.83 | 46.88 | 74.00 | -27.12 | peak | | | |
| | 3 | * | 4804.000 | 43.21 | 7.69 | 50.90 | 74.00 | -23.10 | peak | | | |

RESULT: PASS





Report No.: AGC00116180705FE03 Page 49 of 98



RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL- VERTICAL

1783.333 36.57 7.60 44.17 74.00 -29.83 1 peak 3433.333 12.05 74.00 -27.91 2 34.04 46.09 peak 3 * 4804.000 42.55 7.69 50.24 74.00 -23.76 peak

RESULT: PASS






RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL-HORIZONTAL

| 1000 | .000 | 1500.00 | 2000.00 | 2500.00 | 3000.00 | 3500.0 | 0 40 | 00.00 | 4500.00 | 5000.00 | 6000.00 | MHz |
|------|------|----------|---------|---------|-------------|--------|--------|----------|-------------------|-----------------|---------|--------------------|
| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | ⁷ Court |
| | • | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB |] | cm | degree | | |
| 1 | | 1991.667 | 35.20 | 9.79 | 44.99 | 74.00 | -29.01 | peak | | | | 1 |
| 2 | | 3266.667 | 34.19 | 11.89 | 46.08 | 74.00 | -27.92 | peak | | | | 1 |
| 3 | * | 4882.000 | 43.66 | 7.89 | 51.55 | 74.00 | -22.45 | peak | | | | 1 |

RESULT: PASS







RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL- VERTICAL


| N | . N | Лk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | | Comment |
|---|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|--------|---------|
| X | | - | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 1 | | | 2300.000 | 35.67 | 10.21 | 45.88 | 74.00 | -28.12 | peak | | | |
| 2 | | | 4141.667 | 33.26 | 12.84 | 46.10 | 74.00 | -27.90 | peak | | | |
| 3 | | * | 4882.000 | 42.89 | 7.89 | 50.78 | 74.00 | -23.22 | peak | | | |

RESULT: PASS





Report No.: AGC00116180705FE03 Page 52 of 98



| 1 | 000.0 | 000 | 1500.00 | 2000.00 | 2500.00 | 3000.00 | 3500.00 | 40 | 00.00 | 4500.00 | 5000.00 | 6000.00 | MHz |
|---|-------|-----|----------|---------|---------|-------------|---------|--------|----------|-------------------|-----------------|---------|--------|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | al CON |
| | | - | MHz | dBu∀ | dB/m | dBuV/m | dBu∨/m | dB | | cm | degree | | |
| | 1 | | 1841.667 | 36.57 | 8.21 | 44.78 | 74.00 | -29.22 | peak | | | | 1 |
| | 2 | | 3525.000 | 33.29 | 12.26 | 45.55 | 74.00 | -28.45 | peak | | | | 1 |
| | 3 | * | 4960.000 | 43.60 | 8.09 | 51.69 | 74.00 | -22.31 | peak | | | | |

RESULT: PASS





RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL- VERTICAL

| 1 | 000. | 000 | 1500.00 | 2000.00 | 2500.00 | 3000.00 | 3500.00 |) 40 | 00.00 | 4500.00 | 5000.00 | 0.00.00 | MHz |
|---|------|-----|----------|---------|---------|-------------|---------|--------|----------|-------------------|-----------------|---------|------|
| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment | |
| | | • | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | | |
| | 1 | | 1533.333 | 39.78 | 4.97 | 44.75 | 74.00 | -29.25 | peak | | | |] |
| | 2 | | 3375.000 | 35.29 | 11.99 | 47.28 | 74.00 | -26.72 | peak | | | | 1 |
| | 3 | * | 4960.000 | 42.91 | 8.09 | 51.00 | 74.00 | -23.00 | peak | | | | Elec |

RESULT: PASS

Note: 6~25GHz at least have 20dB margin. No recording in the test report.

Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Measurement-Limit.


The "Factor" value can be calculated automatically by software of measurement system.





For right headphone

RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL-HORIZONTAL



RESULT: PASS


The results showed hts test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document terror details and the authenticity of the report will be confirmed at http://www.agc-cert.com.



peak



Report No.: AGC00116180705FE03 Page 55 of 98




RADIATED EMISSION TEST- (ABOVE 1GHz)-LOW CHANNEL- VERTICAL

| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | - | MHz | dBu∀ | dB/m | dBu∀/m | dBuV/m | dB | | cm | degree | |
| 1 | | 1783.333 | 36.57 | 7.60 | 44.17 | 74.00 | -29.83 | peak | | | |
| 2 | | 3433.333 | 33.54 | 12.05 | 45.59 | 74.00 | -28.41 | peak | | | |
| 3 | * | 4804.000 | 41.05 | 7.69 | 48.74 | 74.00 | -25.26 | peak | | | |

RESULT: PASS








RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL-HORIZONTAL

| - | lo. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 4 | | • | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| str | 1 | | 1991.667 | 34.70 | 9.79 | 44.49 | 74.00 | -29.51 | peak | | | |
| | 2 | | 3775.000 | 31.65 | 13.80 | 45.45 | 74.00 | -28.55 | peak | | | |
| | 3 | * | 4882.000 | 42.66 | 7.89 | 50.55 | 74.00 | -23.45 | peak | | | |

RESULT: PASS







RADIATED EMISSION TEST- (ABOVE 1GHz)-MIDDLE CHANNEL- VERTICAL


| N | . I | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| X | | - | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| ं 1 | | | 2091.667 | 34.41 | 9.98 | 44.39 | 74.00 | -29.61 | peak | | | |
| 2 | 2 | | 3841.667 | 31.36 | 14.21 | 45.57 | 74.00 | -28.43 | peak | | | |
| 3 | ; | * | 4882.000 | 42.39 | 7.89 | 50.28 | 74.00 | -23.72 | peak | | | |

RESULT: PASS





Report No.: AGC00116180705FE03 Page 58 of 98




RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL-HORIZONTAL

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 2 | | - | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| ste | 1 | | 1841.667 | 36.57 | 8.21 | 44.78 | 74.00 | -29.22 | peak | | | |
| | 2 | | 3525.000 | 33.29 | 12.26 | 45.55 | 74.00 | -28.45 | peak | | | |
| | 3 | * | 4960.000 | 42.60 | 8.09 | 50.69 | 74.00 | -23.31 | peak | | | |

RESULT: PASS







RADIATED EMISSION TEST- (ABOVE 1GHz)-HIGH CHANNEL- VERTICAL

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|---|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 8 | | - | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| a | 1 | | 2283.333 | 35.05 | 10.19 | 45.24 | 74.00 | -28.76 | peak | | | |
| | 2 | | 3883.333 | 31.06 | 14.47 | 45.53 | 74.00 | -28.47 | peak | | | |
| | 3 | * | 4960.000 | 42.41 | 8.09 | 50.50 | 74.00 | -23.50 | peak | | | |

RESULT: PASS

Note: 6~25GHz at least have 20dB margin. No recording in the test report.

Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Measurement-Limit.

The "Factor" value can be calculated automatically by software of measurement system.



AGC[®]鑫宇环检测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 60 of 98

10. BAND EDGE EMISSION

10.1. MEASUREMENT PROCEDURE


1. The EUT operates at hopping-off test mode. The lowest or highest channels are tested to verify the largest transmission and spurious emissions power at the continuous transmission mode.

2. Max hold the trace of the setup 1, and the EUT operates at hopping-on test mode to verify the largest spurious emissions power.

3. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission.

| St | art frequency(MI | Hz) | | Stop frequency(MHz | z) |
|-----------------------|------------------|---------------------|--------------------|--------------------|------|
| The state | 2200 | The state | nce E Frankation c | 2405 | S |
| B Thestation of Clobe | 2478 | C Attestation of Cu | GO | 2500 | |
| Alle | C Alles | | | | (0)) |

10.2 TEST SETUP



RADIATED EMISSION TEST SETUP

The results show the first store only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gatt.com.

Attestation of Global Compliance




10.3 RADIATED TEST RESULT

(Worst modulation: GFSK)

For left headphone

TEST PLOT OF BAND EDGE FOR LOW CHANNEL-Horizontal



74.00

74.00

74.00

-22.21

21.04

12.87

peak

peak

AVG

100

119

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



3

4

5

Х

2400.000

2402.000

2402.000

10.32

10.32

10.32

41.47

84.72

76.55


51.79

95.04

86.87



Report No.: AGC00116180705FE03 Page 62 of 98




TEST PLOT OF BAND EDGE FOR LOW CHANNEL -Vertical

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | | • | MHz | dBu∀ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 31 | 1 | | 2376.642 | 32.09 | 10.29 | 42.38 | 74.00 | -31.62 | peak | | | |
| Γ | 2 | | 2390.000 | 30.71 | 10.31 | 41.02 | 74.00 | -32.98 | peak | | | |
| Γ | 3 | | 2400.000 | 34.56 | 10.32 | 44.88 | 74.00 | -29.12 | peak | | | |
| Γ | 4 | * | 2402.000 | 84.59 | 10.32 | 94.91 | 74.00 | 20.91 | peak | | | |
| | 5 | Х | 2402.000 | 76.09 | 10.32 | 86.41 | 74.00 | 12.41 | AVG | 100 | | |





Report No.: AGC00116180705FE03 Page 63 of 98




TEST PLOT OF BAND EDGE FOR HIGH CHANNEL -Horizontal

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|----------------|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| ų, | | • | MHz | dBu∨ | dB/m | dBuV/m | dBu∀/m | dB | | cm | degree | |
| s ⁱ | 1 | * | 2480.000 | 83.05 | 10.41 | 93.46 | 74.00 | 19.46 | peak | | | |
| | 2 | Х | 2480.000 | 75.38 | 10.41 | 85.79 | 74.00 | 11.79 | AVG | 100 | 122 | |
| | 3 | | 2483.500 | 33.69 | 10.41 | 44.10 | 74.00 | -29.90 | peak | | | |
| | 4 | | 2488.817 | 34.02 | 10.42 | 44.44 | 74.00 | -29.56 | peak | | | |





Report No.: AGC00116180705FE03 Page 64 of 98



TEST PLOT OF BAND EDGE FOR HIGH CHANNEL-Vertical

| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| 1 | - | MHz | dBu∨ | dB/m | dBu\//m | dBuV/m | dB | | cm | degree | |
| 1 | * | 2480.000 | 82.82 | 10.41 | 93.23 | 74.00 | 19.23 | peak | | | |
| 2 | Х | 2480.000 | 74.92 | 10.41 | 85.33 | 74.00 | 11.33 | AVG | 100 | 307 | |
| 3 | | 2483.500 | 33.26 | 10.41 | 43.67 | 74.00 | -30.33 | peak | | | |
| 4 | | 2487.753 | 33.95 | 10.42 | 44.37 | 74.00 | -29.63 | peak | | | |

RESULT: PASS

Note: Factor=Antenna Factor + Cable loss - Amplifier gain, Over=Measure-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Hopping on mode and Hopping off mode have been tested, but only worst case reported.




AGC[®]鑫 宇 环 检 测 Attestation of Global Compliance

Report No.: AGC00116180705FE03 Page 65 of 98

(Worst modulation: GFSK)


For right headphone

TEST PLOT OF BAND EDGE FOR LOW CHANNEL-Horizontal





Report No.: AGC00116180705FE03 Page 66 of 98




TEST PLOT OF BAND EDGE FOR LOW CHANNEL -Vertical

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|------|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | | - | MHz | dBu∨ | dB/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| al a | 1 | | 2365.366 | 31.57 | 10.28 | 41.85 | 74.00 | -32.15 | peak | | | |
| | 2 | | 2390.000 | 31.71 | 10.31 | 42.02 | 74.00 | -31.98 | peak | | | |
| | 3 | | 2400.000 | 33.06 | 10.32 | 43.38 | 74.00 | -30.62 | peak | | | |
| | 4 | * | 2402.000 | 85.09 | 10.32 | 95.41 | 74.00 | 21.41 | peak | | | |
| | 5 | Х | 2402.000 | 76.99 | 10.32 | 87.31 | 74.00 | 13.31 | AVG | 100 | | |





Report No.: AGC00116180705FE03 Page 67 of 98




TEST PLOT OF BAND EDGE FOR HIGH CHANNEL -Horizontal

| | No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|----|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | | - | MHz | dBu∀ | dB/m | dBuV/m | dBu∀/m | dB | | cm | degree | |
| ų. | 1 | * | 2480.000 | 84.05 | 10.41 | 94.46 | 74.00 | 20.46 | peak | | | |
| 9 | 2 | Х | 2480.000 | 76.11 | 10.41 | 86.52 | 74.00 | 12.52 | AVG | 100 | 28 | |
| | 3 | | 2483.500 | 33.19 | 10.41 | 43.60 | 74.00 | -30.40 | peak | | | |
| | 4 | | 2489.330 | 33.96 | 10.42 | 44.38 | 74.00 | -29.62 | peak | | | |



Report No.: AGC00116180705FE03 Page 68 of 98



TEST PLOT OF BAND EDGE FOR HIGH CHANNEL-Vertical

| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | - | MHz | dBu∀ | dB/m | dBu∀/m | dBuV/m | dB | | cm | degree | |
| 1 | * | 2480.000 | 83.82 | 10.41 | 94.23 | 74.00 | 20.23 | peak | | | |
| 2 | Х | 2480.000 | 75.66 | 10.41 | 86.07 | 74.00 | 12.07 | AVG | 100 | 203 | |
| 3 | | 2483.500 | 33.26 | 10.41 | 43.67 | 74.00 | -30.33 | peak | | | |
| 4 | | 2487.753 | 33.95 | 10.42 | 44.37 | 74.00 | -29.63 | peak | | | |

RESULT: PASS

Note: Factor=Antenna Factor + Cable loss - Amplifier gain, Over=Measure-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Hopping on mode and Hopping off mode have been tested, but only worst case reported.



AGC[®]鑫宇环检测 Attestation of Global Compliance


Report No.: AGC00116180705FE03 Page 69 of 98

11. 20DB BANDWIDTH

11.1. MEASUREMENT PROCEDURE

- 1. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 2. Set Span = approximately 2 to 3 times the 20 dB bandwidth, centered on a hoping channel
- $RBW \ge 1\%$ of the 20 dB bandwidth, $VBW \ge 3RBW$; Sweep = auto; Detector function = peak
- 3. Set SPA Trace 1 Max hold, then View.

11.2. TEST SET-UP



11.3. LIMITS AND MEASUREMENT RESULTS

For left headphone

| BLUE | FOOTH 1MBPS LIN | MITS AND MEASU | REMENT RESULT | |
|----------------------------|-----------------|-----------------|---------------|---------|
| | | | | |
| Applicable Limits | | Test Data (MHz) |) | Dara It |
| | | 99%OBW (MHz) | -20dB BW(MHz) | Result |
| An Company Company Company | Low Channel | 0.948 | 1.097 | PASS |
| N/A | Middle Channel | 0.929 | 1.057 | PASS |
| | High Channel | 0.966 | 1.110 | PASS |



TEST PLOT OF BANDWIDTH FOR LOW CHANNEL

鑫 宇 环 检 测 Attestation of Global Compliance

GC

TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL






TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



| | | 100- | and a stability | - 31 alos |
|-----------------------|----------------|-----------------|-----------------|-----------|
| BLUET | OOTH 2MBPS LIN | ITS AND MEASU | REMENT RESULT | |
| | | Measure | ement Result | |
| Applicable Limits | | Test Data (MHz) |) | Decult |
| | | 99%OBW (MHz) | -20dB BW(MHz) | Result |
| The the second second | Low Channel | 1.209 | 1.349 | PASS |
| N/A | Middle Channel | 1.225 | 1.374 | PASS |
| SCC " | High Channel | 1.222 | 1.359 | PASS |
| | Intra- | -110 | Malor St.C | lon. Bu |

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



Copyright 2000–2006 Agilent Technologies

宇

姦

环

Attestation of Global Compliance


测

检



TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



The results showing this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

| Alle | | litze | and an and a start of the start | - Stradoo |
|-------------------|--------------------|----------------|--|-----------|
| BLUET | OOTH 3MBPS LI | MITS AND MEASU | REMENT RESULT | |
| | Measurement Result | | | |
| Applicable Limits | Test Data (MHz) | | | Desself |
| | | 99%OBW (MHz) | -20dB BW(MHz) | Result |
| N/A | Low Channel | 1.213 | 1.366 | PASS |
| | Middle Channel | 1.229 | 1.351 | PASS |
| | High Channel | 1.214 | 1.363 | PASS |
| | 1117- | | Malon - F de | Au |

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



Copyright 2000-2006 Agilent Technologies

环

Attestation of Global Compliance

测

检

宇

姦


The results show of the steet report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.





TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



The results showing this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

| BLUET | OOTH 1MBPS LI | MITS AND MEASU | REMENT RESULT | |
|-------------------|--------------------|----------------|---------------|--------|
| | Measurement Result | | | |
| Applicable Limits | Test Data (MHz) | | | Decult |
| | | 99%OBW (MHz) | -20dB BW(MHz) | Result |
| N/A State | Low Channel | 1.077 | 1.244 | PASS |
| | Middle Channel | 0.935 | 1.065 | PASS |
| | High Channel | 0.936 | 1.075 | PASS |

For right headphone

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL




The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.





TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



The results showing this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

| BLUET | OOTH 2MBPS LIN | ITS AND MEASU | REMENT RESULT | |
|-------------------|--------------------|---------------|---------------|---------|
| | Measurement Result | | | |
| Applicable Limits | Test Data (MHz) | | | Descrit |
| | | 99%OBW (MHz) | -20dB BW(MHz) | Result |
| N/A | Low Channel | 1.209 | 1.368 | PASS |
| | Middle Channel | 1.219 | 1.378 | PASS |
| | High Channel | 1.227 | 1.348 | PASS |
| | | | | |

环

Attestation of Global Compliance


测

检

宇

衋

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL




The results show of the steet report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



The results showing this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

| BLUET | OOTH 3MBPS LIN | ITS AND MEASU | REMENT RESULT | |
|-------------------|--------------------|---------------|---------------|--------|
| | Measurement Result | | | |
| Applicable Limits | Test Data (MHz) | | | Decult |
| | | 99%OBW (MHz) | -20dB BW(MHz) | Result |
| N/A | Low Channel | 1.221 | 1.361 | PASS |
| | Middle Channel | 1.221 | 1.381 | PASS |
| | High Channel | 1.219 | 1.328 | PASS |
| | | | | |

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



环

Attestation of Global Compliance

测

检

宇


姦

The results show of the steet report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.geit.com.

12. FCC LINE CONDUCTED EMISSION TEST

12.1. LIMITS OF LINE CONDUCTED EMISSION TEST


| F | Maximum RF Line Voltage | | | |
|---------------|-------------------------|----------------|--|--|
| Frequency | Q.P.(dBuV) | Average(dBuV) | | |
| 150kHz~500kHz | 66-56 | 56-46 | | |
| 500kHz~5MHz | 56 | 46 | | |
| 5MHz~30MHz | 60 | 50 | | |

Note:

1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.





Report No.: AGC00116180705FE03 Page 83 of 98

12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC charging voltage by adapter or PC which received 120V/60Hzpower by a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

N/A

Note: The BT function of EUT didn't work when charging.


The results show of this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00116180705FE03 Page 84 of 98

APPENDIX A: PHOTOGRAPHS OF TEST SETUP FOR LEFT HEADPHONE

FCC RADIATED EMISSION TEST SETUP




The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.





Report No.: AGC00116180705FE03 Page 85 of 98



The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00116180705FE03 Page 86 of 98

FOR RIGHT HEADPHONE FCC RADIATED EMISSION TEST SETUP






The results show of this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.





Report No.: AGC00116180705FE03 Page 87 of 98



The results show the first report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00116180705FE03 Page 88 of 98

APPENDIX B: PHOTOGRAPHS OF EUT

TOTAL VIEW OF EUT





The results show of this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



Report No.: AGC00116180705FE03 Page 89 of 98

BOTTOM VIEW OF EUT



FRONT VIEW OF EUT



The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00116180705FE03 Page 90 of 98

BACK VIEW OF EUT



LEFT VIEW OF EUT



The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00116180705FE03 Page 91 of 98

RIGHT VIEW OF EUT



VIEW OF EUT (PORT)




The results showed this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.cent.com.






Report No.: AGC00116180705FE03 Page 92 of 98

LEFT OPEN VIEW OF EUT-1



OPEN VIEW OF EUT-2



The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.






Report No.: AGC00116180705FE03 Page 93 of 98

VIEW OF BATTERY



INTERNAL VIEW OF EUT-1




The results showed this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.cent.com.






Report No.: AGC00116180705FE03 Page 94 of 98

INTERNAL VIEW OF EUT-2



INTERNAL VIEW OF EUT-3




The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.




Report No.: AGC00116180705FE03 Page 95 of 98

RIGHT OPEN VIEW OF EUT-1



OPEN VIEW OF EUT-2



The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.






Report No.: AGC00116180705FE03 Page 96 of 98

VIEW OF BATTERY



INTERNAL VIEW OF EUT-1




The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC00116180705FE03 Page 97 of 98

INTERNAL VIEW OF EUT-2



INTERNAL VIEW OF EUT-3



The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gent.com.



Report No.: AGC00116180705FE03 Page 98 of 98

CHARGING BASE VIEW OF EUT (PORT)-1

C C

VIEW OF EUT (PORT)-2

00

----END OF REPORT----

The results show on the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Tel: +86-755 2908 1955 Fax: +86-755 2600 8484 E-mail: agc@agc-cert.com @ 400 089 2118 Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China