

# CHARGING STATION

**Model: IC3-32A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L

# CHARGING STATION

**Model: IC3-32A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L

# CHARGING STATION

**Model: IC3-32A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4

# CHARGING STATION

**Model: IC3-32A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4

# CHARGING STATION

**Model: SC3-32A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L

# CHARGING STATION

**Model: SC3-32A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L

# CHARGING STATION

**Model: SC3-32A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4

# CHARGING STATION

**Model: SC3-32A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4



# CHARGING STATION

**Model: SC3-32A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE**

**E354962**

**Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains FCC ID: 2ADWC-AI7688H

# CHARGING STATION

**Model: SC3-32A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.32A, Max.7.68kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE**

**E354962**

**Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains FCC ID: 2ADWC-AI7688H

# CHARGING STATION

**Model: IC3-40A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L

# CHARGING STATION

**Model: IC3-40A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L

# CHARGING STATION

**Model: IC3-40A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4

# CHARGING STATION

**Model: IC3-40A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



Contains IC: 10224A-021EG91NAXD  
Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: XMR202008EG91NAXD  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4

# CHARGING STATION

**Model: SC3-40A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L

# CHARGING STATION

**Model: SC3-40A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 4491A-RYORR2L  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: PPQRYORR2L



# CHARGING STATION

**Model: SC3-40A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE  
E354962  
Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4

# CHARGING STATION

**Model: SC3-40A-H**  
**PMN: EV Charger Wallbox**  
**In/Out: 208-240VAC, 1Ø, 60Hz,**  
**Max.40A, Max.9.6kw**  
**CTEP COA: 5910-22**  
**MMQ: 0.2kWh**  
**Enclosure Type: Type 4**  
**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**   
**SN:**

**FOR USE WITH ELECTRIC VEHICLES.**  
**VENTILATION NOT REQUIRED.**  
**FOR INDOOR OR OUTDOOR USE.**  
**MADE IN TAIWAN.**  
**CAN ICES-3(B) / NMB-3(B)**



**LISTED**  
**EVSE**  
**E354962**  
**Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains IC: 7948A-TWN4F4  
Contains FCC ID: 2ADWC-AI7688H  
Contains FCC ID: WP5TWN4F4

# CHARGING STATION

**Model: SC3-40A-H**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE**

**E354962**

**Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains FCC ID: 2ADWC-AI7688H

# CHARGING STATION

**Model: SC3-40A-N**

**PMN: EV Charger Wallbox**

**In/Out: 208-240VAC, 1Ø, 60Hz,  
Max.40A, Max.9.6kw**

**CTEP COA: 5910-22**

**MMQ: 0.2kWh**

**Enclosure Type: Type 4**

**Temp: -30°C~50 °C / -22°F~122°F**

**Date:**

**SN:**

**FOR USE WITH ELECTRIC VEHICLES.  
VENTILATION NOT REQUIRED.  
FOR INDOOR OR OUTDOOR USE.  
MADE IN TAIWAN.  
CAN ICES-3(B) / NMB-3(B)**



**LISTED  
EVSE**

**E354962**

**Factory ID: K**

Contains IC: 4491A-AI7688H  
Contains FCC ID: 2ADWC-AI7688H