

Appendix-A NB-IoT

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Power (dBm)	EIRP (dBm)	Limit	Verdict
Band2	Stand-Alone	3.75kHz	0.18	BPSK	18602	1@0	20.59	22.13	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	QPSK	18602	1@0	20.67	22.21	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	BPSK	18602	1@47	20.51	22.05	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	QPSK	18602	1@47	20.53	22.07	33	PASS
Band2	Stand-Alone	15kHz	0.18	BPSK	18602	1@0	20.87	22.41	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	18602	1@0	20.75	22.29	33	PASS
Band2	Stand-Alone	15kHz	0.18	BPSK	18602	1@11	20.52	22.06	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	18602	1@11	20.56	22.1	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	18602	3@3	20.54	22.08	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	BPSK	18876	1@0	20.57	22.11	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	QPSK	18876	1@0	20.49	22.03	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	BPSK	18876	1@47	20.33	21.87	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	QPSK	18876	1@47	20.36	21.9	33	PASS
Band2	Stand-Alone	15kHz	0.18	BPSK	18876	1@0	20.29	21.83	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	18876	1@0	20.28	21.82	33	PASS
Band2	Stand-Alone	15kHz	0.18	BPSK	18876	1@11	20.18	21.72	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	18876	1@11	20.31	21.85	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	18876	3@3	20.42	21.96	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	BPSK	19198	1@0	20.70	22.24	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	QPSK	19198	1@0	20.79	22.33	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	BPSK	19198	1@47	20.71	22.25	33	PASS
Band2	Stand-Alone	3.75kHz	0.18	QPSK	19198	1@47	20.70	22.24	33	PASS
Band2	Stand-Alone	15kHz	0.18	BPSK	19198	1@0	21.03	22.57	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	19198	1@0	20.77	22.31	33	PASS
Band2	Stand-Alone	15kHz	0.18	BPSK	19198	1@11	20.70	22.24	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	19198	1@11	21.01	22.55	33	PASS
Band2	Stand-Alone	15kHz	0.18	QPSK	19198	3@3	20.77	22.31	33	PASS

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Power (dBm)	EIRP (dBm)	Limit	Verdict
Band4	Stand-Alone	3.75kHz	0.18	BPSK	19952	1@0	20.63	21.6	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	QPSK	19952	1@0	20.73	21.7	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	BPSK	19952	1@47	20.61	21.58	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	QPSK	19952	1@47	20.67	21.64	30	PASS
Band4	Stand-Alone	15kHz	0.18	BPSK	19952	1@0	20.89	21.86	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	19952	1@0	20.82	21.79	30	PASS
Band4	Stand-Alone	15kHz	0.18	BPSK	19952	1@11	20.64	21.61	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	19952	1@11	20.67	21.64	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	19952	3@3	20.59	21.56	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	BPSK	20175	1@0	20.06	21.03	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	QPSK	20175	1@0	19.90	20.87	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	BPSK	20175	1@47	19.91	20.88	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	QPSK	20175	1@47	20.02	20.99	30	PASS
Band4	Stand-Alone	15kHz	0.18	BPSK	20175	1@0	20.00	20.97	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	20175	1@0	20.00	20.97	30	PASS
Band4	Stand-Alone	15kHz	0.18	BPSK	20175	1@11	19.97	20.94	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	20175	1@11	20.01	20.98	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	20175	3@3	19.98	20.95	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	BPSK	20398	1@0	20.05	21.02	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	QPSK	20398	1@0	20.07	21.04	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	BPSK	20398	1@47	19.99	20.96	30	PASS
Band4	Stand-Alone	3.75kHz	0.18	QPSK	20398	1@47	20.03	21	30	PASS
Band4	Stand-Alone	15kHz	0.18	BPSK	20398	1@0	20.03	21	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	20398	1@0	20.09	21.06	30	PASS
Band4	Stand-Alone	15kHz	0.18	BPSK	20398	1@11	19.93	20.9	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	20398	1@11	20.04	21.01	30	PASS
Band4	Stand-Alone	15kHz	0.18	QPSK	20398	3@3	20.04	21.01	30	PASS

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Power (dBm)	EIRP (dBm)	Limit	Verdict
Band25	Stand-Alone	3.75kHz	0.18	BPSK	26042	1@0	20.67	22.21	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	QPSK	26042	1@0	20.62	22.16	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	BPSK	26042	1@47	20.51	22.05	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	QPSK	26042	1@47	20.60	22.14	33	PASS
Band25	Stand-Alone	15kHz	0.18	BPSK	26042	1@0	20.68	22.22	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26042	1@0	20.72	22.26	33	PASS
Band25	Stand-Alone	15kHz	0.18	BPSK	26042	1@11	20.61	22.15	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26042	1@11	20.70	22.24	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26042	3@3	20.63	22.17	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	BPSK	26365	1@0	20.02	21.56	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	QPSK	26365	1@0	20.02	21.56	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	BPSK	26365	1@47	19.95	21.49	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	QPSK	26365	1@47	19.96	21.5	33	PASS
Band25	Stand-Alone	15kHz	0.18	BPSK	26365	1@0	20.13	21.67	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26365	1@0	20.21	21.75	33	PASS
Band25	Stand-Alone	15kHz	0.18	BPSK	26365	1@11	20.06	21.6	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26365	1@11	20.15	21.69	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26365	3@3	20.11	21.65	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	BPSK	26688	1@0	20.63	22.17	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	QPSK	26688	1@0	20.61	22.15	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	BPSK	26688	1@47	20.53	22.07	33	PASS
Band25	Stand-Alone	3.75kHz	0.18	QPSK	26688	1@47	20.56	22.1	33	PASS
Band25	Stand-Alone	15kHz	0.18	BPSK	26688	1@0	20.84	22.38	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26688	1@0	20.90	22.44	33	PASS
Band25	Stand-Alone	15kHz	0.18	BPSK	26688	1@11	20.73	22.27	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26688	1@11	20.87	22.41	33	PASS
Band25	Stand-Alone	15kHz	0.18	QPSK	26688	3@3	20.76	22.3	33	PASS

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Power (dBm)	EIRP (dBm)	Limit	Verdict
Band66	Stand-Alone	3.75kHz	0.18	BPSK	131974	1@0	20.41	21.38	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	QPSK	131974	1@0	20.45	21.42	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	BPSK	131974	1@47	20.38	21.35	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	QPSK	131974	1@47	20.33	21.3	30	PASS
Band66	Stand-Alone	15kHz	0.18	BPSK	131974	1@0	20.39	21.36	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	131974	1@0	20.48	21.45	30	PASS
Band66	Stand-Alone	15kHz	0.18	BPSK	131974	1@11	20.34	21.31	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	131974	1@11	20.47	21.44	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	131974	3@3	20.37	21.34	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	BPSK	132322	1@0	19.71	20.68	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	QPSK	132322	1@0	19.74	20.71	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	BPSK	132322	1@47	19.62	20.59	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	QPSK	132322	1@47	19.65	20.62	30	PASS
Band66	Stand-Alone	15kHz	0.18	BPSK	132322	1@0	19.78	20.75	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	132322	1@0	19.84	20.81	30	PASS
Band66	Stand-Alone	15kHz	0.18	BPSK	132322	1@11	19.71	20.68	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	132322	1@11	19.80	20.77	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	132322	3@3	19.79	20.76	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	BPSK	132670	1@0	20.22	21.19	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	QPSK	132670	1@0	20.27	21.24	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	BPSK	132670	1@47	20.18	21.15	30	PASS
Band66	Stand-Alone	3.75kHz	0.18	QPSK	132670	1@47	20.18	21.15	30	PASS
Band66	Stand-Alone	15kHz	0.18	BPSK	132670	1@0	20.62	21.59	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	132670	1@0	20.47	21.44	30	PASS
Band66	Stand-Alone	15kHz	0.18	BPSK	132670	1@11	20.38	21.35	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	132670	1@11	20.48	21.45	30	PASS
Band66	Stand-Alone	15kHz	0.18	QPSK	132670	3@3	20.50	21.47	30	PASS

Effective Radiated Power Output Data

Test Result

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Power (dBm)	ERP (dBm)	Limit	Verdict
Band5	Stand-Alone	3.75kHz	0.18	BPSK	20402	1@0	20.33	19.44	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	QPSK	20402	1@0	20.39	19.5	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	BPSK	20402	1@47	20.31	19.42	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	QPSK	20402	1@47	20.27	19.38	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	BPSK	20402	1@0	20.50	19.61	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20402	1@0	20.46	19.57	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	BPSK	20402	1@11	20.31	19.42	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20402	1@11	20.50	19.61	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20402	3@3	20.42	19.53	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	BPSK	20525	1@0	20.03	19.14	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	QPSK	20525	1@0	20.04	19.15	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	BPSK	20525	1@47	19.95	19.06	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	QPSK	20525	1@47	19.94	19.05	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	BPSK	20525	1@0	19.16	18.27	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20525	1@0	19.23	18.34	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	BPSK	20525	1@11	19.11	18.22	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20525	1@11	19.14	18.25	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20525	3@3	20.23	19.34	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	BPSK	20648	1@0	19.52	18.63	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	QPSK	20648	1@0	19.52	18.63	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	BPSK	20648	1@47	19.50	18.61	38.45	PASS
Band5	Stand-Alone	3.75kHz	0.18	QPSK	20648	1@47	19.42	18.53	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	BPSK	20648	1@0	19.88	18.99	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20648	1@0	19.88	18.99	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	BPSK	20648	1@11	19.74	18.85	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20648	1@11	19.85	18.96	38.45	PASS
Band5	Stand-Alone	15kHz	0.18	QPSK	20648	3@3	18.78	17.89	38.45	PASS

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Power (dBm)	ERP (dBm)	Limit	Verdict
Band12	Stand-Alone	3.75kHz	0.18	BPSK	23012	1@0	19.93	18.83	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	QPSK	23012	1@0	19.94	18.84	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	BPSK	23012	1@47	19.92	18.82	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	QPSK	23012	1@47	19.89	18.79	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	BPSK	23012	1@0	20.06	18.96	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23012	1@0	20.12	19.02	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	BPSK	23012	1@11	19.98	18.88	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23012	1@11	20.10	19.00	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23012	3@3	19.87	18.77	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	BPSK	23095	1@0	20.29	19.19	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	QPSK	23095	1@0	20.25	19.15	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	BPSK	23095	1@47	20.26	19.16	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	QPSK	23095	1@47	20.20	19.1	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	BPSK	23095	1@0	20.29	19.19	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23095	1@0	20.34	19.24	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	BPSK	23095	1@11	20.28	19.18	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23095	1@11	20.30	19.20	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23095	3@3	20.22	19.12	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	BPSK	23178	1@0	20.70	19.60	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	QPSK	23178	1@0	20.70	19.60	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	BPSK	23178	1@47	20.63	19.53	34.8	PASS
Band12	Stand-Alone	3.75kHz	0.18	QPSK	23178	1@47	20.67	19.57	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	BPSK	23178	1@0	20.74	19.64	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23178	1@0	20.79	19.69	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	BPSK	23178	1@11	20.62	19.52	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23178	1@11	20.73	19.63	34.8	PASS
Band12	Stand-Alone	15kHz	0.18	QPSK	23178	3@3	20.62	19.52	34.8	PASS

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Power (dBm)	ERP (dBm)	Limit	Verdict
Band13	Stand-Alone	3.75kHz	0.18	BPSK	23182	1@0	20.75	19.65	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	QPSK	23182	1@0	20.75	19.65	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	BPSK	23182	1@47	20.73	19.63	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	QPSK	23182	1@47	20.64	19.54	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	BPSK	23182	1@0	20.62	19.52	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23182	1@0	20.67	19.57	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	BPSK	23182	1@11	20.60	19.5	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23182	1@11	20.61	19.51	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23182	3@3	20.50	19.4	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	BPSK	23230	1@0	20.69	19.59	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	QPSK	23230	1@0	20.68	19.58	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	BPSK	23230	1@47	20.66	19.56	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	QPSK	23230	1@47	20.65	19.55	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	BPSK	23230	1@0	20.66	19.56	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23230	1@0	20.73	19.63	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	BPSK	23230	1@11	20.66	19.56	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23230	1@11	20.68	19.58	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23230	3@3	20.61	19.51	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	BPSK	23278	1@0	20.91	19.81	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	QPSK	23278	1@0	20.91	19.81	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	BPSK	23278	1@47	20.77	19.67	34.8	PASS
Band13	Stand-Alone	3.75kHz	0.18	QPSK	23278	1@47	20.79	19.69	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	BPSK	23278	1@0	20.82	19.72	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23278	1@0	20.88	19.78	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	BPSK	23278	1@11	20.71	19.61	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23278	1@11	20.80	19.7	34.8	PASS
Band13	Stand-Alone	15kHz	0.18	QPSK	23278	3@3	20.72	19.62	34.8	PASS


Band	OpMode	SCS	BW	Modulation	Channel	Tones	POWER (dBm)	ERP (dBm)	Limit	Verdict
Band71	Stand-Alone	3.75kHz	0.18	BPSK	133124	1@0	20.10	18.71	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	QPSK	133124	1@0	20.13	18.74	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	BPSK	133124	1@47	20.05	18.66	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	QPSK	133124	1@47	20.05	18.66	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	BPSK	133124	1@0	20.15	18.76	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133124	1@0	20.21	18.82	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	BPSK	133124	1@11	20.15	18.76	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133124	1@11	20.18	18.79	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133124	3@3	20.07	18.68	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	BPSK	133297	1@0	19.37	17.98	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	QPSK	133297	1@0	19.39	18	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	BPSK	133297	1@47	19.37	17.98	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	QPSK	133297	1@47	19.32	17.93	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	BPSK	133297	1@0	19.53	18.14	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133297	1@0	19.59	18.2	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	BPSK	133297	1@11	19.55	18.16	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133297	1@11	19.54	18.15	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133297	3@3	19.43	18.04	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	BPSK	133470	1@0	19.44	18.05	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	QPSK	133470	1@0	19.50	18.11	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	BPSK	133470	1@47	19.42	18.03	34.8	PASS
Band71	Stand-Alone	3.75kHz	0.18	QPSK	133470	1@47	19.39	18	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	BPSK	133470	1@0	19.63	18.24	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133470	1@0	19.67	18.28	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	BPSK	133470	1@11	19.53	18.14	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133470	1@11	19.62	18.23	34.8	PASS
Band71	Stand-Alone	15kHz	0.18	QPSK	133470	3@3	19.41	18.02	34.8	PASS

Band	OpMode	SCS	BW	Modulation	Channel	Tones	Conducted Power (dBm)	ERP (dBm)	Limit	Verdict
Band85	Stand-Alone	3.75kHz	0.18	BPSK	134004	1@0	19.96	18.44	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	QPSK	134004	1@0	20.00	18.48	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	BPSK	134004	1@47	19.97	18.45	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	QPSK	134004	1@47	19.94	18.42	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	BPSK	134004	1@0	19.89	18.37	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134004	1@0	19.94	18.42	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	BPSK	134004	1@11	19.88	18.36	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134004	1@11	19.89	18.37	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134004	3@3	19.89	18.37	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	BPSK	134092	1@0	20.09	18.57	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	QPSK	134092	1@0	20.09	18.57	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	BPSK	134092	1@47	20.10	18.58	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	QPSK	134092	1@47	20.05	18.53	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	BPSK	134092	1@0	20.11	18.59	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134092	1@0	20.16	18.64	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	BPSK	134092	1@11	20.10	18.58	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134092	1@11	20.11	18.59	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134092	3@3	20.16	18.64	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	BPSK	134180	1@0	20.40	18.88	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	QPSK	134180	1@0	20.37	18.85	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	BPSK	134180	1@47	20.36	18.84	34.8	PASS
Band85	Stand-Alone	3.75kHz	0.18	QPSK	134180	1@47	20.34	18.82	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	BPSK	134180	1@0	20.49	18.97	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134180	1@0	20.52	19	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	BPSK	134180	1@11	20.47	18.95	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134180	1@11	20.47	18.95	34.8	PASS
Band85	Stand-Alone	15kHz	0.18	QPSK	134180	3@3	20.32	18.8	34.8	PASS

Field Strength of Spurious Radiation


Project Information			
Mode:	NB IoT	Band:	Band 5
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 22			

Test Graph



Project Information			
Mode:	NB IoT	Band:	Band 5
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 22			


Test Graph



Project Information

Mode:	NB-IoT	Band:	Band 2
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1860	111.38	-93.51	17.87	-	-	RMS	Horizontal	NA
2	2980.6	45.65	-88.81	-43.16	-13.00	30.16	RMS	Horizontal	PASS
3	3720	52.50	-107.47	-54.97	-13.00	41.97	RMS	Horizontal	PASS
4	17846	35.88	-82.52	-46.64	-13.00	33.64	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 2
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1860	106.80	-93.51	13.29	-	-	RMS	Vertical	NA
2	2993	45.68	-88.73	-43.05	-13.00	30.05	RMS	Vertical	PASS
3	3720	60.43	-107.47	-47.04	-13.00	34.04	RMS	Vertical	PASS
4	17858	36.10	-82.55	-46.45	-13.00	33.45	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 2
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1880	111.39	-93.46	17.93	-	-	RMS	Horizontal	NA
2	2996.4	45.82	-88.71	-42.89	-13.00	29.89	RMS	Horizontal	PASS
3	3760	51.56	-107.25	-55.69	-13.00	42.69	RMS	Horizontal	PASS
4	17350	36.42	-82.40	-45.98	-13.00	32.98	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 2
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1880	105.69	-93.46	12.23	-	-	RMS	Vertical	NA
2	2990.8	45.59	-88.75	-43.16	-13.00	30.16	RMS	Vertical	PASS
3	3760	56.99	-107.25	-50.26	-13.00	37.26	RMS	Vertical	PASS
4	17874	36.33	-82.74	-46.41	-13.00	33.41	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 2
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 24

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1900	110.53	-93.40	17.13	-	-	RMS	Horizontal	NA
2	2993	45.68	-88.73	-43.05	-13.00	30.05	RMS	Horizontal	PASS
3	3800	50.39	-106.57	-56.18	-13.00	43.18	RMS	Horizontal	PASS
4	17838.5	36.11	-82.62	-46.51	-13.00	33.51	RMS	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 2
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1900	104.42	-93.40	11.02	-	-	RMS	Vertical	NA
2	2991.8	45.84	-88.74	-42.90	-13.00	29.90	RMS	Vertical	PASS
3	3800	51.24	-106.57	-55.33	-13.00	42.33	RMS	Vertical	PASS
4	17352	35.70	-82.48	-46.78	-13.00	33.78	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 4
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1720.1	105.05	-94.05	11.00	-	-	RMS	Horizontal	NA
2	2119.9	65.03	-92.92	-27.89	-	-	RMS	Horizontal	NA
3	2993.2	46.84	-88.73	-41.89	-13.00	28.89	RMS	Horizontal	PASS
4	3440	52.27	-107.37	-55.10	-13.00	42.10	RMS	Horizontal	PASS
5	17848	38.71	-82.49	-43.78	-13.00	30.78	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 4
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1720	98.27	-94.05	4.22	-	-	RMS	Vertical	NA
2	2120	51.92	-92.92	-41.00	-	-	RMS	Vertical	NA
3	2875.8	47.17	-89.22	-42.05	-13.00	29.05	RMS	Vertical	PASS
4	3440	56.81	-107.37	-50.56	-13.00	37.56	RMS	Vertical	PASS
5	17983	39.39	-82.66	-43.27	-13.00	30.27	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 4
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1732.4	106.45	-94.01	12.44	-	-	RMS	Horizontal	NA
2	2132.5	63.64	-92.95	-29.31	-	-	RMS	Horizontal	NA
3	2988	47.00	-88.76	-41.76	-13.00	28.76	RMS	Horizontal	PASS
4	3465	51.89	-107.19	-55.30	-13.00	42.30	RMS	Horizontal	PASS
5	17810	39.41	-83.04	-43.63	-13.00	30.63	RMS	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 4
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1732.4	98.62	-94.01	4.61	-	-	RMS	Vertical	NA
2	2132.4	49.79	-92.95	-43.16	-	-	RMS	Vertical	NA
3	2996.4	47.36	-88.71	-41.35	-13.00	28.35	RMS	Vertical	PASS
4	3465	56.01	-107.19	-51.18	-13.00	38.18	RMS	Vertical	PASS
5	17857	38.92	-82.55	-43.63	-13.00	30.63	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 4
Bandwidth:	/	Channel:	H
IMEI:	863251072017259	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1745	107.34	-93.97	13.37	-	-	RMS	Horizontal	NA
2	2145	67.32	-92.98	-25.66	-	-	RMS	Horizontal	NA
3	2992.4	46.91	-88.74	-41.83	-13.00	28.83	RMS	Horizontal	PASS
4	3490	53.47	-107.03	-53.56	-13.00	40.56	RMS	Horizontal	PASS
5	17848.5	38.76	-82.48	-43.72	-13.00	30.72	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 4
Bandwidth:	/	Channel:	H
IMEI:	863251072017259	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1745	101.35	-93.97	7.38	-	-	RMS	Vertical	NA
2	2144.7	49.58	-92.98	-43.40	-	-	RMS	Vertical	NA
3	2994	46.87	-88.73	-41.86	-13.00	28.86	RMS	Vertical	PASS
4	3490	56.17	-107.03	-50.86	-13.00	37.86	RMS	Vertical	PASS
5	17865	38.69	-82.64	-43.95	-13.00	30.95	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 5
Bandwidth:	/	Channel:	L
IMEI:	863251072017259	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 22

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1648.432422	55.94	-114.09	-58.15	-13.00	45.15	RMS	Horizontal	PASS
2	3476.123806	44.71	-107.41	-62.70	-13.00	49.70	RMS	Horizontal	PASS
3	8911.19556	39.15	-93.37	-54.22	-13.00	41.22	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 5
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 22

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1648.032402	47.98	-114.09	-66.11	-13.00	53.11	RMS	Vertical	PASS
2	3476.123806	49.71	-107.41	-57.70	-13.00	44.70	RMS	Vertical	PASS
3	8833.59168	38.62	-93.15	-54.53	-13.00	41.53	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 5
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 22

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1673.233662	55.10	-114.14	-59.04	-13.00	46.04	RMS	Horizontal	PASS
2	3525.326266	46.12	-107.58	-61.46	-13.00	48.46	RMS	Horizontal	PASS
3	8366.768338	38.55	-94.75	-56.20	-13.00	43.20	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 5
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 22			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1673.233662	50.48	-114.14	-63.66	-13.00	50.66	RMS	Vertical	PASS
2	3525.326266	51.27	-107.58	-56.31	-13.00	43.31	RMS	Vertical	PASS
3	8846.39232	38.84	-92.94	-54.10	-13.00	41.10	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 5
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 22			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1697.634882	53.33	-114.21	-60.88	-13.00	47.88	RMS	Horizontal	PASS
2	3574.528726	45.37	-107.44	-62.07	-13.00	49.07	RMS	Horizontal	PASS
3	8907.59538	38.90	-93.31	-54.41	-13.00	41.41	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 5
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 22			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1697.634882	54.41	-114.21	-59.80	-13.00	46.80	RMS	Vertical	PASS
2	3574.528726	51.87	-107.44	-55.57	-13.00	42.57	RMS	Vertical	PASS
3	8889.19446	38.86	-93.10	-54.24	-13.00	41.24	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 12
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1398.3	64.54	-114.31	-49.77	-13.00	36.77	RMS	Horizontal	PASS
2	2097.25	59.16	-113.25	-54.09	-13.00	41.09	RMS	Horizontal	PASS
3	7939.8	37.10	-95.51	-58.41	-13.00	45.41	RMS	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 12
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1398.3	60.19	-114.31	-54.12	-13.00	41.12	RMS	Vertical	PASS
2	2438.15	52.47	-111.38	-58.91	-13.00	45.91	RMS	Vertical	PASS
3	7907.6	37.21	-95.65	-58.44	-13.00	45.44	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 12
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2481.9	46.65	-111.29	-64.64	-13.00	51.64	RMS	Horizontal	PASS
2	6989.2	37.74	-97.34	-59.60	-13.00	46.60	RMS	Horizontal	PASS
3	7953.1	37.39	-95.46	-58.07	-13.00	45.07	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 12
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2429.75	43.47	-111.57	-68.10	-13.00	55.10	RMS	Vertical	PASS
2	6263.65	38.39	-99.23	-60.84	-13.00	47.84	RMS	Vertical	PASS
3	7946.45	37.24	-95.48	-58.24	-13.00	45.24	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 12
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3397.5	41.32	-107.55	-66.23	-13.00	53.23	RMS	Horizontal	PASS
2	5743.55	39.00	-100.24	-61.24	-13.00	48.24	RMS	Horizontal	PASS
3	7897.1	37.31	-95.69	-58.38	-13.00	45.38	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 12
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2405.95	48.23	-112.12	-63.89	-13.00	50.89	RMS	Vertical	PASS
2	4354.75	38.97	-104.30	-65.33	-13.00	52.33	RMS	Vertical	PASS
3	7926.85	37.91	-95.57	-57.66	-13.00	44.66	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 13
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1554.05	46.44	-114.06	-67.62	-13.00	54.62	RMS	Horizontal	PASS
2	4887.8	38.98	-103.17	-64.19	-13.00	51.19	RMS	Horizontal	PASS
3	7903.05	37.57	-95.67	-58.10	-13.00	45.10	RMS	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 13
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1554.05	46.06	-114.06	-68.00	-13.00	55.00	RMS	Vertical	PASS
2	2481.9	44.42	-111.29	-66.87	-13.00	53.87	RMS	Vertical	PASS
3	7949.25	37.25	-95.46	-58.21	-13.00	45.21	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 13
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1564.2	48.91	-114.12	-65.21	-40.00	25.21	RMS	Horizontal	PASS
2	3193.1	41.89	-108.19	-66.30	-13.00	53.30	RMS	Horizontal	PASS
3	7343.75	37.48	-96.66	-59.18	-13.00	46.18	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 13
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1564.2	44.46	-114.12	-69.66	-40.00	29.66	RMS	Vertical	PASS
2	2481.9	44.46	-111.29	-66.83	-13.00	53.83	RMS	Vertical	PASS
3	7911.45	37.02	-95.64	-58.62	-13.00	45.62	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 13
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1573.3	55.23	-114.16	-58.93	-40.00	18.93	RMS	Horizontal	PASS
2	2360.1	53.08	-112.44	-59.36	-13.00	46.36	RMS	Horizontal	PASS
3	3146.9	50.08	-108.37	-58.29	-13.00	45.29	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 13
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1573.3	52.72	-114.16	-61.44	-40.00	21.44	RMS	Vertical	PASS
2	2360.1	47.70	-112.44	-64.74	-13.00	51.74	RMS	Vertical	PASS
3	3146.9	45.39	-108.37	-62.98	-13.00	49.98	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 25
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1850.2	111.54	-93.54	18.00	-	-	RMS	Horizontal	NA
2	1930.4	60.31	-93.42	-33.11	-	-	RMS	Horizontal	NA
3	3700	51.97	-107.51	-55.54	-13.00	42.54	RMS	Horizontal	PASS
4	14341	35.25	-86.13	-50.88	-13.00	37.88	RMS	Horizontal	PASS
5	17851.5	35.01	-82.48	-47.47	-13.00	34.47	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 25
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 24

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1850.2	106.44	-93.54	12.90	-	-	RMS	Vertical	NA
2	1930	48.26	-93.42	-45.16	-	-	RMS	Vertical	NA
3	2994.2	45.20	-88.73	-43.53	-13.00	30.53	RMS	Vertical	PASS
4	3700	59.90	-107.51	-47.61	-13.00	34.61	RMS	Vertical	PASS
5	17346	34.69	-82.58	-47.89	-13.00	34.89	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 25
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1882.4	111.93	-93.45	18.48	-	-	RMS	Horizontal	NA
2	1962.6	65.81	-93.38	-27.57	-	-	RMS	Horizontal	NA
3	2970.8	45.13	-88.87	-43.74	-13.00	30.74	RMS	Horizontal	PASS
4	3765	51.25	-107.17	-55.92	-13.00	42.92	RMS	Horizontal	PASS
5	17359	35.29	-82.75	-47.46	-13.00	34.46	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 25
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1882.4	105.89	-93.45	12.44	-	-	RMS	Vertical	NA
2	2983.2	44.98	-88.79	-43.81	-13.00	30.81	RMS	Vertical	PASS
3	3765	53.55	-107.17	-53.62	-13.00	40.62	RMS	Vertical	PASS
4	17857.5	35.28	-82.54	-47.26	-13.00	34.26	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 25
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1914.8	108.70	-93.41	15.29	-	-	RMS	Horizontal	NA
2	3000	45.22	-88.69	-43.47	-13.00	30.47	RMS	Horizontal	PASS
3	3829.5	49.83	-106.57	-56.74	-13.00	43.74	RMS	Horizontal	PASS
4	17857	35.26	-82.55	-47.29	-13.00	34.29	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 25
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1914.6	103.79	-93.41	10.38	-	-	RMS	Vertical	NA
2	2991.6	45.21	-88.74	-43.53	-13.00	30.53	RMS	Vertical	PASS
3	3829.5	52.05	-106.57	-54.52	-13.00	41.52	RMS	Vertical	PASS
4	17346.5	34.76	-82.56	-47.80	-13.00	34.80	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 66
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 24

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1710.2	108.72	-94.09	14.63	-	-	RMS	Horizontal	NA
2	2994.8	45.07	-88.72	-43.65	-13.00	30.65	RMS	Horizontal	PASS
3	3420.5	58.04	-107.54	-49.50	-13.00	36.50	RMS	Horizontal	PASS
4	17852	34.92	-82.49	-47.57	-13.00	34.57	RMS	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 66
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1710.2	101.40	-94.09	7.31	-	-	RMS	Vertical	NA
2	2997.4	44.95	-88.71	-43.76	-13.00	30.76	RMS	Vertical	PASS
3	3420.5	60.28	-107.54	-47.26	-13.00	34.26	RMS	Vertical	PASS
4	17946	35.77	-83.10	-47.33	-13.00	34.33	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 66
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1745	110.46	-93.97	16.49	-	-	RMS	Horizontal	NA
2	2989.8	45.23	-88.75	-43.52	-13.00	30.52	RMS	Horizontal	PASS
3	3490	59.33	-107.03	-47.70	-13.00	34.70	RMS	Horizontal	PASS
4	17352.5	35.68	-82.50	-46.82	-13.00	33.82	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 66
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1745	105.56	-93.97	11.59	-	-	RMS	Vertical	NA
2	2988.2	45.33	-88.76	-43.43	-13.00	30.43	RMS	Vertical	PASS
3	3490	59.51	-107.03	-47.52	-13.00	34.52	RMS	Vertical	PASS
4	17350.5	34.92	-82.42	-47.50	-13.00	34.50	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 66
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1773.4	111.30	-93.92	17.38	-	-	RMS	Horizontal	NA
2	2993.4	45.53	-88.73	-43.20	-13.00	30.20	RMS	Horizontal	PASS
3	3547	58.08	-107.57	-49.49	-13.00	36.49	RMS	Horizontal	PASS
4	17366.5	35.49	-83.04	-47.55	-13.00	34.55	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 66
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1773.6	107.23	-93.92	13.31	-	-	RMS	Vertical	NA
2	2997.8	45.24	-88.70	-43.46	-13.00	30.46	RMS	Vertical	PASS
3	3547	56.70	-107.57	-50.87	-13.00	37.87	RMS	Vertical	PASS
4	17831	35.27	-82.74	-47.47	-13.00	34.47	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 71
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1326.55	69.01	-114.29	-45.28	-13.00	32.28	RMS	Horizontal	PASS
2	1989.8	64.72	-113.41	-48.69	-13.00	35.69	RMS	Horizontal	PASS
3	2652.35	57.02	-110.49	-53.47	-13.00	40.47	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 71
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1326.2	68.19	-114.29	-46.10	-13.00	33.10	RMS	Vertical	PASS
2	1989.8	60.55	-113.41	-52.86	-13.00	39.86	RMS	Vertical	PASS
3	3702.35	49.75	-107.48	-57.73	-13.00	44.73	RMS	Vertical	PASS

Project Information

Mode:	NB-IoT	Band:	Band 71
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1360.85	77.44	-114.21	-36.77	-13.00	23.77	RMS	Horizontal	PASS
2	2041.6	66.57	-113.75	-47.18	-13.00	34.18	RMS	Horizontal	PASS
3	2721.65	56.02	-110.27	-54.25	-13.00	41.25	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 71
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1360.85	79.56	-114.21	-34.65	-13.00	21.65	RMS	Vertical	PASS
2	2041.6	57.26	-113.75	-56.49	-13.00	43.49	RMS	Vertical	PASS
3	2721.65	50.70	-110.27	-59.57	-13.00	46.57	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 71
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1395.85	67.81	-114.30	-46.49	-13.00	33.49	RMS	Horizontal	PASS
2	2093.4	61.49	-113.30	-51.81	-13.00	38.81	RMS	Horizontal	PASS
3	2791.3	52.83	-109.94	-57.11	-13.00	44.11	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 71
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1395.5	69.58	-114.30	-44.72	-13.00	31.72	RMS	Vertical	PASS
2	2093.4	55.29	-113.30	-58.01	-13.00	45.01	RMS	Vertical	PASS
3	3909.9	44.34	-106.24	-61.90	-13.00	48.90	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 85
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1396.55	72.55	-114.30	-41.75	-13.00	28.75	RMS	Horizontal	PASS
2	2094.8	65.54	-113.28	-47.74	-13.00	34.74	RMS	Horizontal	PASS
3	2793.05	55.01	-109.94	-54.93	-13.00	41.93	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 85
Bandwidth:	/	Channel:	L
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1396.55	72.10	-114.30	-42.20	-13.00	29.20	RMS	Vertical	PASS
2	2094.8	57.41	-113.28	-55.87	-13.00	42.87	RMS	Vertical	PASS
3	5586.05	42.34	-100.50	-58.16	-13.00	45.16	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 85
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1414.05	68.73	-114.35	-45.62	-13.00	32.62	RMS	Horizontal	PASS
2	2121.05	64.01	-113.21	-49.20	-13.00	36.20	RMS	Horizontal	PASS
3	2827.7	54.48	-109.67	-55.19	-13.00	42.19	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 85
Bandwidth:	/	Channel:	M
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1413.7	66.30	-114.35	-48.05	-13.00	35.05	RMS	Vertical	PASS
2	2121.05	54.01	-113.21	-59.20	-13.00	46.20	RMS	Vertical	PASS
3	2828.05	52.71	-109.67	-56.96	-13.00	43.96	RMS	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 85
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1431.55	66.39	-114.41	-48.02	-13.00	35.02	RMS	Horizontal	PASS
2	2147.65	67.18	-113.19	-46.01	-13.00	33.01	RMS	Horizontal	PASS
3	2863.4	56.98	-109.30	-52.32	-13.00	39.32	RMS	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	Band 85
Bandwidth:	/	Channel:	H
IMEI:	863251072017250	Engineer:	王伟杰
Remark:			

Test Standard: FCC PART 27

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1431.55	65.54	-114.41	-48.87	-13.00	35.87	RMS	Vertical	PASS
2	2147.3	55.91	-113.19	-57.28	-13.00	44.28	RMS	Vertical	PASS
3	2863.4	51.99	-109.30	-57.31	-13.00	44.31	RMS	Vertical	PASS

~The End~