




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	1.598	30	Pass
NVNT	BLE	2442	Ant1	2.685	30	Pass
NVNT	BLE	2480	Ant1	1.756	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.686	0.5	Pass
NVNT	BLE	2442	Ant1	0.687	0.5	Pass
NVNT	BLE	2480	Ant1	0.686	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.07	
NVNT	BLE	2442	Ant1	1.068	
NVNT	BLE	2480	Ant1	1.062	

Project No.: JYTSZR2210040









Tel: +86-755-23118282, Fax: +86-755-23116366





Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-4.677	8	Pass
NVNT	BLE	2442	Ant1	-3.439	8	Pass
NVNT	BLE	2480	Ant1	-4.481	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.69	-20	Pass
NVNT	BLE	2480	Ant1	-54.43	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.55	-20	Pass
NVNT	BLE	2442	Ant1	-48.47	-20	Pass
NVNT	BLE	2480	Ant1	-47.84	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref



