




#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant9	1.554	30	Pass
NVNT	BLE	2442	Ant9	2.008	30	Pass
NVNT	BLE	2480	Ant9	2.216	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant9	1.158	0.5	Pass
NVNT	BLE	2442	Ant9	1.179	0.5	Pass
NVNT	BLE	2480	Ant9	1.177	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant9	2.055	
NVNT	BLE	2442	Ant9	2.053	
NVNT	BLE	2480	Ant9	2.055	

Project No.: JYTSZR2304025















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant9	-15.551	8	Pass
NVNT	BLE	2442	Ant9	-15.034	8	Pass
NVNT	BLE	2480	Ant9	-14.816	8	Pass













## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant9	-48.17	-20	Pass
NVNT	BLE	2480	Ant9	-52.29	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant9	-43.08	-20	Pass
NVNT	BLE	2442	Ant9	-43.43	-20	Pass
NVNT	BLE	2480	Ant9	-43.48	-20	Pass



