


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	2.084	30	Pass
NVNT	BLE	2442	Ant1	2.578	30	Pass
NVNT	BLE	2480	Ant1	1.972	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.689	0.5	Pass
NVNT	BLE	2442	Ant1	0.684	0.5	Pass
NVNT	BLE	2480	Ant1	0.687	0.5	Pass







Spectrue Occupie	ed BW		• •	+						
R R	IGHT ·≁·	Input: RF Coupling: D Align: Auto			tten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: Radio Std:			
1 Graph									Mkr3 2.4803	39000 GHz
Scale/D		dB				Ref LvI Offset 2 Ref Value 22.81				-7.68 dBm
Log 12.8										
2.81					2			3		
-7.19 -17.2									~	
-27.2										
-37.2	·									
-57.2										
-67.2										
Center : #Res B						#Video BW 300	.00 kHz		Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metrics	s	V								
		Occupie	ed Bandwidth							
				8 MHz				Total Power	4.84 dBm	
			it Freq Error Indwidth		701 kHz			% of OBW Power	99.00 % -6.00 dB	
		X dB Ba	nawiath	00	87.0 kHz			x dB	-6.00 dB	
	う	2	? Jul 07 2:32:4	, 2022 44 PM 💬						



Occupied Channel Bandwidth

Condition	Mode	Mode Frequency (MHz)		99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.070813244	
NVNT	BLE	2442	Ant1	1.07065535	
NVNT	BLE	2480	Ant1	1.069011207	











Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-4.265	8	Pass
NVNT	BLE	2442	Ant1	-3.791	8	Pass
NVNT	BLE	2480	Ant1	-4.329	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.54	-20	Pass
NVNT	BLE	2480	Ant1	-26.88	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.04	-20	Pass
NVNT	BLE	2442	Ant1	-45.96	-20	Pass
NVNT	BLE	2480	Ant1	-45.01	-20	Pass











