




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	2.554	30	Pass
NVNT	BLE	2442	Ant12	3.342	30	Pass
NVNT	BLE	2480	Ant12	1.856	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant12	0.688	0.5	Pass
NVNT	BLE	2442	Ant12	0.696	0.5	Pass
NVNT	BLE	2480	Ant12	0.702	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant12	1.035	
NVNT	BLE	2442	Ant12	1.035	
NVNT	BLE	2480	Ant12	1.038	















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	-12.284	8	Pass
NVNT	BLE	2442	Ant12	-11.489	8	Pass
NVNT	BLE	2480	Ant12	-13.043	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-68.18	-20	Pass
NVNT	BLE	2480	Ant12	-64.04	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-49.89	-20	Pass
NVNT	BLE	2442	Ant12	-51.75	-20	Pass
NVNT	BLE	2480	Ant12	-49.68	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant12 Ref

1.450 dBm

-52.94 dBm -54.66 dBm -53.92 dBm

-49.23 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

2.452 GHz

4.974 GHz 7.271 GHz 9.768 GHz

24.700 GHz

Mar 27, 2024 7:00:13 PM



