




#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant12	2.571	30	Pass
NVNT	BLE	2442	Ant12	3.311	30	Pass
NVNT	BLE	2478	Ant12	2.35	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant12	1.153	0.5	Pass
NVNT	BLE	2442	Ant12	1.236	0.5	Pass
NVNT	BLE	2478	Ant12	1.139	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2404	Ant12	2.057	
NVNT	BLE	2442	Ant12	2.048	
NVNT	BLE	2478	Ant12	2.059	














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant12	-14.457	8	Pass
NVNT	BLE	2442	Ant12	-13.721	8	Pass
NVNT	BLE	2478	Ant12	-14.722	8	Pass













## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant12	-57.46	-20	Pass
NVNT	BLE	2478	Ant12	-55.95	-20	Pass














# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant12	-49.28	-20	Pass
NVNT	BLE	2442	Ant12	-49.75	-20	Pass
NVNT	BLE	2478	Ant12	-49	-20	Pass









Start 30 MHz #Res BW 100 kHz Stop 26.50 GHz Sweep ~2.57 s (1001 pts) #Video BW 300 kHz 5 Marker Table Trace Scale Function **Function Width** Function Value Mode 2.439 GHz 1.601 dBm -53.16 dBm -54.47 dBm -54.73 dBm -47.42 dBm 4.980 GHz 7.177 GHz 9.692 GHz N N N 26.288 GHz Mar 29, 2024 10:28:47 PM Tx. Spurious NVNT BLE 2478MHz Ant12 Ref



