



U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.925	60.43	1.99	74.0	13.57	Peak	165.00	150	Horizontal	Pass
1**	5126.925	46.49	1.99	54.0	7.51	AV	165.00	150	Horizontal	Pass
2	5149.675	56.12	2.07	74.0	17.88	Peak	153.00	150	Horizontal	Pass
2**	5149.675	47.05	2.07	54.0	6.95	AV	153.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.77	1.93	74.0	18.23	Peak	68.00	150	Horizontal	Pass
1**	5350.055	45.57	1.93	54.0	8.43	AV	68.00	150	Horizontal	Pass
2	5431.785	57.96	2.26	74.0	16.04	Peak	156.00	200	Horizontal	Pass
2**	5431.785	46.00	2.26	54.0	8.00	AV	156.00	200	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	57.84	2.28	74.0	16.16	Peak	168.00	100	Horizontal	Pass
1**	5146.425	46.80	2.28	54.0	7.20	AV	168.00	100	Horizontal	Pass
2	5149.675	55.62	2.07	74.0	18.38	Peak	159.00	200	Horizontal	Pass
2**	5149.675	46.22	2.07	54.0	7.78	AV	159.00	200	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.14	1.93	74.0	16.86	Peak	340.00	200	Horizontal	Pass
1**	5350.055	47.52	1.93	54.0	6.48	AV	340.00	200	Horizontal	Pass
2	5404.010	61.67	2.18	74.0	12.33	Peak	286.00	200	Horizontal	Pass
2**	5404.010	48.63	2.18	54.0	5.37	AV	286.00	200	Horizontal	Pass
3	5402.525	58.11	2.01	74.0	15.89	Peak	170.00	150	Horizontal	Pass
3**	5402.525	50.26	2.01	54.0	3.74	AV	170.00	150	Horizontal	Pass

U-NII-1 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	59.17	2.06	74.0	14.83	Peak	172.00	200	Horizontal	Pass
1**	5148.700	45.92	2.06	54.0	8.08	AV	172.00	200	Horizontal	Pass
2	5149.675	58.17	2.07	74.0	15.83	Peak	305.00	150	Horizontal	Pass
2**	5149.675	46.42	2.07	54.0	7.58	AV	305.00	150	Horizontal	Pass

U-NII-1 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.58	1.93	74.0	18.42	Peak	306.00	100	Horizontal	Pass
1**	5350.055	45.52	1.93	54.0	8.48	AV	306.00	100	Horizontal	Pass
2	5427.880	58.37	2.48	74.0	15.63	Peak	61.00	150	Horizontal	Pass
2**	5427.880	46.28	2.48	54.0	7.72	AV	61.00	150	Horizontal	Pass

U-NII-1 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5033.975	57.32	2.20	74.0	16.68	Peak	271.00	150	Horizontal	Pass
1**	5033.975	45.91	2.20	54.0	8.09	AV	271.00	150	Horizontal	Pass
2	5149.675	56.05	2.07	74.0	17.95	Peak	74.00	100	Horizontal	Pass
2**	5149.675	45.83	2.07	54.0	8.17	AV	74.00	100	Horizontal	Pass

U-NII-1 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.69	1.93	74.0	18.31	Peak	46.00	100	Horizontal	Pass
1**	5350.000	45.63	1.93	54.0	8.37	AV	46.00	100	Horizontal	Pass
2	5442.400	57.66	2.26	74.0	16.34	Peak	340.00	150	Horizontal	Pass
2**	5442.400	46.02	2.26	54.0	7.98	AV	340.00	150	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	61.04	2.07	74.0	12.96	Peak	338.00	150	Horizontal	Pass
1**	5149.675	46.38	2.07	54.0	7.62	AV	338.00	150	Horizontal	Pass
2	5149.675	61.04	2.07	74.0	12.96	Peak	338.00	150	Horizontal	Pass
2**	5149.675	46.38	2.07	54.0	7.62	AV	338.00	150	Horizontal	Pass
3	5136.675	58.14	2.42	74.0	15.86	Peak	320.00	150	Horizontal	Pass
3**	5136.675	47.98	2.42	54.0	6.02	AV	320.00	150	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.93	1.93	74.0	18.07	Peak	173.00	150	Horizontal	Pass
1**	5350.000	45.68	1.93	54.0	8.32	AV	173.00	150	Horizontal	Pass
2	5420.785	59.15	2.43	74.0	14.85	Peak	256.00	150	Horizontal	Pass
2**	5420.785	46.44	2.43	54.0	7.56	AV	256.00	150	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.925	59.71	2.37	74.0	14.29	Peak	179.00	150	Horizontal	Pass
1**	5139.925	46.05	2.37	54.0	7.95	AV	179.00	150	Horizontal	Pass
2	5149.675	57.73	2.07	74.0	16.27	Peak	360.00	150	Horizontal	Pass
2**	5149.675	45.68	2.07	54.0	8.32	AV	360.00	150	Horizontal	Pass
3	5096.375	56.93	2.14	74.0	17.07	Peak	308.00	150	Horizontal	Pass
3**	5096.375	47.45	2.14	54.0	6.55	AV	308.00	150	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.52	1.93	74.0	18.48	Peak	220.00	100	Horizontal	Pass
1**	5350.000	45.76	1.93	54.0	8.24	AV	220.00	100	Horizontal	Pass
2	5444.820	57.88	2.16	74.0	16.12	Peak	156.00	200	Horizontal	Pass
2**	5444.820	45.77	2.16	54.0	8.23	AV	156.00	200	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4751.550	57.31	1.30	74.0	16.69	Peak	353.00	200	Horizontal	Pass
1**	4751.550	44.67	1.30	54.0	9.33	AV	353.00	200	Horizontal	Pass
2	5149.675	55.18	2.07	74.0	18.82	Peak	97.00	100	Horizontal	Pass
2**	5149.675	45.60	2.07	54.0	8.40	AV	97.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.71	1.93	74.0	11.29	Peak	351.00	200	Horizontal	Pass
1**	5350.000	46.20	1.93	54.0	7.80	AV	351.00	200	Horizontal	Pass
2	5350.550	65.98	1.90	74.0	8.02	Peak	289.00	200	Horizontal	Pass
2**	5350.550	46.17	1.90	54.0	7.83	AV	289.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5080.450	57.27	2.37	74.0	16.73	Peak	106.00	100	Horizontal	Pass
1**	5080.450	45.99	2.37	54.0	8.01	AV	106.00	100	Horizontal	Pass
2	5149.675	55.13	2.07	74.0	18.87	Peak	104.00	100	Horizontal	Pass
2**	5149.675	45.60	2.07	54.0	8.40	AV	104.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.61	1.93	74.0	14.39	Peak	150.00	200	Horizontal	Pass
1**	5350.055	46.19	1.93	54.0	7.81	AV	150.00	200	Horizontal	Pass
2	5350.440	64.76	1.91	74.0	9.24	Peak	295.00	100	Horizontal	Pass
2**	5350.440	46.39	1.91	54.0	7.61	AV	295.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5061.275	57.35	2.06	74.0	16.65	Peak	117.00	100	Horizontal	Pass
1**	5061.275	45.71	2.06	54.0	8.29	AV	117.00	100	Horizontal	Pass
2	5149.675	55.85	2.07	74.0	18.15	Peak	158.00	150	Horizontal	Pass
2**	5149.675	45.61	2.07	54.0	8.39	AV	158.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.78	1.93	74.0	17.22	Peak	0.00	100	Horizontal	Pass
1**	5350.000	47.49	1.93	54.0	6.51	AV	0.00	100	Horizontal	Pass
2	5357.040	58.77	2.19	74.0	15.23	Peak	178.00	200	Horizontal	Pass
2**	5357.040	45.96	2.19	54.0	8.04	AV	178.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	57.28	2.10	74.0	16.72	Peak	29.00	150	Horizontal	Pass
1**	5148.375	45.68	2.10	54.0	8.32	AV	29.00	150	Horizontal	Pass
2	5149.675	55.13	2.07	74.0	18.87	Peak	283.00	200	Horizontal	Pass
2**	5149.675	45.53	2.07	54.0	8.47	AV	283.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.46	1.93	74.0	12.54	Peak	184.00	150	Horizontal	Pass
1**	5350.055	46.53	1.93	54.0	7.47	AV	184.00	150	Horizontal	Pass
2	5350.825	65.44	1.88	74.0	8.56	Peak	293.00	200	Horizontal	Pass
2**	5350.825	46.57	1.88	54.0	7.43	AV	293.00	200	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	57.02	2.27	74.0	16.98	Peak	185.00	200	Horizontal	Pass
1**	5145.775	45.99	2.27	54.0	8.01	AV	185.00	200	Horizontal	Pass
2	5149.675	55.92	2.07	74.0	18.08	Peak	55.00	100	Horizontal	Pass
2**	5149.675	45.72	2.07	54.0	8.28	AV	55.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.56	1.93	74.0	12.44	Peak	149.00	100	Horizontal	Pass
1**	5350.000	49.57	1.93	54.0	4.43	AV	149.00	100	Horizontal	Pass
2	5352.145	62.12	2.05	74.0	11.88	Peak	304.00	200	Horizontal	Pass
2**	5352.145	48.58	2.05	54.0	5.42	AV	304.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4984.900	57.37	1.98	74.0	16.63	Peak	102.00	100	Horizontal	Pass
1**	4984.900	45.08	1.98	54.0	8.92	AV	102.00	100	Horizontal	Pass
2	5149.675	55.46	2.07	74.0	18.54	Peak	44.00	100	Horizontal	Pass
2**	5149.675	45.74	2.07	54.0	8.26	AV	44.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.68	1.93	74.0	17.32	Peak	280.00	100	Horizontal	Pass
1**	5350.000	47.21	1.93	54.0	6.79	AV	280.00	100	Horizontal	Pass
2	5368.260	61.73	2.22	74.0	12.27	Peak	152.00	200	Horizontal	Pass
2**	5368.260	46.66	2.22	54.0	7.34	AV	152.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.575	57.08	2.17	74.0	16.92	Peak	17.00	150	Horizontal	Pass
1**	5114.575	45.68	2.17	54.0	8.32	AV	17.00	150	Horizontal	Pass
2	5149.675	56.17	2.07	74.0	17.83	Peak	33.00	100	Horizontal	Pass
2**	5149.675	45.54	2.07	54.0	8.46	AV	33.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.75	1.93	74.0	14.25	Peak	0.00	200	Horizontal	Pass
1**	5350.000	46.32	1.93	54.0	7.68	AV	0.00	200	Horizontal	Pass
2	5352.145	63.12	2.05	74.0	10.88	Peak	335.00	150	Horizontal	Pass
2**	5352.145	46.25	2.05	54.0	7.75	AV	335.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5019.350	57.27	2.01	74.0	16.73	Peak	27.00	200	Horizontal	Pass
1**	5019.350	45.55	2.01	54.0	8.45	AV	27.00	200	Horizontal	Pass
2	5149.675	55.13	2.07	74.0	18.87	Peak	224.00	100	Horizontal	Pass
2**	5149.675	45.66	2.07	54.0	8.34	AV	224.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.99	1.93	74.0	14.01	Peak	169.00	100	Horizontal	Pass
1**	5350.000	49.52	1.93	54.0	4.48	AV	169.00	100	Horizontal	Pass
2	5352.695	62.38	2.13	74.0	11.62	Peak	305.00	200	Horizontal	Pass
2**	5352.695	48.49	2.13	54.0	5.51	AV	305.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5113.925	56.98	2.15	74.0	17.02	Peak	128.00	150	Horizontal	Pass
1**	5113.925	45.66	2.15	54.0	8.34	AV	128.00	150	Horizontal	Pass
2	5149.675	54.64	2.07	74.0	19.36	Peak	13.00	200	Horizontal	Pass
2**	5149.675	46.15	2.07	54.0	7.85	AV	13.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.97	1.93	74.0	16.03	Peak	331.00	150	Horizontal	Pass
1**	5350.000	49.27	1.93	54.0	4.73	AV	331.00	150	Horizontal	Pass
2	5366.060	62.00	2.16	74.0	12.00	Peak	328.00	150	Horizontal	Pass
2**	5366.060	48.97	2.16	54.0	5.03	AV	328.00	150	Horizontal	Pass
3	5353.795	58.32	2.12	74.0	15.68	Peak	282.00	150	Horizontal	Pass
3**	5353.795	50.16	2.12	54.0	3.84	AV	282.00	150	Horizontal	Pass

U-NII-2A 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.100	56.93	2.04	74.0	17.07	Peak	250.00	200	Horizontal	Pass
1**	5107.100	45.37	2.04	54.0	8.63	AV	250.00	200	Horizontal	Pass
2	5149.675	55.26	2.07	74.0	18.74	Peak	233.00	100	Horizontal	Pass
2**	5149.675	45.78	2.07	54.0	8.22	AV	233.00	100	Horizontal	Pass

U-NII-2A 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.04	1.93	74.0	15.96	Peak	166.00	150	Horizontal	Pass
1**	5350.000	46.27	1.93	54.0	7.73	AV	166.00	150	Horizontal	Pass
2	5358.855	58.62	2.22	74.0	15.38	Peak	153.00	100	Horizontal	Pass
2**	5358.855	46.18	2.22	54.0	7.82	AV	153.00	100	Horizontal	Pass

U-NII-2A 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.675	57.70	2.42	74.0	16.30	Peak	352.00	200	Horizontal	Pass
1**	5136.675	46.07	2.42	54.0	7.93	AV	352.00	200	Horizontal	Pass
2	5149.675	56.26	2.07	74.0	17.74	Peak	307.00	200	Horizontal	Pass
2**	5149.675	45.64	2.07	54.0	8.36	AV	307.00	200	Horizontal	Pass

U-NII-2A 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.33	1.93	74.0	16.67	Peak	176.00	200	Horizontal	Pass
1**	5350.055	46.08	1.93	54.0	7.92	AV	176.00	200	Horizontal	Pass
2	5351.540	60.37	1.97	74.0	13.63	Peak	169.00	150	Horizontal	Pass
2**	5351.540	45.96	1.97	54.0	8.04	AV	169.00	150	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5110.350	57.40	2.03	74.0	16.60	Peak	137.00	150	Horizontal	Pass
1**	5110.350	45.57	2.03	54.0	8.43	AV	137.00	150	Horizontal	Pass
2	5149.675	54.99	2.07	74.0	19.01	Peak	253.00	100	Horizontal	Pass
2**	5149.675	45.73	2.07	54.0	8.27	AV	253.00	100	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.21	1.93	74.0	14.79	Peak	177.00	100	Horizontal	Pass
1**	5350.055	46.13	1.93	54.0	7.87	AV	177.00	100	Horizontal	Pass
2	5363.200	60.61	2.19	74.0	13.39	Peak	301.00	150	Horizontal	Pass
2**	5363.200	48.06	2.19	54.0	5.94	AV	301.00	150	Horizontal	Pass
3	5364.025	58.73	2.15	74.0	15.27	Peak	342.00	150	Horizontal	Pass
3**	5364.025	48.96	2.15	54.0	5.04	AV	342.00	150	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.800	60.56	2.16	74.0	13.44	Peak	335.00	200	Horizontal	Pass
1**	5451.800	46.22	2.16	54.0	7.78	AV	335.00	200	Horizontal	Pass
2	5460.000	56.71	2.50	74.0	17.29	Peak	83.00	150	Horizontal	Pass
2**	5460.000	46.94	2.50	54.0	7.06	AV	83.00	150	Horizontal	Pass
3	5467.100	63.32	3.01	68.2	4.88	Peak	308.00	200	Horizontal	Pass
3**	5467.100	47.68	3.01	--	--	AV	308.00	200	Horizontal	N/A
4	5469.950	58.22	2.87	68.2	9.98	Peak	335.00	150	Horizontal	Pass
4**	5469.950	47.71	2.87	--	--	AV	335.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.74	2.55	68.2	10.46	Peak	166.00	200	Horizontal	Pass
2	5728.100	64.61	2.59	68.2	3.59	Peak	178.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.850	61.26	2.48	74.0	12.74	Peak	336.00	200	Horizontal	Pass
1**	5459.850	46.95	2.48	54.0	7.05	AV	336.00	200	Horizontal	Pass
2	5460.000	55.52	2.50	74.0	18.48	Peak	176.00	200	Horizontal	Pass
2**	5460.000	46.69	2.50	54.0	7.31	AV	176.00	200	Horizontal	Pass
3	5466.300	61.97	2.83	68.2	6.23	Peak	323.00	200	Horizontal	Pass
3**	5466.300	47.69	2.83	--	--	AV	323.00	200	Horizontal	N/A
4	5469.950	57.27	2.87	68.2	10.93	Peak	336.00	200	Horizontal	Pass
4**	5469.950	47.80	2.87	--	--	AV	336.00	200	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	59.34	2.55	68.2	8.86	Peak	169.00	150	Horizontal	Pass
2	5729.150	63.78	2.64	68.2	4.42	Peak	173.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.450	60.12	2.44	74.0	13.88	Peak	332.00	150	Horizontal	Pass
1**	5458.450	46.70	2.44	54.0	7.30	AV	332.00	150	Horizontal	Pass
2	5460.000	55.59	2.50	74.0	18.41	Peak	132.00	200	Horizontal	Pass
2**	5460.000	46.84	2.50	54.0	7.16	AV	132.00	200	Horizontal	Pass
3	5466.200	60.69	2.80	68.2	7.51	Peak	338.00	150	Horizontal	Pass
3**	5466.200	46.95	2.80	--	--	AV	338.00	150	Horizontal	N/A
4	5469.950	57.43	2.87	68.2	10.77	Peak	326.00	100	Horizontal	Pass
4**	5469.950	47.80	2.87	--	--	AV	326.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.20	2.55	68.2	11.00	Peak	286.00	150	Horizontal	Pass
2	5728.450	58.24	2.61	68.2	9.96	Peak	45.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.950	59.87	2.31	74.0	14.13	Peak	301.00	200	Horizontal	Pass
1**	5440.950	46.32	2.31	54.0	7.68	AV	301.00	200	Horizontal	Pass
2	5460.000	56.11	2.50	74.0	17.89	Peak	91.00	100	Horizontal	Pass
2**	5460.000	46.86	2.50	54.0	7.14	AV	91.00	100	Horizontal	Pass
3	5466.550	61.79	2.88	68.2	6.41	Peak	309.00	150	Horizontal	Pass
3**	5466.550	47.63	2.88	--	--	AV	309.00	150	Horizontal	N/A
4	5469.950	57.12	2.87	68.2	11.08	Peak	338.00	150	Horizontal	Pass
4**	5469.950	47.72	2.87	--	--	AV	338.00	150	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.63	2.55	68.2	10.57	Peak	177.00	100	Horizontal	Pass
2	5728.750	63.54	2.63	68.2	4.66	Peak	174.00	150	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.100	60.85	2.40	74.0	13.15	Peak	338.00	200	Horizontal	Pass
1**	5459.100	46.44	2.40	54.0	7.56	AV	338.00	200	Horizontal	Pass
2	5460.000	58.29	2.50	74.0	15.71	Peak	295.00	150	Horizontal	Pass
2**	5460.000	46.93	2.50	54.0	7.07	AV	295.00	150	Horizontal	Pass
3	5467.600	61.13	3.13	68.2	7.07	Peak	309.00	200	Horizontal	Pass
3**	5467.600	47.80	3.13	--	--	AV	309.00	200	Horizontal	N/A
4	5469.950	57.16	2.87	68.2	11.04	Peak	303.00	100	Horizontal	Pass
4**	5469.950	48.07	2.87	--	--	AV	303.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.61	2.55	68.2	11.59	Peak	0.00	150	Horizontal	Pass
2	5727.100	58.21	2.52	68.2	9.99	Peak	101.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.000	62.60	2.38	74.0	11.40	Peak	299.00	150	Horizontal	Pass
1**	5448.000	47.84	2.38	54.0	6.16	AV	299.00	150	Horizontal	Pass
2	5460.000	58.19	2.50	74.0	15.81	Peak	299.00	150	Horizontal	Pass
2**	5460.000	48.97	2.50	54.0	5.03	AV	299.00	150	Horizontal	Pass
3	5469.800	61.48	2.88	68.2	6.72	Peak	299.00	200	Horizontal	Pass
3**	5469.800	51.44	2.88	--	--	AV	299.00	200	Horizontal	N/A
4	5469.950	60.20	2.87	68.2	8.00	Peak	323.00	100	Horizontal	Pass
4**	5469.950	50.96	2.87	--	--	AV	323.00	100	Horizontal	N/A
5	5459.500	59.05	2.43	74.0	14.95	Peak	302.00	150	Horizontal	Pass
5**	5459.500	50.22	2.43	54.0	3.78	AV	302.00	150	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.18	2.55	68.2	11.02	Peak	326.00	200	Horizontal	Pass
2	5757.600	57.83	2.60	68.2	10.37	Peak	14.00	200	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5450.300	60.21	2.23	74.0	13.79	Peak	160.00	100	Horizontal	Pass
1**	5450.300	47.15	2.23	54.0	6.85	AV	160.00	100	Horizontal	Pass
2	5460.000	56.28	2.50	74.0	17.72	Peak	163.00	200	Horizontal	Pass
2**	5460.000	47.42	2.50	54.0	6.58	AV	163.00	200	Horizontal	Pass
3	5468.300	58.91	3.08	68.2	9.29	Peak	348.00	100	Horizontal	Pass
3**	5468.300	48.26	3.08	--	--	AV	348.00	100	Horizontal	N/A
4	5469.950	57.88	2.87	68.2	10.32	Peak	288.00	200	Horizontal	Pass
4**	5469.950	47.66	2.87	--	--	AV	288.00	200	Horizontal	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.89	2.55	68.2	5.31	Peak	178.00	150	Horizontal	Pass
2	5731.600	65.12	2.18	68.2	3.08	Peak	175.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.000	59.64	2.06	74.0	14.36	Peak	327.00	150	Horizontal	Pass
1**	5435.000	46.26	2.06	54.0	7.74	AV	327.00	150	Horizontal	Pass
2	5460.000	56.03	2.50	74.0	17.97	Peak	155.00	100	Horizontal	Pass
2**	5460.000	46.72	2.50	54.0	7.28	AV	155.00	100	Horizontal	Pass
3	5467.550	61.46	3.12	68.2	6.74	Peak	327.00	150	Horizontal	Pass
3**	5467.550	48.07	3.12	--	--	AV	327.00	150	Horizontal	N/A
4	5469.950	57.37	2.87	68.2	10.83	Peak	0.00	200	Horizontal	Pass
4**	5469.950	47.92	2.87	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.21	2.55	68.2	8.99	Peak	167.00	100	Horizontal	Pass
2	5727.700	64.75	2.56	68.2	3.45	Peak	172.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.550	57.95	2.16	74.0	16.05	Peak	360.00	150	Horizontal	Pass
1**	5451.550	45.86	2.16	54.0	8.14	AV	360.00	150	Horizontal	Pass
2	5460.000	56.23	2.50	74.0	17.77	Peak	199.00	150	Horizontal	Pass
2**	5460.000	46.55	2.50	54.0	7.45	AV	199.00	150	Horizontal	Pass
3	5467.550	60.64	3.12	68.2	7.56	Peak	360.00	200	Horizontal	Pass
3**	5467.550	48.04	3.12	--	--	AV	360.00	200	Horizontal	N/A
4	5469.950	57.48	2.87	68.2	10.72	Peak	324.00	150	Horizontal	Pass
4**	5469.950	48.70	2.87	--	--	AV	324.00	150	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.98	2.55	68.2	11.22	Peak	288.00	150	Horizontal	Pass
2	5742.150	58.47	2.11	68.2	9.73	Peak	360.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.900	60.70	2.40	74.0	13.30	Peak	321.00	200	Horizontal	Pass
1**	5446.900	46.94	2.40	54.0	7.06	AV	321.00	200	Horizontal	Pass
2	5460.000	58.38	2.50	74.0	15.62	Peak	313.00	150	Horizontal	Pass
2**	5460.000	48.32	2.50	54.0	5.68	AV	313.00	150	Horizontal	Pass
3	5462.150	60.79	2.73	68.2	7.41	Peak	298.00	100	Horizontal	Pass
3**	5462.150	47.79	2.73	--	--	AV	298.00	100	Horizontal	N/A
4	5469.950	57.87	2.87	68.2	10.33	Peak	298.00	200	Horizontal	Pass
4**	5469.950	48.44	2.87	--	--	AV	298.00	200	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.97	2.55	68.2	12.23	Peak	333.00	200	Horizontal	Pass
2	5739.000	57.88	2.14	68.2	10.32	Peak	181.00	200	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.300	63.43	2.45	74.0	10.57	Peak	334.00	100	Horizontal	Pass
1**	5458.300	48.95	2.45	54.0	5.05	AV	334.00	100	Horizontal	Pass
2	5460.000	57.28	2.50	74.0	16.72	Peak	325.00	100	Horizontal	Pass
2**	5460.000	48.53	2.50	54.0	5.47	AV	325.00	100	Horizontal	Pass
3	5468.050	65.26	3.12	68.2	2.94	Peak	312.00	100	Horizontal	Pass
3**	5468.050	49.80	3.12	--	--	AV	312.00	100	Horizontal	N/A
4	5469.950	58.28	2.87	68.2	9.92	Peak	323.00	200	Horizontal	Pass
4**	5469.950	49.24	2.87	--	--	AV	323.00	200	Horizontal	N/A

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	63.76	2.55	68.2	4.44	Peak	339.00	150	Horizontal	Pass
2	5742.000	65.15	2.11	68.2	3.05	Peak	325.00	150	Horizontal	Pass

U-NII-2C 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5422.700	58.16	2.45	74.0	15.84	Peak	72.00	200	Horizontal	Pass
1**	5422.700	46.46	2.45	54.0	7.54	AV	72.00	200	Horizontal	Pass
2	5460.000	56.55	2.50	74.0	17.45	Peak	10.00	200	Horizontal	Pass
2**	5460.000	46.01	2.50	54.0	7.99	AV	10.00	200	Horizontal	Pass
3	5469.250	61.88	2.95	68.2	6.32	Peak	312.00	100	Horizontal	Pass
3**	5469.250	47.28	2.95	--	--	AV	312.00	100	Horizontal	N/A
4	5469.950	58.78	2.87	68.2	9.42	Peak	327.00	150	Horizontal	Pass
4**	5469.950	46.75	2.87	--	--	AV	327.00	150	Horizontal	N/A

U-NII-2C 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.31	2.55	68.2	7.89	Peak	174.00	150	Horizontal	Pass
2	5726.350	62.60	2.52	68.2	5.60	Peak	172.00	150	Horizontal	Pass

U-NII-2C 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5418.900	57.93	2.46	74.0	16.07	Peak	254.00	100	Horizontal	Pass
1**	5418.900	46.34	2.46	54.0	7.66	AV	254.00	100	Horizontal	Pass
2	5460.000	55.80	2.50	74.0	18.20	Peak	62.00	200	Horizontal	Pass
2**	5460.000	46.15	2.50	54.0	7.85	AV	62.00	200	Horizontal	Pass
3	5467.500	57.72	3.11	68.2	10.48	Peak	360.00	150	Horizontal	Pass
3**	5467.500	46.85	3.11	--	-46.85	AV	360.00	150	Horizontal	N/A
4	5469.950	56.56	2.87	68.2	11.64	Peak	245.00	150	Horizontal	Pass
4**	5469.950	46.42	2.87	--	-46.42	AV	245.00	150	Horizontal	N/A

U-NII-2C 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.40	2.55	68.2	10.80	Peak	329.00	150	Horizontal	Pass
2	5761.150	59.41	2.36	68.2	8.79	Peak	289.00	200	Horizontal	Pass

U-NII-2C 11ax80(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.250	57.89	2.43	74.0	16.11	Peak	57.00	100	Horizontal	Pass
1**	5426.250	46.19	2.43	54.0	7.81	AV	57.00	100	Horizontal	Pass
2	5460.000	56.00	2.50	74.0	18.00	Peak	37.00	150	Horizontal	Pass
2**	5460.000	46.08	2.50	54.0	7.92	AV	37.00	150	Horizontal	Pass
3	5469.600	60.27	2.91	68.2	7.93	Peak	174.00	200	Horizontal	Pass
3**	5469.600	46.35	2.91	--	--	AV	174.00	200	Horizontal	N/A
4	5469.950	57.40	2.87	68.2	10.80	Peak	316.00	200	Horizontal	Pass
4**	5469.950	46.82	2.87	--	--	AV	316.00	200	Horizontal	N/A

U-NII-2C 11ax80(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.90	2.55	68.2	11.30	Peak	307.00	200	Horizontal	Pass
2	5799.300	59.35	2.39	68.2	8.85	Peak	170.00	200	Horizontal	Pass

U-NII-2C 11ax160(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.200	58.50	2.40	74.0	15.50	Peak	349.00	200	Horizontal	Pass
1**	5459.200	45.93	2.40	54.0	8.07	AV	349.00	200	Horizontal	Pass
2	5460.000	56.61	2.50	74.0	17.39	Peak	294.00	200	Horizontal	Pass
2**	5460.000	46.23	2.50	54.0	7.77	AV	294.00	200	Horizontal	Pass
3	5465.450	61.12	2.67	68.2	7.08	Peak	177.00	150	Horizontal	Pass
3**	5465.450	46.30	2.67	--	--	AV	177.00	150	Horizontal	N/A
4	5469.950	58.19	2.87	68.2	10.01	Peak	292.00	150	Horizontal	Pass
4**	5469.950	46.56	2.87	--	--	AV	292.00	150	Horizontal	N/A

U-NII-2C 11ax160(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.64	2.55	68.2	11.56	Peak	323.00	150	Horizontal	Pass
2	5808.100	58.21	2.61	68.2	9.99	Peak	201.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.750	57.66	2.37	68.2	10.54	Peak	22.00	200	Horizontal	Pass
2	5650.000	55.81	2.54	68.2	12.39	Peak	196.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.33	2.32	68.2	11.87	Peak	177.00	200	Horizontal	Pass
2	5928.100	58.95	2.58	68.2	9.25	Peak	168.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.550	57.61	2.45	68.2	10.59	Peak	282.00	200	Horizontal	Pass
2	5650.000	55.97	2.54	68.2	12.23	Peak	13.00	150	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.90	2.32	68.2	12.30	Peak	168.00	100	Horizontal	Pass
2	5940.900	57.76	2.72	68.2	10.44	Peak	350.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.750	57.64	2.49	68.2	10.56	Peak	156.00	150	Horizontal	Pass
2	5650.000	55.44	2.54	68.2	12.76	Peak	342.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.25	2.32	68.2	11.95	Peak	323.00	150	Horizontal	Pass
2	5927.400	58.85	2.45	68.2	9.35	Peak	80.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.050	58.07	2.34	68.2	10.13	Peak	329.00	100	Horizontal	Pass
2	5650.000	57.12	2.54	68.2	11.08	Peak	173.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.75	2.32	68.2	12.45	Peak	28.00	200	Horizontal	Pass
2	5948.200	58.64	2.70	68.2	9.56	Peak	300.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.900	57.62	2.65	68.2	10.58	Peak	288.00	150	Horizontal	Pass
2	5650.000	55.53	2.54	68.2	12.67	Peak	294.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.73	2.32	68.2	12.47	Peak	0.00	150	Horizontal	Pass
2	5941.300	58.58	2.82	68.2	9.62	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.150	58.03	2.34	68.2	10.17	Peak	187.00	150	Horizontal	Pass
2	5650.000	55.69	2.54	68.2	12.51	Peak	13.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.25	2.32	68.2	11.95	Peak	314.00	100	Horizontal	Pass
2	5949.450	58.25	2.57	68.2	9.95	Peak	0.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.000	57.67	2.15	68.2	10.53	Peak	3.00	100	Horizontal	Pass
2	5650.000	55.79	2.54	68.2	12.41	Peak	16.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.48	2.32	68.2	12.72	Peak	345.00	200	Horizontal	Pass
2	5937.950	58.32	2.33	68.2	9.88	Peak	193.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.600	57.47	2.62	68.2	10.73	Peak	180.00	100	Horizontal	Pass
2	5650.000	56.55	2.54	68.2	11.65	Peak	178.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.23	2.32	68.2	12.97	Peak	294.00	100	Horizontal	Pass
2	5941.650	59.73	2.89	68.2	8.47	Peak	66.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.750	57.67	2.65	68.2	10.53	Peak	176.00	100	Horizontal	Pass
2	5650.000	55.39	2.54	68.2	12.81	Peak	168.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.27	2.32	68.2	12.93	Peak	127.00	100	Horizontal	Pass
2	5941.350	57.92	2.84	68.2	10.28	Peak	272.00	100	Horizontal	Pass

U-NII-3 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.200	58.16	2.52	68.2	10.04	Peak	236.00	100	Horizontal	Pass
2	5650.000	56.14	2.54	68.2	12.06	Peak	46.00	150	Horizontal	Pass

U-NII-3 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.68	2.32	68.2	11.52	Peak	194.00	150	Horizontal	Pass
2	5948.700	58.08	2.64	68.2	10.12	Peak	80.00	200	Horizontal	Pass

U-NII-3 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.750	57.72	2.67	68.2	10.48	Peak	285.00	100	Horizontal	Pass
2	5650.000	56.30	2.54	68.2	11.90	Peak	172.00	200	Horizontal	Pass

U-NII-3 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.01	2.32	68.2	12.19	Peak	127.00	200	Horizontal	Pass
2	5942.400	58.62	2.73	68.2	9.58	Peak	196.00	100	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.450	57.27	2.44	68.2	10.93	Peak	164.00	200	Horizontal	Pass
2	5650.000	55.62	2.54	68.2	12.58	Peak	238.00	200	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.10	2.32	68.2	12.10	Peak	141.00	100	Horizontal	Pass
2	5927.250	58.93	2.43	68.2	9.27	Peak	177.00	150	Horizontal	Pass

U-NII-5 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5914.375	57.81	3.97	88.2	30.39	Peak	76.00	150	Horizontal	Pass
1**	5914.375	46.34	3.97	68.2	21.86	AV	76.00	150	Horizontal	Pass
2	5924.788	55.25	3.50	88.2	32.95	Peak	290.00	200	Horizontal	Pass
2**	5924.788	45.89	3.50	68.2	22.31	AV	290.00	200	Horizontal	Pass

U-NII-5 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5879.312	57.70	3.98	88.2	30.50	Peak	202.00	200	Horizontal	Pass
1**	5879.312	45.81	3.98	68.2	22.39	AV	202.00	200	Horizontal	Pass
2	5924.788	55.96	3.50	88.2	32.24	Peak	360.00	200	Horizontal	Pass
2**	5924.788	46.40	3.50	68.2	21.80	AV	360.00	200	Horizontal	Pass

U-NII-5 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5907.362	57.97	4.41	88.2	30.23	Peak	332.00	200	Horizontal	Pass
1**	5907.362	46.74	4.41	68.2	21.46	AV	332.00	200	Horizontal	Pass
2	5924.788	55.67	3.50	88.2	32.53	Peak	120.00	100	Horizontal	Pass
2**	5924.788	45.74	3.50	68.2	22.46	AV	120.00	100	Horizontal	Pass

U-NII-5 11ax160(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5810.675	57.42	3.49	88.2	30.78	Peak	110.00	100	Horizontal	Pass
1**	5810.675	45.55	3.49	68.2	22.65	AV	110.00	100	Horizontal	Pass
2	5924.788	55.01	3.50	88.2	33.19	Peak	357.00	200	Horizontal	Pass
2**	5924.788	45.45	3.50	68.2	22.75	AV	357.00	200	Horizontal	Pass

U-NII-5 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5885.263	57.55	4.39	88.2	30.65	Peak	283.00	100	Horizontal	Pass
1**	5885.263	46.19	4.39	68.2	22.01	AV	283.00	100	Horizontal	Pass
2	5924.788	55.50	3.50	88.2	32.70	Peak	283.00	200	Horizontal	Pass
2**	5924.788	45.33	3.50	68.2	22.87	AV	283.00	200	Horizontal	Pass

U-NII-5 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5896.737	57.49	4.36	88.2	30.71	Peak	337.00	200	Horizontal	Pass
1**	5896.737	45.87	4.36	68.2	22.33	AV	337.00	200	Horizontal	Pass
2	5924.788	54.67	3.50	88.2	33.53	Peak	249.00	100	Horizontal	Pass
2**	5924.788	45.29	3.50	68.2	22.91	AV	249.00	100	Horizontal	Pass

U-NII-5 11ax80(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5673.612	57.53	3.39	88.2	30.67	Peak	167.00	150	Horizontal	Pass
1**	5673.612	45.02	3.39	68.2	23.18	AV	167.00	150	Horizontal	Pass
2	5924.788	54.79	3.50	88.2	33.41	Peak	148.00	200	Horizontal	Pass
2**	5924.788	45.36	3.50	68.2	22.84	AV	148.00	200	Horizontal	Pass

U-NII-5 11ax160(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5906.300	56.94	4.39	88.2	31.26	Peak	70.00	200	Horizontal	Pass
1**	5906.300	45.97	4.39	68.2	22.23	AV	70.00	200	Horizontal	Pass
2	5924.788	55.27	3.50	88.2	32.93	Peak	184.00	200	Horizontal	Pass
2**	5924.788	45.53	3.50	68.2	22.67	AV	184.00	200	Horizontal	Pass

U-NII-8 11ax20(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	57.21	5.79	88.2	30.99	Peak	141.00	150	Horizontal	Pass
1**	7125.063	46.93	5.79	68.2	21.27	AV	141.00	150	Horizontal	Pass
2	7204.938	59.52	5.74	88.2	28.68	Peak	46.00	200	Horizontal	Pass
2**	7204.938	47.38	5.74	68.2	20.82	AV	46.00	200	Horizontal	Pass

U-NII-8 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	72.05	5.76	88.2	16.15	Peak	354.00	150	Horizontal	Pass
1**	7125.000	58.96	5.76	68.2	9.24	AV	354.00	150	Horizontal	Pass
2	7125.125	71.16	5.82	88.2	17.04	Peak	350.00	200	Horizontal	Pass
2**	7125.125	59.13	5.82	68.2	9.07	AV	350.00	200	Horizontal	Pass

U-NII-8 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	57.42	5.79	88.2	30.78	Peak	279.00	200	Horizontal	Pass
1**	7125.063	47.08	5.79	68.2	21.12	AV	279.00	200	Horizontal	Pass
2	7205.875	59.19	5.76	88.2	29.01	Peak	311.00	150	Horizontal	Pass
2**	7205.875	47.40	5.76	68.2	20.80	AV	311.00	150	Horizontal	Pass

U-NII-8 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	57.45	5.79	88.2	30.75	Peak	0.00	100	Horizontal	Pass
1**	7125.063	46.91	5.79	68.2	21.29	AV	0.00	100	Horizontal	Pass
2	7174.000	59.29	6.15	88.2	28.91	Peak	203.00	100	Horizontal	Pass
2**	7174.000	47.80	6.15	68.2	20.40	AV	203.00	100	Horizontal	Pass

U-NII-8 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	56.42	5.79	88.2	31.78	Peak	347.00	100	Horizontal	Pass
1**	7125.063	46.93	5.79	68.2	21.27	AV	347.00	100	Horizontal	Pass
2	7139.188	59.72	6.05	88.2	28.48	Peak	212.00	200	Horizontal	Pass
2**	7139.188	47.49	6.05	68.2	20.71	AV	212.00	200	Horizontal	Pass

U-NII-8 11ax20(RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	57.44	5.79	88.2	30.76	Peak	237.00	150	Horizontal	Pass
1**	7125.063	46.64	5.79	68.2	21.56	AV	237.00	150	Horizontal	Pass
2	7163.687	59.43	6.21	88.2	28.77	Peak	340.00	100	Horizontal	Pass
2**	7163.687	47.75	6.21	68.2	20.45	AV	340.00	100	Horizontal	Pass

U-NII-8 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	69.63	5.79	88.2	18.57	Peak	360.00	200	Horizontal	Pass
1**	7125.063	52.67	5.79	68.2	15.53	AV	360.00	200	Horizontal	Pass
2	7125.125	70.40	5.82	88.2	17.80	Peak	211.00	100	Horizontal	Pass
2**	7125.125	52.77	5.82	68.2	15.43	AV	211.00	100	Horizontal	Pass

U-NII-8 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	56.34	5.76	88.2	31.86	Peak	286.00	100	Horizontal	Pass
1**	7125.000	46.44	5.76	68.2	21.76	AV	286.00	100	Horizontal	Pass
2	7159.000	59.46	6.14	88.2	28.74	Peak	136.00	100	Horizontal	Pass
2**	7159.000	47.79	6.14	68.2	20.41	AV	136.00	100	Horizontal	Pass

U-NII-8 11ax80(RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	56.51	5.79	88.2	31.69	Peak	279.00	200	Horizontal	Pass
1**	7125.063	46.75	5.79	68.2	21.45	AV	279.00	200	Horizontal	Pass
2	7167.625	59.04	6.37	88.2	29.16	Peak	16.00	100	Horizontal	Pass
2**	7167.625	48.19	6.37	68.2	20.01	AV	16.00	100	Horizontal	Pass

U-NII-8 11ax160(RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	56.94	5.76	88.2	31.26	Peak	34.00	200	Horizontal	Pass
1**	7125.000	46.54	5.76	68.2	21.66	AV	34.00	200	Horizontal	Pass
2	7164.938	59.06	6.13	88.2	29.14	Peak	290.00	100	Horizontal	Pass
2**	7164.938	47.58	6.13	68.2	20.62	AV	290.00	100	Horizontal	Pass

A.7 Contention Based Protocol

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.73 dBi.
<input type="checkbox"/> Radiation	The Regulated Threshold Level = -62 dBm + G (2.73 dBi) = -59.27 dBm


Test Data

U-NII-5 (5925 MHz to 6425 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	37	6135	6135	-68.07	2.73	-65.34	-62	Ceased	90%	90%	Pass
				-68.57	2.73	-65.84	-62	Minimal	/	/	/
				-82.00	2.73	-79.27	-62	Normal	/	/	/
802.11ax (HE160)	47	6185	6110	-68.10	2.73	-65.37	-62	Ceased	100%	90%	Pass
				-68.60	2.73	-65.87	-62	Minimal	/	/	/
				-82.00	2.73	-79.27	-62	Normal	/	/	/
			6185	-68.14	2.73	-65.41	-62	Ceased	90%	90%	Pass
				-68.64	2.73	-65.91	-62	Minimal	/	/	/
				-82.00	2.73	-79.27	-62	Normal	/	/	/
			6260	-68.29	2.73	-65.56	-62	Ceased	100%	90%	Pass
				-68.79	2.73	-66.06	-62	Minimal	/	/	/
				-82.00	2.73	-79.27	-62	Normal	/	/	/


Test Plots

Plots of Incumbent signal(AWGN) Level


802.11ax (HE20)-Channel 37




802.11ax (HE160)-Channel 47 (Low Edge)



802.11ax (HE160)-Channel 47 (Middle Edge)



802.11ax (HE160)-Channel 47 (High Edge)



Plots of EUT Tx waveform

802.11ax (HE20)-Channel 37



802.11ax (HE160)-Channel 47 (Low Edge)



802.11ax (HE160)-Channel 47 (Middle Edge)



802.11ax (HE160)-Channel 47 (High Edge)



Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.31 dBi. The Regulated Threshold Level = -62 dBm + G (2.31 dBi) = -59.69 dBm


Test Data

U-NII-6 (6425 MHz to 6525 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	101	6455	6455	-67.95	2.31	-65.64	-62	Ceased	90%	90%	Pass
				-68.45	2.31	-66.14	-62	Minimal	/	/	/
				-82.00	2.31	-79.69	-62	Normal	/	/	/
802.11ax (HE160)	111	6505	6430	-67.48	2.31	-65.17	-62	Ceased	90%	90%	Pass
				-67.98	2.31	-65.67	-62	Minimal	/	/	/
				-82.00	2.31	-79.69	-62	Normal	/	/	/
			6505	-67.47	2.31	-65.16	-62	Ceased	90%	90%	Pass
				-67.97	2.31	-65.66	-62	Minimal	/	/	/
				-82.00	2.31	-79.69	-62	Normal	/	/	/
			6580	-67.29	2.31	-64.98	-62	Ceased	90%	90%	Pass
				-67.79	2.31	-65.48	-62	Minimal	/	/	/
				-82.00	2.31	-79.69	-62	Normal	/	/	/


Test Plots

Plots of Incumbent signal(AWGN) Level


802.11ax (HE20)-Channel 101




802.11ax (HE160)-Channel 111 (Low Edge)



802.11ax (HE160)-Channel 111 (Middle Edge)



802.11ax (HE160)-Channel 111 (High Edge)



Plots of EUT Tx waveform

802.11ax (HE20)-Channel 101



802.11ax (HE160)-Channel 111 (Low Edge)



802.11ax (HE160)-Channel 111 (Middle Edge)



802.11ax (HE160)-Channel 111 (High Edge)



Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.58 dBi. The Regulated Threshold Level = -62 dBm + G (2.58 dBi) = -59.42 dBm


Test Data

U-NII-7 (6525 MHz to 6875 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	149	6695	6695	-68.06	2.58	-65.48	-62	Ceased	90%	90%	Pass
				-68.56	2.58	-65.98	-62	Minimal	/	/	/
				-82.00	2.58	-79.42	-62	Normal	/	/	/
802.11ax (HE160)	143	6665	6590	-67.96	2.58	-65.38	-62	Ceased	90%	90%	Pass
				-68.46	2.58	-65.88	-62	Minimal	/	/	/
				-82.00	2.58	-79.42	-62	Normal	/	/	/
			6665	-68.29	2.58	-65.71	-62	Ceased	90%	90%	Pass
				-68.79	2.58	-66.21	-62	Minimal	/	/	/
				-82.00	2.58	-79.42	-62	Normal	/	/	/
			6740	-68.29	2.58	-65.71	-62	Ceased	90%	90%	Pass
				-68.34	2.58	-65.76	-62	Minimal	/	/	/
				-82.00	2.58	-79.42	-62	Normal	/	/	/


Test Plots

Plots of Incumbent signal(AWGN) Level


802.11ax (HE20)-Channel 149




802.11ax (HE160)-Channel 143 (Low Edge)



802.11ax (HE160)-Channel 143 (Middle Edge)



802.11ax (HE160)-Channel 143 (High Edge)



Plots of EUT Tx waveform

802.11ax (HE20)-Channel 149



802.11ax (HE160)-Channel 143 (Low Edge)



802.11ax (HE160)-Channel 143 (Middle Edge)



802.11ax (HE160)-Channel 143 (High Edge)



Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.23 dBi. The Regulated Threshold Level = -62 dBm + G (2.23 dBi) = -59.77 dBm


Test Data

U-NII-8 (6875 MHz to 7125 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	213	7015	7015	-67.98	2.23	-65.75	-62	Ceased	100%	90%	Pass
				-68.48	2.23	-66.25	-62	Minimal	/	/	/
				-82.00	2.23	-79.77	-62	Normal	/	/	/
802.11ax (HE160)	207	6985	6910	-67.69	2.23	-65.46	-62	Ceased	90%	90%	Pass
				-68.19	2.23	-65.96	-62	Minimal	/	/	/
				-82.00	2.23	-79.77	-62	Normal	/	/	/
			6985	-67.44	2.23	-65.21	-62	Ceased	90%	90%	Pass
				-67.94	2.23	-65.71	-62	Minimal	/	/	/
				-82.00	2.23	-79.77	-62	Normal	/	/	/
			7060	-68.04	2.23	-65.81	-62	Ceased	90%	90%	Pass
				-68.54	2.23	-66.31	-62	Minimal	/	/	/
				-82.00	2.23	-79.77	-62	Normal	/	/	/


Test Plots

Plots of Incumbent signal(AWGN) Level


802.11ax (HE20)-Channel 213




802.11ax (HE160)-Channel 207 (Low Edge)



802.11ax (HE160)-Channel 207 (Middle Edge)



802.11ax (HE160)-Channel 207 (High Edge)



Plots of EUT Tx waveform

802.11ax (HE20)-Channel 213



802.11ax (HE160)-Channel 207 (Low Edge)



802.11ax (HE160)-Channel 207 (Middle Edge)



802.11ax (HE160)-Channel 207 (High Edge)



A.8 In-Band Emissions


Note¹: All antenna were pre tested, but only the worst case has been reported in this report.

Note²: All the configurations were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

SISO-Main Antenna


11ax20(SU), U-NII-5, Low Channel




11ax20(SU), U-NII-5, Middle Channel




11ax20(SU), U-NII-5, High Channel




11ax40(SU), U-NII-5, Low Channel




11ax40(SU), U-NII-5, Middle Channel




11ax40(SU), U-NII-5, High Channel




11ax80(SU), U-NII-5, Low Channel




11ax80(SU), U-NII-5, Middle Channel




11ax80(SU), U-NII-5, High Channel




11ax160(SU), U-NII-5, Low Channel




11ax160(SU), U-NII-5, Middle Channel




11ax160(SU), U-NII-5, High Channel




11ax20(SU), U-NII-6, Low Channel




11ax20(SU), U-NII-6, Middle Channel




11ax20(SU), U-NII-6, High Channel




11ax40(SU), U-NII-6, Low Channel




11ax40(SU), U-NII-6, Middle Channel




11ax40(SU), U-NII-6, High Channel




11ax80(SU), U-NII-6, Low Channel




11ax80(SU), U-NII-6, High Channel




11ax160(SU), U-NII-6, Middle Channel




11ax20(SU), U-NII-7, Low Channel




11ax20(SU), U-NII-7, Middle Channel




11ax20(SU), U-NII-7, High Channel




11ax40(SU), U-NII-7, Low Channel




11ax40(SU), U-NII-7, Middle Channel




11ax40(SU), U-NII-7, High Channel




11ax80(SU), U-NII-7, Low Channel



11ax80(SU), U-NII-7, Middle Channel




11ax80(SU), U-NII-7, High Channel




11ax160(SU), U-NII-7, Low Channel




11ax160(SU), U-NII-7, High Channel




11ax20(SU), U-NII-8, Low Channel




11ax20(SU), U-NII-8, Middle Channel




11ax20(SU), U-NII-8, Middle Channel




11ax20(SU), U-NII-8, High Channel




11ax40(SU), U-NII-8, Low Channel




11ax40(SU), U-NII-8, Middle Channel




11ax40(SU), U-NII-8, High Channel




11ax80(SU), U-NII-8, Low Channel




11ax80(SU), U-NII-8, Middle Channel



11ax80(SU), U-NII-8, High Channel



11ax160(SU), U-NII-8, Middle Channel



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2471008-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2471008-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2471008-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--