


1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)




1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.4	13	Pass




1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.84	13	Pass




1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)



1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.88	13	Pass




1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	3.35	13	Pass




1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.02	13	Pass



1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.7	13	Pass




1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)




1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.69	13	Pass




1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.11	13	Pass




1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.32	13	Pass



1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)




1.99. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.95	13	Pass




1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.95	13	Pass




1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)




1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.62	13	Pass




1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.76	13	Pass




1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.75	13	Pass




1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.08	13	Pass




1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.78	13	Pass




1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)




1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.83	13	Pass




1.110. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.57	13	Pass




1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.65	13	Pass




1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.69	13	Pass




1.113. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.32	13	Pass




1.114. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.66	13	Pass




1.115. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.56	13	Pass




1.116. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.82	13	Pass




1.117. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	3.17	13	Pass




1.118. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	3.26	13	Pass




1.119. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	3.42	13	Pass




1.120. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.89	13	Pass




1.121. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.5	13	Pass




1.122. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.44	13	Pass




1.123. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.7	13	Pass




1.124. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.25	13	Pass




1.125. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.33	13	Pass




1.126. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.52	13	Pass




1.127. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




1.128. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.92	13	Pass




1.129. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.82	13	Pass




1.130. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.87	13	Pass




1.131. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	3.2	13	Pass




1.132. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	3.25	13	Pass



1.133. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	3.5	13	Pass




1.134. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




1.135. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.71	13	Pass




1.136. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.61	13	Pass




1.137. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.66	13	Pass




1.138. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.18	13	Pass




1.139. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.2	13	Pass




1.140. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.31	13	Pass




1.141. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.27	13	Pass




1.142. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.143. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5	13	Pass




1.144. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)




1.145. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.64	13	Pass




1.146. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.65	13	Pass




1.147. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	3.73	13	Pass




1.148. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.03	13	Pass




1.149. LTE Peak to Average Ratio(NTNV)(Subtest:149, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.77	13	Pass




1.150. LTE Peak to Average Ratio(NTNV)(Subtest:150, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)




1.151. LTE Peak to Average Ratio(NTNV)(Subtest:151, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.79	13	Pass




1.152. LTE Peak to Average Ratio(NTNV)(Subtest:152, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.75	13	Pass




1.153. LTE Peak to Average Ratio(NTNV)(Subtest:153, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.66	13	Pass




1.154. LTE Peak to Average Ratio(NTNV)(Subtest:154, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.75	13	Pass




1.155. LTE Peak to Average Ratio(NTNV)(Subtest:155, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.15	13	Pass




1.156. LTE Peak to Average Ratio(NTNV)(Subtest:156, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.74	13	Pass




1.157. LTE Peak to Average Ratio(NTNV)(Subtest:157, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.6	13	Pass




1.158. LTE Peak to Average Ratio(NTNV)(Subtest:158, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.83	13	Pass




1.159. LTE Peak to Average Ratio(NTNV)(Subtest:159, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	3.36	13	Pass




1.160. LTE Peak to Average Ratio(NTNV)(Subtest:160, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	3.09	13	Pass




1.161. LTE Peak to Average Ratio(NTNV)(Subtest:161, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	3.53	13	Pass




1.162. LTE Peak to Average Ratio(NTNV)(Subtest:162, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.83	13	Pass




1.163. LTE Peak to Average Ratio(NTNV)(Subtest:163, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.5	13	Pass




1.164. LTE Peak to Average Ratio(NTNV)(Subtest:164, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)



1.165. LTE Peak to Average Ratio(NTNV)(Subtest:165, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.59	13	Pass



1.166. LTE Peak to Average Ratio(NTNV)(Subtest:166, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.35	13	Pass

