




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-3.408	0	-3.408	30	Pass
NVNT	BLE	2442	Ant1	-3.169	0	-3.169	30	Pass
NVNT	BLE	2480	Ant1	-3.467	0	-3.467	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.678	0.5	Pass
NVNT	BLE	2442	Ant1	0.653	0.5	Pass
NVNT	BLE	2480	Ant1	0.663	0.5	Pass













## **Occupied Channel Bandwidth**

Condition Mode		Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.028439784	
NVNT	BLE	2442	Ant1	1.034115512	
NVNT	BLE	2480	Ant1	1.029507664	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-9.91	8	Pass
NVNT	BLE	2442	Ant1	-9.135	8	Pass
NVNT	BLE	2480	Ant1	-9.915	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-52.43	-20	Pass
NVNT	BLE	2480	Ant1	-53.07	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-46.63	-20	Pass
NVNT	BLE	2442	Ant1	-46.24	-20	Pass
NVNT	BLE	2480	Ant1	-46.25	-20	Pass







