


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-8.722	0	-8.722	30	Pass
NVNT	BLE	2442	Ant1	-9.424	0	-9.424	30	Pass
NVNT	BLE	2480	Ant1	-9.688	0	-9.688	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.684	0.5	Pass
NVNT	BLE	2442	Ant1	0.686	0.5	Pass
NVNT	BLE	2480	Ant1	0.682	0.5	Pass







Spectru Occupie	ed BW			•	F						
R R	IGHT	Input: R Couplin Align: A	g: DC	Input Z: Corr CC Freq Rei	orr	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fr Avg Hold: Radio Std			
1 Graph			•				D-61-11-055-14	0.04 -15		Mkr3 2.4803	33000 GHz
Scale/E		dB					Ref LvI Offset Ref Value 22.8				19.24 dBm
Log 12.8											
2.81								4			
-7.19						<u>− 0</u> 2			3		
-17.2											
-37.2											
-47.2											
-57.2 -67.2											
Center							#Video BW 30	0.00 kHz			Span 2 MHz
#Res B		00 kHz								Sweep 1.33	ms (10001 pts)
2 Metric	S		•								
		Occ	upied Bar								
				1.0565					Total Power	-6.92 dBm	
			nsmit Freq 3 Bandwid			-7.770 kHz 682.0 kHz			% of OBW Power x dB	99.00 % -6.00 dB	
		-X UE	b ban uwiu	ui					X UB	-0.00 dB	
	5]?	Mar 14 2:19:4	, 2022 0 PM						



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.053974685
NVNT	BLE	2442	Ant1	1.054256564
NVNT	BLE	2480	Ant1	1.0550962





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2203046 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-15.126	8	Pass
NVNT	BLE	2442	Ant1	-15.88	8	Pass
NVNT	BLE	2480	Ant1	-16.134	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.24	-20	Pass
NVNT	BLE	2480	Ant1	-41.74	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-38.15	-20	Pass
NVNT	BLE	2442	Ant1	-36.47	-20	Pass
NVNT	BLE	2480	Ant1	-36.71	-20	Pass











