


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-3.898	0	-3.898	30	Pass
NVNT	BLE	2442	Ant1	-4.475	0	-4.475	30	Pass
NVNT	BLE	2480	Ant1	-3.801	0	-3.801	30	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202038 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 2 of 19







-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.654	0.5	Pass
NVNT	BLE	2442	Ant1	0.664	0.5	Pass
NVNT	BLE	2480	Ant1	0.661	0.5	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202038 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 5 of 19



Occupi				• •	-							
R R	SIGHT .≁	Input: RF Coupling Align: Au	J: DC	Input Z: 5 Corr CCc Freq Ref	rr	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fr Avg Hold: Radio Std		Z		
1 Grapi	h		v			1	Ref LvI Offset	3.31 dB		Mk		29000 GHz
	Div 10.0	dB					Ref Value 23.3	l dBm			-	10.47 dBm
Log 13.3												
3.31						<u>0</u> 2			+- 0 ¹ _▲3+			
-6.69						- Parama						
-16.7 - -26.7 -			~									
-36.7		~									And a	
-46.7 -												
-56.7 -66.7												
	2.48000				!		#Video BW 300					Span 2 MHz
	2.48000 3W 100.0						#VIGEO BVV 300	100 KHZ			Sweep 1.33 r	ns (10001 pts)
2 Metrie	CS		•									
		Occi	upied Band	dwidth 1.0467	MHz				Total Power		2.34 dBm	
		Tran	smit Freq			-1.837 kHz			% of OBW Powe		99.00 %	
			Bandwidt			660.8 kHz			x dB		-6.00 dB	
	5	2	2	Feb 25 3:40:3	2022 2 PM							



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.047041879
NVNT	BLE	2442	Ant1	1.042969027
NVNT	BLE	2480	Ant1	1.038424679





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202038 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 8 of 19







Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-20.342	8	Pass
NVNT	BLE	2442	Ant1	-20.888	8	Pass
NVNT	BLE	2480	Ant1	-20.16	8	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202038 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 11 of 19









Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.09	-20	Pass
NVNT	BLE	2480	Ant1	-50.46	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.28	-20	Pass
NVNT	BLE	2442	Ant1	-44.55	-20	Pass
NVNT	BLE	2480	Ant1	-45.24	-20	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202038 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 17 of 19







