




#### **Test Data**


### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-6.434	0	-6.434	30	Pass
NVNT	BLE	2442	Ant1	-7.821	0	-7.821	30	Pass
NVNT	BLE	2480	Ant1	-6.775	0	-6.775	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz) Antenna		-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.667	0.5	Pass
NVNT	BLE	2480	Ant1	0.663	0.5	Pass













# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.044890269	
NVNT	BLE	2442	Ant1	1.047800507	
NVNT	BLE	2480	Ant1	1.045682598	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-22.371	8	Pass
NVNT	BLE	2442	Ant1	-24.182	8	Pass
NVNT	BLE	2480	Ant1	-23.181	8	Pass















### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.28	-20	Pass
NVNT	BLE	2480	Ant1	-48.67	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-43.44	-20	Pass
NVNT	BLE	2442	Ant1	-41.44	-20	Pass
NVNT	BLE	2480	Ant1	-42.21	-20	Pass











